

3rd-Party Software Report for **splunk-add-on-for-amazon-web-services**

This document lists the open source software and other third-party components used in splunk-add-on-for-amazon-web-services.

Any information contained in this report is subject to the terms of your FOSSA agreement and any applicable export control laws.

Generated
July 28, 2026

Revision
71e84ab68a236691717788fddb9004cc132951ca

Dependencies Summary

This section shows the summary of all packages in splunk-add-on-for-amazon-web-services.

Package	Declared License(s)	Discovered License(s)
@babel/code-frame 7.22.13	MIT	None
@babel/generator 7.23.0	MIT	None
@babel/helper-annotate-as-pure 7.16.7	MIT	None
@babel/helper-environment-visitor 7.22.20	MIT	None
@babel/helper-function-name 7.23.0	MIT	None
@babel/helper-hoist-variables 7.22.5	MIT	None
@babel/helper-module-imports 7.16.7	MIT	None
@babel/helper-split-export-declaration 7.22.6	MIT	None

@babel/helper-string-parser 7.22.5	MIT	None
@babel/helper-validator-identifier 7.16.7	MIT	None
@babel/helper-validator-identifier 7.22.20	MIT	None
@babel/highlight 7.22.20	MIT	None
@babel/parser 7.23.0	MIT	None
@babel/runtime 7.27.0	MIT	None
@babel/template 7.22.15	MIT	None
@babel/traverse 7.23.2	MIT	None
@babel/types 7.16.7	MIT	None
@babel/types 7.23.0	MIT	None
@emotion/is-prop-valid 0.8.8	MIT	None
@emotion/memoize 0.7.4	MIT	None
@emotion/stylis 0.8.5	MIT	None
@emotion/unitless 0.7.5	MIT	None
@jridgewell/gen-mapping 0.3.3	MIT	None
@jridgewell/resolve-uri 3.1.1	MIT	None
@jridgewell/resolve-uri 3.1.0	MIT	None
@jridgewell/set-array 1.1.2	MIT	None
@jridgewell/sourcemap-codec 1.4.14	MIT	None
@jridgewell/sourcemap-codec 1.4.15	MIT	None
@jridgewell/trace-mapping 0.3.20	MIT	None
@jridgewell/trace-mapping 0.3.14	MIT	None

<u>@react-spring/animated 9.4.1</u>	MIT	None
<u>@react-spring/core 9.4.1</u>	MIT	None
<u>@react-spring/konva 9.4.1</u>	MIT	None
<u>@react-spring/native 9.4.1</u>	MIT	None
<u>@react-spring/rafz 9.4.1</u>	MIT	None
<u>@react-spring/shared 9.4.1</u>	MIT	None
<u>@react-spring/three 9.4.1</u>	MIT	None
<u>@react-spring/types 9.4.1</u>	MIT	None
<u>@react-spring/web 9.4.1</u>	MIT	None
<u>@react-spring/zdog 9.4.1</u>	MIT	None
<u>@splunk/react-icons 3.1.0</u>	Apache-2.0, proprietary- license	None
<u>@splunk/react-ui 4.4.1</u>	Apache-2.0, proprietary- license	MIT
<u>@splunk/splunk-utils 2.1.0</u>	Apache-2.0, proprietary- license	None
<u>@splunk/themes 0.9.0</u>	Apache-2.0, proprietary- license	None
<u>@splunk/ui-utils 1.4.0</u>	Apache-2.0, proprietary- license	None
<u>@types/commonmark 0.27.5</u>	MIT	None
<u>@types/hoist-non-react-statics 3.3.1</u>	MIT	None
<u>@types/lodash 4.14.178</u>	MIT	None

@types/prop-types 15.7.4	MIT	None
@types/react 16.14.21	MIT	None
@types/react 17.0.38	MIT	None
@types/react-dom 16.9.14	MIT	None
@types/react-event-listener 0.4.12	MIT	None
@types/react-resize-detector 3.1.1	MIT	None
@types/scheduler 0.16.2	MIT	None
@types/styled-components 5.1.19	MIT	None
@types/tinycolor2 1.4.3	MIT	None
PySocks 1.7.1	BSD-3-Clause	Apache-2.0
ansi-styles 3.2.1	MIT	None
babel-plugin-styled-components 2.0.2	MIT	None
babel-plugin-syntax-jsx 6.18.0	MIT	None
babel-plugin-syntax-object-rest-spread 6.13.0	MIT	None
babel-plugin-transform-object-rest-spread 6.26.0	MIT	None
babel-runtime 6.26.0	MIT	None
boto3 1.40.55	Apache-2.0	None
botocore 1.40.76	Apache-2.0	MPL-2.0, MIT
camelize 1.0.0	MIT	None
certifi 2025.10.5	MPL-2.0	None
cffi 2.0.0	MIT, mit-0	None

<u>chalk 2.4.2</u>	MIT	None
<u>charset-normalizer 3.3.2</u>	MIT	None
<u>color-blend 2.0.9</u>	MIT	None
<u>color-convert 1.9.3</u>	MIT	None
<u>color-name 1.1.3</u>	MIT	None
<u>commonmark 0.27.0</u>	Multi-license: BSD-2-Clause OR MIT	MIT, BSD-2-Clause
<u>commonmark-react-renderer 4.3.5</u>	MIT	None
<u>core-js 2.6.12</u>	MIT	None
<u>cryptography 46.0.7</u>	Apache-2.0	None
<u>css-color-keywords 1.0.0</u>	ISC	None
<u>css-to-react-native 3.0.0</u>	MIT	None
<u>csstype 3.0.10</u>	MIT	None
<u>debug 4.3.3</u>	MIT	None
<u>decimal.js-light 2.5.1</u>	MIT	None
<u>defusedxml 0.7.1</u>	None	PSF-2.0
<u>deprecation 2.1.0</u>	Apache-2.0	None
<u>entities 1.1.2</u>	BSD-2-Clause	None
<u>escape-string-regexp 1.0.5</u>	MIT	None
<u>github.com/JohnCGriffin/overflow v0.0.0-20211019200055-46fa312c352c</u>	None	MIT
<u>github.com/andybalholm/brotli v1.1.1</u>	MIT	BSD-3-Clause

github.com/apache/arrow/go/v15 v15.0.2	None	Zlib, Apache-2.0, apache-2.0 WITH llvm-exception, NCSA, public-domain, Protobuf, openssl-ssleay, OpenSSL, mit-old-style-no-advert, MIT, BSD-2-Clause, BSD-3-Clause, BSL-1.0
github.com/apache/thrift v0.23.0	Apache-2.0, FSFAP	BSD-2-Clause, BSD-3-Clause, BSL-1.0, FSFULLR, GPL-3.0-or-later, gpl-1.0-plus WITH autoconf-macro-exception, public-domain, MIT
github.com/goccy/go-json v0.10.4	MIT	BSD-3-Clause
github.com/golang/snappy v0.0.4	None	BSD-3-Clause
github.com/google/flatbuffers v25.1.21+incompatible	None	Apache-2.0, BSD-3-Clause
github.com/klauspost/compress v1.17.11	None	MIT, BSD-3-Clause, Apache-2.0
github.com/klauspost/cpuid/v2 v2.2.9	MIT	BSD-3-Clause
github.com/pierrec/lz4/v4 v4.1.22	None	BSD-3-Clause, public-domain, gutenberg-2020
github.com/zeebo/xxh3 v1.0.2	None	BSD-2-Clause
globals 11.12.0	MIT	None
golang.org/x/exp v0.0.0-20250106191152-7588d65b2ba8	None	BSD-3-Clause
golang.org/x/net v0.56.0	None	MIT, BSD-3-Clause
golang.org/x/sync v0.21.0	None	BSD-3-Clause
golang.org/x/sys v0.46.0	None	BSD-3-Clause

golang.org/x/text v0.38.0	None	BSD-3-Clause, CC-BY-SA-3.0, CC-BY-SA-2.5, CC-BY-SA-1.0, CC-BY-SA-2.0
golang.org/x/xerrors v0.0.0-20240903120638-7835f813f4da	None	BSD-3-Clause
google.golang.org/genproto/googleapis/rpc v0.0.0-20251202230838-ff82c1b0f217	None	Apache-2.0
google.golang.org/grpc v1.79.3	Apache-2.0	None
google.golang.org/protobuf v1.36.10	None	BSD-3-Clause
has-flag 3.0.0	MIT	None
hoist-non-react-statics 3.3.2	BSD-3-Clause	None
idna 3.18	BSD-3-Clause	None
invariant 2.2.4	MIT	None
jmespath 1.0.1	MIT	None
js-tokens 4.0.0	MIT	None
jsesc 2.5.2	MIT	None
keycode 2.2.1	MIT	None
lodash 4.18.1	MIT, CC0-1.0	None
lodash-es 4.18.1	MIT, CC0-1.0	None
lodash.assign 4.2.0	MIT, CC0-1.0	None
lodash.isplainobject 4.0.6	MIT, CC0-1.0	None
loose-envify 1.4.0	MIT	None
mdurl 1.0.1	MIT	None
minimist 1.2.6	MIT	None

<u>moment 2.29.4</u>	MIT	None
<u>ms 2.1.2</u>	MIT	None
<u>object-assign 4.1.1</u>	MIT	None
<u>packaging 25.0</u>	Apache-2.0	None
<u>pascalcase 0.1.1</u>	MIT	None
<u>postcss-value-parser 4.2.0</u>	MIT	None
<u>prop-types 15.8.1</u>	MIT	None
<u>pyparser 2.23</u>	BSD-3-Clause	None
<u>python-dateutil 2.9.0.post0</u>	BSD-3-Clause, Apache-2.0	None
<u>react 16.14.0</u>	MIT	None
<u>react-dom 16.14.0</u>	MIT	None
<u>react-event-listener 0.6.6</u>	MIT	None
<u>react-is 16.13.1</u>	MIT	None
<u>react-resize-detector 3.4.0</u>	MIT	None
<u>react-sortable-hoc 1.11.0</u>	MIT	None
<u>react-spring 9.4.1</u>	MIT	None
<u>regenerator-runtime 0.11.1</u>	MIT	None
<u>regenerator-runtime 0.14.1</u>	MIT	None
<u>remote-pdb 2.1.0</u>	BSD-2-Clause	None
<u>requests 2.33.1</u>	Apache-2.0	None
<u>resize-observer-polyfill 1.5.1</u>	MIT	None

<u>s3transfer 0.14.0</u>	Apache-2.0	None
<u>scheduler 0.19.1</u>	MIT	None
<u>shallowequal 1.1.0</u>	MIT	None
<u>six 1.16.0</u>	MIT	None
<u>solnlib 7.0.0</u>	Apache-2.0	None
<u>sortedcontainers 2.4.0</u>	Apache-2.0	None
<u>splunk-sdk 2.1.0</u>	Apache-2.0	None
<u>splunktaucclib 8.2.0</u>	Apache-2.0	None
<u>ssh://git@github.com/splunk/splunksd.git v1.2.1</u>	None	None
<u>string.prototype.repeat 0.2.0</u>	MIT	None
<u>style-loader 3.3.1</u>	MIT	None
<u>styled-components 5.3.3</u>	MIT	None
<u>supports-color 5.5.0</u>	MIT	None
<u>tinycolor2 1.4.2</u>	MIT	None
<u>to-fast-properties 2.0.0</u>	MIT	None
<u>typing-extensions 4.15.0</u>	Python-2.0	None
<u>u-msgpack-python 2.8.0</u>	MIT	None
<u>underscore 1.13.8</u>	MIT	None
<u>urllib3 1.26.19</u>	MIT	None
<u>warning 4.0.3</u>	MIT	None
<u>xss-filters 1.2.7</u>	Multi-license: BSD-2-Clause OR unknown	BSD-3-Clause

OR BSD-3-
Clause

Dependencies Details

This section shows the details for each package in splunk-add-on-for-amazon-web-services.

@splunk/react-ui 4.4.1

npm+@splunk/react-ui\$4.4.1

Direct

Description

Library of React components that implement the Splunk design language

Package Info

Package Author(s)

devinfo@splunk.com, vtsvetkov@splunk.com, webplatform@splunk.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/@splunk/react-ui>

Package Download URL

<https://registry.npmjs.org/@splunk/react-ui/-/react-ui-4.4.1.tgz>

Dependency Path

@splunk/react-ui

Declared License(s)

Apache-2.0

Copyright(s)

None

proprietary-license

Copyright(s)

Splunk Inc.

Discovered License(s)

MIT

Copyright(s)

2014 Call-Em-All

Notice File(s)

None

@splunk/splunk-utils 2.1.0

npm+@splunk/splunk-utils\$2.1.0

Direct

Description

Library of common Splunk Enterprise utilities

Package Info

Package Author(s)

devinfo@splunk.com, vtsvetkov@splunk.com, webplatform@splunk.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/@splunk/splunk-utils>

Package Download URL

<https://registry.npmjs.org/@splunk/splunk-utils/-/splunk-utils-2.1.0.tgz>

Dependency Path

@splunk/splunk-utils

Declared License(s)

Apache-2.0

Copyright(s)

None

proprietary-license

Copyright(s)

Splunk Inc.

Discovered License(s)

None

Notice File(s)

None

@splunk/themes 0.9.0

npm+@splunk/themes\$0.9.0

Direct

Description

Theme variables and mixins for the Splunk design language

Package Info

Package Author(s)

devinfo@splunk.com, vtsvetkov@splunk.com, webplatform@splunk.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/@splunk/themes>

Package Download URL

<https://registry.npmjs.org/@splunk/themes/-/themes-0.9.0.tgz>

Dependency Path

@splunk/react-ui > @splunk/themes, @splunk/themes

Declared License(s)

Apache-2.0

Copyright(s)

None

proprietary-license

Copyright(s)

Splunk Inc.

Discovered License(s)

None

Notice File(s)

None

babel-plugin-transform-object-rest-spread 6.26.0

npm+babel-plugin-transform-object-rest-spread\$6.26.0

Direct

Description

Compile object rest and spread to ES5

Package Info

Package Author(s)

daniel@tschinder.de, hi@henryzoo.com, loganfsmyth@gmail.com,
me@thejameskyle.com, sebmck@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/babel-plugin-transform-object-rest-spread>

Package Download URL

<https://registry.npmjs.org/babel-plugin-transform-object-rest-spread/-/babel-plugin-transform-object-rest-spread-6.26.0.tgz>

Dependency Path

babel-plugin-transform-object-rest-spread

Declared License(s)

MIT

Copyright(s)

None

Discovered License(s)

None

Notice File(s)

None

boto3 1.40.55

pip+boto3\$1.40.55

Direct

Description

The AWS SDK for Python

Package Info

Package Author(s)

Amazon Web Services

Package Manager

Pip

Project URL

<https://github.com/boto/boto3>

Package Download URL

<https://files.pythonhosted.org/packages/50/d8/a279c054e0c9731172f05b3d118f3ffc9d74806657f84fc0c93c42d1bb5d/boto3-1.40.55.tar.gz>

Dependency Path

boto3

Declared License(s)

Apache-2.0

Copyright(s)

2014 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Discovered License(s)

None

Notice File(s)

NOTICE

File Path

NOTICE

Notice Text

boto3

Copyright 2013-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright(s)

Copyright © 2013-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

certifi 2025.10.5

pip+certifi\$2025.10.5

Direct

Description

Python package for providing Mozilla's CA Bundle.

Package Info

Package Author(s)

me@kennethreitz.com

Package Manager

Pip

Project URL

<https://github.com/certifi/python-certifi>

Package Download URL

<https://files.pythonhosted.org/packages/4c/5b/b6ce21586237c77ce67d01dc5507039d444b630dd76611bbca2d8e5dcd91/certifi-2025.10.5.tar.gz>

Dependency Path

ssh://git@github.com/splunk/splunksdsc.git > requests > certifi, certifi,
requests > certifi

Declared License(s)

MPL-2.0

Copyright(s)

None

Discovered License(s)

None

Notice File(s)

None

cryptography 46.0.7

pip+cryptography\$46.0.7

Direct

Description

pyca/cryptography ===== .. image::
<https://img.shields.io/pypi/v/cryptography.svg> :target:
<https://pypi.org/project/cryptography/> :alt: Latest Version .. image::
<https://readthedocs.org/projects/cryptography/badge/?version=latest>
:target: <https://cryptography.io> :alt: Latest Docs .. image::
[https://github.com/pyca/cryptography/workflows/CI/badge.svg?](https://github.com/pyca/cryptography/workflows/CI/badge.svg?branch=main)
branch=main :target: [https://github.com/pyca/cryptography/actions?](https://github.com/pyca/cryptography/actions?query=workflow%3ACI+branch%3Amain)
query=workflow%3ACI+branch%3Amain `cryptography` is a package which
provides cryptographic recipes and primitives to Python developers. Our
goal is for it to be your "cryptographic standard library". It supports Python
3.7+ and PyPy3 7.3.11+. `cryptography` includes both high level recipes and
low level interfaces to common cryptographic algorithms such as symmetric
ciphers, message digests, and key derivation functions. For example, to
encrypt something with `cryptography`'s high level symmetric encryption
recipe: .. code-block:: pycon >>> from cryptography.fernet import Fernet >>>
Put this somewhere safe! >>> key = Fernet.generate_key() >>> f =

```
Fernet(key) >>> token = f.encrypt(b"A really secret message. Not for prying
eyes.") >>> token b'...' >>> f.decrypt(token) b'A really secret message. Not for
prying eyes.' You can find more information in the `documentation`. You can
install `cryptography` with: .. code-block:: console $ pip install cryptography
For full details see the installation documentation`. Discussion ~~~~~~ If
you run into bugs, you can file them in our issue tracker`. We maintain a
`cryptography-dev` mailing list for development discussion. You can also join
`#pyca` on irc.libera.chat` to ask questions or get involved. Security ~~~~~~
Need to report a security issue? Please consult our `security reporting`
documentation. .. _documentation: https://cryptography.io/ .. _the installation
documentation: https://cryptography.io/en/latest/installation/ .. _issue
tracker: https://github.com/pyca/cryptography/issues .. _cryptography-dev:
https://mail.python.org/mailman/listinfo/cryptography-dev .. _security
reporting: https://cryptography.io/en/latest/security/
```

Package Info

Package Author(s)

The Python Cryptographic Authority and individual contributors
<cryptography-dev@python.org>

Package Manager

Pip

Project URL

<https://pypi.org/project/cryptography/>

Package Download URL

<https://files.pythonhosted.org/packages/47/93/ac8f3d5ff04d54bc814e961a43ae5b0b146154c89c61b47bb07557679b18/cryptography-46.0.7.tar.gz>

Dependency Path

cryptography

Declared License(s)

Apache-2.0

Copyright(s)

None

Discovered License(s)

None

Notice File(s)

None

github.com/apache/arrow/go/v15 v15.0.2

go+github.com/apache/arrow/go/v15\$ v15.0.2

Direct

Description

Apache Arrow is the universal columnar format and multi-language toolbox for fast data interchange and in-memory analytics

Package Info

Package Author(s)

0x26res, 95th, 9prady9, ARF1, AlenkaF, AliRana30, AlvinJ15, Anakin100100, AnkitAhlawat7742, AntoinePrv, Arawoof06, ArnavBalyan, BryanCutler, Cerdore, Crystrix, CurtHagenlocher, DanTm99, Dandandan, DenisTarasyuk, Divyansh200102, ElenaHenderson, EnricoMi, EpsilonPrime, Fokko, HaochengLIU, HuaHuaY, HyukjinKwon, JabariBooker, JacekPliszka, JayjeetAtGithub, Jedi18, JerAguilon, JohanMabille, Johnnathanalmeida, Licht-T, Light-City, LouisClt, LucasG0, MichaelChirico, MingyuZhong, OliLay, Posnet, R-JunmingChen, Reranko05, SG011, Shockp, StevenMPhillips, TheNeuralBit, Tom-Newton, ViggoC, ViniciusSouzaRoque, WillAyd, Yuhta, ZhangHuiGui, abandy, abbotware, abetomo, abhishek593, abreis, adamreeve, advancedxy, aiguofer, akesling, alamb, albertvillanova, alex-anast, alexandreyc, alexbaden, alinaliBQ, alippai, alistaire47, alphalfalfa, amirma, amoeba, amol-, andersonm-ibm, andishgar, andygrove, animeshtrivedi, anjakefala, anthonylouisbsb, antonymayi, anuragkh, aocsa, arw2019, asmirnov82, assignUser, asubiotto, asuhan, aucahuasi, augustoasilva, austin3dickey, benibus, bkietz, bkmgit, boshek, brancz, brills, candiduslynx, carols10cents, ch-sc, chilin0525, chloeandmargaret, chrisjordansquire, chutchinson, coryan, cpcloud, crepererum, cyb70289, czxrrr, daedric, danepitkin, danrobinson, davidhcoe, davisusanibar, dependabot[bot], dgreiss, dhruv9vats, dianaclarke, dinse, djnnavarro, dmitry-chirkov-dremio, domoritz, dongjoon-hyun, dragosmg, drin,

drusso, edponce, edrevo, eerhardt, egolearner, eitsupi, elahrvivaz,
emkornfield, erratic-pattern, etiennebacher, fatemehp, felipecrv, fenfeng9,
fjetter, frankdix, fredgan, fsaintjacques, fwessels, gf2121, ggershinsky,
ggodik, gitmodimo, guyuqi, h-vetinari, hadrian-reppas, hatemhelal,
hermanschaaf, heronshoes, hiroyuki-sato, hochphil, holdenk, houqp,
huitseeker, iChauster, iabhi4, ianmcook, icexelloss, igor-suhorukov, ildipo,
itaiin, itamarst, izveigor, jacques-n, jameslamb, jaroheh, javierluraschi,
jbonofre, jcrist, jduo, jeffknupp, jeremyosterhoudt, jeroen, jeszyb, jgiannuzzi,
jgm-ktg, jhorstmann, jihoonson, jinchengchenghh, jmestwa-coder, joellubi,
joemarshall, johanel, jonkeane, joosthooz, jorgearleitaio,
jorisvandenbossche, jp0317, jpedroantunes, jreback, js8544, jsjtxietian,
jsoref, jsternberg, judahrand, julienledem, justing-bq, jvanstraten,
jvictorhuguenin, kapoisu, karldw, kevingurney, kevinjqliu, khwilson, kiskz,
kkraus14, klockheart, kou, kshitij12345, kszucs, kylebarron, lafiona, laurentgo,
lbartnik, leihou6116, lesterfan, lidavidm, liurenjie1024, liyafan82, llama90,
lmeyerov, lriggs, lw-lin, lwhite1, lysnikolaou, maartenbreddels, mapleFU,
markhildreth, martinradev, mavam, max-sixty, maxburke, maxhora, mbrobbel,
metalmatze, metstw24-max, michalursa, miguelpragier, mikelui, milesgranger,
mitar, moriyoshi, mqy, mrkn, mroeschke, mroz45, n3world, nateprewitt,
nbruno, nealrichardson, nevi-me, nirandaperera, niyue, nongli, nwt, okadakk,
okkez, orozery, otegami, ovr, paddyhoran, paddyrodgy, palak-9202,
paleolimb0t, pcmoritz, pearu, phofl, pitrou, pprudhvi, praveenbingo, pravindra,
projjal, quanghgx, quinnj, rafael-telles, raulcd, rdettai, renato2099, renesugar,
returnString, rip-nsk, ritchie46, rmnskb, robertnishihara, rodrigojdebem, rok,
romainfrancois, rommelDB, rouault, rsabhi, rtadepalli, rtpsw, rvernica,
sanjibansg, sarutak, save-buffer, sbinet, scampi, seddonm1, seibs, sekikn,
sfc-gh-mmuthuraman, sgilm0re10, sgnkc, shanhuaang, shiro615,
siddharthteotia, sighingnow, sjperkins, srebban, stenlarsson, stephanie-wang,
stephhazlitt, sunchao, suquark, sweb, tacaswell, tachyonwill, tadeja, taeppep,
tanyaschlusser, tebeka, teo-tsirpanis, terencehonles, thisisnic, th0rfour,
tianchen92, tlm365, tobim, toddfarmer, tpboudreau, trxc11nt, tschaub,
tscottcoombes1, tustvold, tyre1r, veprbl, vertexclique, vibhatha, viirya,
voidstar69, vvellanki, vvasr, wagavulin, waywardmonkeys, wesm,
westonpace, wgtmac, williamhyun, wjones127, wkalt, wolfeidau, wqc200,
xhochy, xuepanchen, xxlaykxx, yevgenypats, yordan-pavlov, zagto,
zanmato1984, zeroshade, zhengruifeng, zhijunfu, zhjwpku, zhouyuan,
zhztheplayer

Package Manager

Golang

Project URL

<https://arrow.apache.org/>

Package Download URL

<https://proxy.golang.org/github.com/apache/arrow/go/v15/@v/v15.0.2.zip>

Dependency Path

github.com/apache/arrow/go/v15

Declared License(s)

None

Discovered License(s)

Zlib

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

Apache-2.0

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

apache-2.0 WITH llvm-exception

Copyright(s)

None

NCSA

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

public-domain

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

Protobuf

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

openssl-sseay

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

OpenSSL

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

mit-old-style-no-advert

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

MIT

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

BSD-2-Clause

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

BSD-3-Clause

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

BSL-1.0

Copyright(s)

Google inc and (c) The Chromium Authors and licensed under the

Notice File(s)

None

github.com/goccy/go-json v0.10.4

go+github.com/goccy/go-json\$0.10.4

Direct

Description

Fast JSON encoder/decoder compatible with encoding/json for Go

Package Info

Package Author(s)

GuillaumeRochat, IncSW, KimHyeonwoo, Kiraub, NgoKimPhu, WillAbides, abrander, asaf-shitrit, brongineers, cuonglm, goccy, jupiterv2, jxskiss, lestrrat, mirecl, misyuari, orisano, peterling, preethamrn, shamaton, sunadoi, toddtreece, trim21, vearutop, viewsharp, zchee

Package Manager

Golang

Project URL

<https://github.com/goccy/go-json>

Package Download URL

<https://github.com/goccy/go-json/archive/279389a781fe4a140f85da8121df692080b70968.zip>

Dependency Path

github.com/apache/arrow/go/v15 > github.com/goccy/go-json,
github.com/goccy/go-json

Declared License(s)

MIT

Copyright(s)

2020 Masaaki Goshima

Discovered License(s)

BSD-3-Clause

Copyright(s)

2011 The Go Authors. All rights reserved.

Notice File(s)

None

react 16.14.0

npm+react\$16.14.0

Direct

Description

React is a JavaScript library for building user interfaces.

Package Info

Package Author(s)

opensource+npm@fb.com, react-core@meta.com

Package Manager

NPM

Project URL

<https://react.dev/>

Package Download URL

<https://registry.npmjs.org/react/-/react-16.14.0.tgz>

Dependency Path

react

Declared License(s)

MIT

Copyright(s)

Facebook, Inc. and its affiliates.

Discovered License(s)

None

Notice File(s)

None

react-dom 16.14.0

npm+react-dom\$16.14.0

Direct

Description

React package for working with the DOM.

Package Info

Package Author(s)

opensource+npm@fb.com, react-core@meta.com

Package Manager

NPM

Project URL

<https://react.dev/>

Package Download URL

<https://registry.npmjs.org/react-dom/-/react-dom-16.14.0.tgz>

Dependency Path

react-dom

Declared License(s)

MIT

Copyright(s)

Facebook, Inc. and its affiliates.

Discovered License(s)

None

Notice File(s)

None

remote-pdb 2.1.0

pip+remote-pdb\$2.1.0

Direct

Description

=====
 ===== Overview ===== Remote vanilla PDB (over TCP sockets)
 done right: no extras, proper handling around connection failures and CI.
 Based on `pdbx` <<https://pypi.python.org/pypi/pdbx>>_. * Free software: BSD
 2-Clause License Installation ===== :: `pip install remote-pdb` Usage
 ===== To open a remote PDB on first available port: .. code:: python from
 remote_pdb import set_trace set_trace() # you'll see the port number in the
 logs To use some specific host/port: .. code:: python from remote_pdb import
 RemotePdb RemotePdb('127.0.0.1', 4444).set_trace() To connect just run
`telnet 127.0.0.1 4444`: When you are finished debugging, either exit the
 debugger, or press Control-], then Control-d. Alternately, one can connect
 with NetCat: `nc -C 127.0.0.1 4444` or Socat: `socat readline`
`tcp:127.0.0.1:4444` (for line editing and history support). When finished
 debugging, either exit the debugger, or press Control-c. Note that newer
 Ubuntu disabled readline support in socat, so if you get `unknown`
`device/address "readline"` try using `rlwrap` like this: `rlwrap socat -`
`tcp:127.0.0.1:4444` Using in containers ===== If you want
 to connect from the host to remote-pdb running inside the container you
 should make sure that: * The port you will use is mapped (eg: `-p 4444:4444`).
 * The host is set to `0.0.0.0` (localhost or `127.0.0.1` will not work because
 Docker doesn't map the port on the local interface). Integration with
`breakpoint()` in Python 3.7+
 ===== If you are using
 Python 3.7 one can use the new `breakpoint()` built in to invoke remote PDB. In
 this case the following environment variable must be set: .. code:: bash
`PYTHONBREAKPOINT=remote_pdb.set_trace` The debugger can then be
 invoked as follows, without any imports: .. code:: python `breakpoint()` As the
`breakpoint()` function does not take any arguments, environment variables
 can be used to specify the host and port that the server should listen to. For
 example, to run `script.py` in such a way as to make `telnet 127.0.0.1 4444` the
 correct way of connecting, one would run: .. code:: bash
`PYTHONBREAKPOINT=remote_pdb.set_trace REMOTE_PDB_HOST=127.0.0.1`
`REMOTE_PDB_PORT=4444 python script.py` If `REMOTE_PDB_HOST` is omitted
 then a default value of `127.0.0.1` will be used. If `REMOTE_PDB_PORT` is
 omitted then the first available port will be used. The connection information
 will be logged to the console, as with calls to `remote_pdb.set_trace()`. To
 quiet the output, set `REMOTE_PDB_QUIET=1`; this will prevent `RemotePdb`
 from producing any output -- you'll probably want to specify
`REMOTE_PDB_PORT` as well since the randomized port won't be printed.
 Note about OS X ===== In certain scenarios (backgrounded
 processes) OS X will prevent readline to be imported (and readline is a
 dependency of `pdb`). A workaround (run this early): .. code:: python import
 signal signal.signal(signal.SIGTTOU, signal.SIG_IGN) See #9
 <<https://github.com/ionelmc/python-remote-pdb/issues/9>>_ and
`cpython#14892` <<http://bugs.python.org/issue14892>>_. Requirements

===== Python 2.6, 2.7, 3.2, 3.3 and PyPy are supported. Similar projects ===== * qdb <<https://pypi.python.org/pypi/qdb>>`_

Changelog ===== 2.1.0 (2020-07-24) ----- * Changed logging to use `remote_pdb`logger` instead of the root one. Contributed by Terence Honles in #24 <<https://github.com/ionelmc/python-remote-pdb/pull/24>>`_.

2.0.0 (2019-07-31) ----- * Fixed inconsistency with normal use of `pdb`- BdbQuit`` will now be raised on quitting. Contributed by Anthony Sottile in #18 <<https://github.com/ionelmc/python-remote-pdb/pull/18>>`_.

****BACKWARDS INCOMPATIBLE****. * Added `REMOTE_PDB_QUIET=1`` to silence output. Contributed by Anthony Sottile in #19 <<https://github.com/ionelmc/python-remote-pdb/pull/19>>`_.

1.3.0 (2019-03-13) ----- * Documented support for Python 3.7's `breakpoint()`. * Added support for setting the socket listening host/port through the `REMOTE_PDB_HOST/REMOTE_PDB_PORT`` environment variables. Contributed by Matthew Wilkes in #14 <<https://github.com/ionelmc/python-remote-pdb/pull/14>>`_.

* Removed use of `rw`` file wrappers around sockets (turns out socket's `makefile`` is very buggy in Python 3.6 and later - `output` is discarded <<https://bugs.python.org/issue35928>>`\_). Contributed in #13 <<https://github.com/ionelmc/python-remote-pdb/pull/13>>`_.

1.2.0 (2015-09-26) ----- * Always print/log listening address. 1.1.3 (2015-07-06) ----- * Corrected the default frame tracing starts from. 1.1.2 (2015-07-06) ----- * Small readme update. 1.1.1 (2015-07-06) ----- * Remove bogus `remote_pdb`console` script. 1.1.0 (2015-06-21) ----- *

Fixed buffering issues when running on Python 3 and Windows. 1.0.0 (2015-06-15) ----- * Added support for PDB++. 0.2.1 (2014-03-07) -----

----- * First release on PyPI.

Package Info

Package Author(s)

contact@ionelmc.ro

Package Manager

Pip

Project URL

<https://github.com/ionelmc/python-remote-pdb>

Package Download URL

<https://files.pythonhosted.org/packages/e4/b5/4944cac06fd9fc4a2e168313ec220aa25ed96ce83947b63eea5b4045b22d/remote-pdb-2.1.0.tar.gz>

Dependency Path

remote-pdb

Declared License(s)

BSD-2-Clause

Copyright(s)

2014-2020 Ionel Cristian Mărieș. All rights reserved.

Discovered License(s)

None

Notice File(s)

None

requests 2.33.1

pip+requests\$2.33.1

Direct

Description

Python HTTP for Humans.

Package Info

Package Author(s)

Kenneth Reitz <me@kennethreitz.org>

Package Manager

Pip

Project URL

<https://pypi.org/project/requests/>

Package Download URL

<https://files.pythonhosted.org/packages/5f/a4/98b9c7c6428a668bf7e42ebb7c79d576a1c3c1e3ae2d47e674b468388871/requests-2.33.1.tar.gz>

Dependency Path

ssh://git@github.com/splunk/splunksdsc.git > requests, requests

Declared License(s)

Apache-2.0

Copyright(s)

None

Discovered License(s)

None

Notice File(s)

NOTICE

File Path

NOTICE

Notice Text

Requests
Copyright 2019 Kenneth Reitz

Copyright(s)

Copyright © 2019 Kenneth Reitz

six 1.16.0

pip+six\$1.16.0

Direct

Description

Python 2 and 3 compatibility utilities

Package Info

Package Author(s)

benjamin@python.org

Package Manager

Pip

Project URL

<https://github.com/benjaminp/six>

Package Download URL

<https://files.pythonhosted.org/packages/71/39/171f1c67cd00715f190ba0b100d606d440a28c93c7714febeca8b79af85e/six-1.16.0.tar.gz>

Dependency Path

boto3 > botocore > python-dateutil > six, boto3 > s3transfer > botocore > python-dateutil > six, six

Declared License(s)

MIT

Copyright(s)

2010-2020 Benjamin Peterson

Discovered License(s)

None

Notice File(s)

None

solnlib 7.0.0

pip+solnlib\$7.0.0

Direct

Description

The Splunk Software Development Kit for Splunk Solutions

Package Info

Package Author(s)

addonfactory@splunk.com

Package Manager

Pip

Project URL

<https://github.com/splunk/addonfactory-solutions-library-python>

Package Download URL

<https://files.pythonhosted.org/packages/25/2c/21ed535f7701af12799eda0980858367f8b57f834513ca5a05475e448ea1/solnlib-7.0.0.tar.gz>

Dependency Path

solnlib, splunktaucclib > solnlib

Declared License(s)

Apache-2.0

Copyright(s)

2021 Splunk Inc.

Discovered License(s)

None

Notice File(s)

None

splunk-sdk 2.1.0

pip+splunk-sdk\$2.1.0

Direct

Description

None

Package Info

Package Author(s)

devinfo@splunk.com

Package Manager

Pip

Project URL

<http://github.com/splunk/splunk-sdk-python>

Package Download URL

<https://files.pythonhosted.org/packages/2c/89/31974e00319b750a5a126717d286e8addb683554454fed1ae6c86977cbcf/splunk-sdk-2.1.0.tar.gz>

Dependency Path

ssh://git@github.com/splunk/splunk-sdk.git > splunk-sdk, solnlib > splunk-sdk, splunk-sdk, splunktaucclib > solnlib > splunk-sdk, splunktaucclib > splunk-sdk

Declared License(s)

Apache-2.0

Copyright(s)

2011-2015 Splunk, Inc.

Discovered License(s)

None

Notice File(s)

None

splunktaucclib 8.2.0

pip+splunktaucclib\$8.2.0

Direct

Description

None

Package Info

Package Author(s)

addonfactory@splunk.com

Package Manager

Pip

Project URL

<https://pypi.org/project/splunktaucclib/>

Package Download URL

<https://files.pythonhosted.org/packages/a1/c5/7dbb204b45a8c5dbb999119fbe64ae643e9fa22be8f4f21f63dbc5345862/splunktaucclib-8.2.0.tar.gz>

Dependency Path

splunktaucclib

Declared License(s)

Apache-2.0

Copyright(s)

2021 Splunk Inc.

Discovered License(s)

None

Notice File(s)

None

style-loader 3.3.1

npm+style-loader\$3.3.1

Direct

Description

style loader module for webpack

Package Info

Package Author(s)

mail@johannesewald.de, sheo13666q@gmail.com,
tobias.koppers@googlemail.com

Package Manager

NPM

Project URL

<https://github.com/webpack-contrib/style-loader>

Package Download URL

<https://registry.npmjs.org/style-loader/-/style-loader-3.3.1.tgz>

Dependency Path

style-loader

Declared License(s)

MIT

Copyright(s)

JS Foundation and other contributors

Discovered License(s)

None

Notice File(s)

None

styled-components 5.3.3

npm+styled-components\$5.3.3

Direct

Description

Fast, expressive styling for React.

Package Info

Package Author(s)

contact@mxstbr.com, ej@quantizor.dev, phil@kitten.sh

Package Manager

NPM

Project URL

<https://styled-components.com/>

Package Download URL

<https://registry.npmjs.org/styled-components/-/styled-components-5.3.3.tgz>

Dependency Path

styled-components

Declared License(s)

MIT

Copyright(s)

None

Discovered License(s)

None

Notice File(s)

None

underscore 1.13.8

npm+underscore\$1.13.8

Direct

Description

JavaScript's functional programming helper library.

Package Info

Package Author(s)

dev@juliangonggrijp.com, jashkenas@gmail.com

Package Manager

NPM

Project URL

<https://underscorejs.org/>

Package Download URL

<https://registry.npmjs.org/underscore/-/underscore-1.13.8.tgz>

Dependency Path

underscore

Declared License(s)

MIT

Copyright(s)

2009-2022 Jeremy Ashkenas, Julian Gonggrijp, and DocumentCloud and Investigative Reporters & Editors

Discovered License(s)

None

Notice File(s)

None

urllib3 1.26.19

pip+urllib3\$1.26.19

Direct

Description

```
<h1 align="center"> ![urllib3]
(https://github.com/urllib3/urllib3/raw/main/docs/_static/banner_github.svg)
</h1> <p align="center"> <a href="https://pypi.org/project/urllib3"></a> <a href="https://pypi.org/project/urllib3">
</a> <a href="https://discord.gg/urllib3"></a> <a
href="https://github.com/urllib3/urllib3/actions?query=workflow%3ACI">
</a> <a href="https://github.com/urllib3/urllib3/actions?
query=workflow%3ACI"></a> <a
href="https://urllib3.readthedocs.io"></a>
<br> <a href="https://deps.dev/pypi/urllib3"></a> <a href="https://slsa.dev"></a> <a href="https://bestpractices.coreinfrastructure.org/projects/6227"><img alt="CII Best Practices" data-bbox="181 145 821 158" /></a> </p> urllib3 is a powerful, \*user-friendly\* HTTP client for Python. Much of the Python ecosystem already uses urllib3 and you should too. urllib3 brings many critical features that are missing from the Python standard libraries: - Thread safety. - Connection pooling. - Client-side SSL/TLS verification. - File uploads with multipart encoding. - Helpers for retrying requests and dealing with HTTP redirects. - Support for gzip, deflate, brotli, and zstd encoding. - Proxy support for HTTP and SOCKS. - 100% test coverage. urllib3 is powerful and easy to use: 

```
python3 >>> import urllib3 >>> resp = urllib3.request("GET", "http://httpbin.org/robots.txt") >>> resp.status 200 >>> resp.data b"User-agent: *\nDisallow: /deny\n" `## Installing urllib3 can be installed with [pip](https://pip.pypa.io): bash $ python -m pip install urllib3 Alternatively, you can grab the latest source code from [GitHub](https://github.com/urllib3/urllib3): bash $ git clone https://github.com/urllib3/urllib3.git $ cd urllib3 $ pip install . `## Documentation urllib3 has usage and reference documentation at urllib3.readthedocs.io. ## Community urllib3 has a [community Discord channel](https://discord.gg/urllib3) for asking questions and collaborating with other contributors. Drop by and say hello 🙌 ## Contributing urllib3 happily accepts contributions. Please see our [contributing documentation](https://urllib3.readthedocs.io/en/latest/contributing.html) for some tips on getting started. ## Security Disclosures To report a security vulnerability, please use the [Tidelift security contact](https://tidelift.com/security). Tidelift will coordinate the fix and disclosure with maintainers. ## Maintainers - [@sethmlarson](https://github.com/sethmlarson) (Seth M. Larson) - [@pquentin](https://github.com/pquentin) (Quentin Pradet) - [@illia-v](https://github.com/illia-v) (Illia Volochii) - [@theacodes](https://github.com/theacodes) (Thea Flowers) - [@haikuginger](https://github.com/haikuginger) (Jess Shapiro) - [@lukasa](https://github.com/lukasa) (Cory Benfield) - [@sigmavirus24](https://github.com/sigmavirus24) (Ian Stapleton Cordasco) - [@shazow](https://github.com/shazow) (Andrey Petrov) 🙌 ## Sponsorship If your company benefits from this library, please consider [sponsoring its development](https://urllib3.readthedocs.io/en/latest/sponsors.html). ## For Enterprise Professional support for urllib3 is available as part of the [Tidelift Subscription][1]. Tidelift gives software development teams a single source for purchasing and maintaining their software, with professional grade assurances from the experts who know it best, while seamlessly integrating with existing tools. [1]: https://tidelift.com/subscription/pkg/pypi-urllib3?utm_source=pypi-urllib3&utm_medium=referral&utm_campaign=readme
```

## Package Info

---

### Package Author(s)

Andrey Petrov <andrey.petrov@shazow.net>

### Package Manager

Pip

### Project URL

<https://pypi.org/project/urllib3/>

### Package Download URL

<https://files.pythonhosted.org/packages/c8/93/65e479b023bbc46dab3e092bda6b0005424ea3217d711964ccdede3f9b1b/urllib3-1.26.19.tar.gz>

### Dependency Path

ssh://git@github.com/splunk/splunksdcm.git > requests > urllib3, boto3 > botocore > urllib3, boto3 > s3transfer > botocore > urllib3, requests > urllib3, splunktaucclib > urllib3, urllib3

## Declared License(s)

---

MIT

### Copyright(s)

2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

## Discovered License(s)

---

None

## Notice File(s)

---

None

**ssh://git@github.com/splunk/splunksdcm.git v1.2.1**

git+ssh://git@github.com/splunk/splunksdcm.git\$1.2.1

Direct

---

### Description

None

---

### Package Info

Package Author(s)

None

Package Manager

Git

Project URL

None

Package Download URL

None

Dependency Path

ssh://git@github.com/splunk/splunksd.c.git

---

### Declared License(s)

None

---

### Discovered License(s)

None

---

### Notice File(s)

None

**@babel/helper-module-imports** 7.16.7

npm+@babel/helper-module-imports\$7.16.7

Transitive

---

## Description

---

Babel helper functions for inserting module loads

## Package Info

---

### Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

### Package Manager

NPM

### Project URL

<https://babel.dev/docs/en/next/babel-helper-module-imports>

### Package Download URL

<https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.16.7.tgz>

### Dependency Path

styled-components > @babel/helper-module-imports, styled-components >  
babel-plugin-styled-components > @babel/helper-module-imports

## Declared License(s)

---

MIT

### Copyright(s)

2014 present Sebastian McKenzie and other contributors

## Discovered License(s)

---

None

## Notice File(s)

---

None

## @babel/traverse 7.23.2

npm+@babel/traverse\$7.23.2

Transitive

---

### Description

The Babel Traverse module maintains the overall tree state, and is responsible for replacing, removing, and adding nodes

---

### Package Info

#### Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

#### Package Manager

NPM

#### Project URL

<https://babel.dev/docs/en/next/babel-traverse>

#### Package Download URL

<https://registry.npmjs.org/@babel/traverse/-/traverse-7.23.2.tgz>

#### Dependency Path

styled-components > @babel/traverse

---

### Declared License(s)

MIT

#### Copyright(s)

2014 present Sebastian McKenzie and other contributors

---

### Discovered License(s)

None

---

### Notice File(s)

None

**@emotion/is-prop-valid** 0.8.8

npm+@emotion/is-prop-valid\$0.8.8

Transitive

---

### Description

A function to check whether a prop is valid for HTML and SVG elements

---

### Package Info

#### Package Author(s)

emotion-release-bot@hamil.town, kye.hohenberger@gmail.com,  
mateuszburzynski@gmail.com, npm@emmas.town

#### Package Manager

NPM

#### Project URL

<https://github.com/emotion-js/emotion/tree/main#readme>

#### Package Download URL

<https://registry.npmjs.org/@emotion/is-prop-valid/-/is-prop-valid-0.8.8.tgz>

#### Dependency Path

styled-components > @emotion/is-prop-valid

---

### Declared License(s)

MIT

#### Copyright(s)

Emotion team and other contributors

---

### Discovered License(s)

None

### Notice File(s)

---

None

**@emotion/stylis** 0.8.5

npm+@emotion/stylis\$0.8.5

Transitive

### Description

---

A custom build of Stylis

### Package Info

---

Package Author(s)

kye.hohenberger@gmail.com, mitchell+emotion-release-bot@hamil.town,  
mitchell@mitchellhamilton.me

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/@emotion/stylis>

Package Download URL

<https://registry.npmjs.org/@emotion/stylis/-/stylis-0.8.5.tgz>

Dependency Path

styled-components > @emotion/stylis

### Declared License(s)

---

MIT

Copyright(s)

Emotion team and other contributors

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**@emotion/unitless** 0.7.5

npm+@emotion/unitless\$0.7.5

Transitive

---

#### Description

---

An object of css properties that don't accept values with units

#### Package Info

---

Package Author(s)

emotion-release-bot@hamil.town, kye.hohenberger@gmail.com,  
mateuszburzynski@gmail.com, npm@emmas.town

Package Manager

NPM

Project URL

<https://github.com/emotion-js/emotion/tree/main#readme>

Package Download URL

<https://registry.npmjs.org/@emotion/unitless/-/unitless-0.7.5.tgz>

Dependency Path

styled-components > @emotion/unitless

#### Declared License(s)

---

MIT

Copyright(s)

Emotion team and other contributors

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

@splunk/react-icons 3.1.0

npm+@splunk/react-icons\$3.1.0

Transitive

#### Description

---

Library of various React icons

#### Package Info

---

Package Author(s)

devinfo@splunk.com, vtsvetkov@splunk.com, webplatform@splunk.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/@splunk/react-icons>

Package Download URL

<https://registry.npmjs.org/@splunk/react-icons/-/react-icons-3.1.0.tgz>

Dependency Path

@splunk/react-ui > @splunk/react-icons

### Declared License(s)

---

Apache-2.0

### Copyright(s)

None

---

### proprietary-license

### Copyright(s)

Splunk Inc.

### Discovered License(s)

---

None

### Notice File(s)

---

None

**@splunk/ui-utils** 1.4.0

npm+@splunk/ui-utils\$1.4.0

Transitive

---

### Description

---

Library of common UI utilities

### Package Info

---

### Package Author(s)

devinfo@splunk.com, webplatform@splunk.com

### Package Manager

NPM

### Project URL

<https://www.npmjs.com/package/@splunk/ui-utils>

Package Download URL

<https://registry.npmjs.org/@splunk/ui-utils/-/ui-utils-1.4.0.tgz>

Dependency Path

@splunk/react-ui > @splunk/react-icons > @splunk/ui-utils, @splunk/react-ui  
> @splunk/ui-utils, @splunk/splunk-utils > @splunk/ui-utils

**Declared License(s)**

---

Apache-2.0

Copyright(s)

None

---

proprietary-license

Copyright(s)

Splunk Inc.

---

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

@types/commonmark 0.27.5

npm+@types/commonmark\$0.27.5

Transitive

---

**Description**

---

TypeScript definitions for commonmark

## Package Info

---

### Package Author(s)

ts-npm-types@microsoft.com

### Package Manager

NPM

### Project URL

<https://www.npmjs.com/package/@types/commonmark>

### Package Download URL

<https://registry.npmjs.org/@types/commonmark/-/commonmark-0.27.5.tgz>

### Dependency Path

@splunk/react-ui > @types/commonmark

## Declared License(s)

---

MIT

### Copyright(s)

Microsoft Corporation.

## Discovered License(s)

---

None

## Notice File(s)

---

None

**@types/lodash** 4.14.178

npm+@types/lodash\$4.14.178

Transitive

## Description

---

TypeScript definitions for lodash

### Package Info

---

Package Author(s)

ts-npm-types@microsoft.com

Package Manager

NPM

Project URL

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/lodash>

Package Download URL

<https://registry.npmjs.org/@types/lodash/-/lodash-4.14.178.tgz>

Dependency Path

@splunk/react-ui > @splunk/react-icons > @types/lodash, @splunk/react-ui  
> @splunk/themes > @types/lodash, @splunk/react-ui > @types/lodash,  
@splunk/themes > @types/lodash

### Declared License(s)

---

MIT

Copyright(s)

Microsoft Corporation.

### Discovered License(s)

---

None

### Notice File(s)

---

None

**@types/react** 16.14.21

npm+@types/react\$16.14.21

Transitive

---

### Description

TypeScript definitions for react

---

### Package Info

Package Author(s)

ts-npm-types@microsoft.com

Package Manager

NPM

Project URL

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react>

Package Download URL

<https://registry.npmjs.org/@types/react/-/react-16.14.21.tgz>

Dependency Path

```
@splunk/react-ui > @splunk/react-icons > @types/react, @splunk/react-ui >
@splunk/react-icons > @types/react-dom > @types/react, @splunk/react-ui
> @splunk/themes > @types/react, @splunk/react-ui > @types/react,
@splunk/react-ui > @types/react-dom > @types/react, @splunk/themes >
@types/react
```

---

### Declared License(s)

MIT

Copyright(s)

Microsoft Corporation.

---

### Discovered License(s)

None

---

### Notice File(s)

None

**@types/react-dom** 16.9.14

npm+@types/react-dom\$16.9.14

Transitive

---

### Description

TypeScript definitions for react-dom

### Package Info

---

Package Author(s)

ts-npm-types@microsoft.com

Package Manager

NPM

Project URL

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react-dom>

Package Download URL

<https://registry.npmjs.org/@types/react-dom/-/react-dom-16.9.14.tgz>

Dependency Path

@splunk/react-ui > @splunk/react-icons > @types/react-dom,  
@splunk/react-ui > @types/react-dom

### Declared License(s)

---

MIT

Copyright(s)

Microsoft Corporation.

### Discovered License(s)

---

None

### Notice File(s)

---

None

**@types/react-event-listener** 0.4.12

npm+@types/react-event-listener\$0.4.12

Transitive

---

### Description

TypeScript definitions for react-event-listener

### Package Info

---

Package Author(s)

ts-npm-types@microsoft.com

Package Manager

NPM

Project URL

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react-event-listener>

Package Download URL

<https://registry.npmjs.org/@types/react-event-listener/-/react-event-listener-0.4.12.tgz>

Dependency Path

@splunk/react-ui > @types/react-event-listener

### Declared License(s)

---

MIT

Copyright(s)

Microsoft Corporation.

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**@types/react-resize-detector** 3.1.1

npm+@types/react-resize-detector\$3.1.1

Transitive

---

#### Description

Stub TypeScript definitions entry for react-resize-detector, which provides its own types definitions

#### Package Info

---

Package Author(s)

ts-npm-types@microsoft.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/@types/react-resize-detector>

Package Download URL

<https://registry.npmjs.org/@types/react-resize-detector/-/react-resize-detector-3.1.1.tgz>

Dependency Path

@splunk/react-ui > @types/react-resize-detector

#### Declared License(s)

---

MIT

Copyright(s)

Microsoft Corporation. All rights reserved.

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**@types/styled-components** 5.1.19

npm+@types/styled-components\$5.1.19

Transitive

---

#### Description

---

TypeScript definitions for styled-components

#### Package Info

---

Package Author(s)

ts-npm-types@microsoft.com

Package Manager

NPM

Project URL

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/styled-components>

Package Download URL

<https://registry.npmjs.org/@types/styled-components/-/styled-components-5.1.19.tgz>

Dependency Path

@splunk/react-ui > @splunk/react-icons > @types/styled-components,  
@splunk/react-ui > @splunk/themes > @types/styled-components,  
@splunk/react-ui > @types/styled-components, @splunk/themes >  
@types/styled-components

### Declared License(s)

---

MIT

### Copyright(s)

Microsoft Corporation.

### Discovered License(s)

---

None

### Notice File(s)

---

None

## @types/tinycolor2 1.4.3

npm+@types/tinycolor2\$1.4.3

Transitive

### Description

---

TypeScript definitions for tinycolor2

### Package Info

---

#### Package Author(s)

ts-npm-types@microsoft.com

#### Package Manager

NPM

#### Project URL

<https://www.npmjs.com/package/@types/tinycolor2>

Package Download URL

<https://registry.npmjs.org/@types/tinycolor2/-/tinycolor2-1.4.3.tgz>

Dependency Path

@splunk/react-ui > @splunk/themes > @types/tinycolor2, @splunk/react-ui  
> @types/tinycolor2, @splunk/themes > @types/tinycolor2

**Declared License(s)**

---

MIT

Copyright(s)

Microsoft Corporation.

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

**babel-plugin-styled-components 2.0.2**

npm+babel-plugin-styled-components\$2.0.2

Transitive

**Description**

---

Improve the debugging experience and add server-side rendering support to styled-components

**Package Info**

---

Package Author(s)

contact@mxstbr.com, ej@quantizor.dev, phil@kitten.sh

Package Manager

NPM

Project URL

<https://styled-components.com/docs/tooling#babel-plugin>

Package Download URL

<https://registry.npmjs.org/babel-plugin-styled-components/-/babel-plugin-styled-components-2.0.2.tgz>

Dependency Path

styled-components > babel-plugin-styled-components

---

**Declared License(s)**

MIT

Copyright(s)

2016 present Vladimir Danchenkov and Maximilian Stoiber

---

**Discovered License(s)**

None

---

**Notice File(s)**

None

---

**babel-plugin-syntax-object-rest-spread 6.13.0**

npm+babel-plugin-syntax-object-rest-spread\$6.13.0

Transitive

---

**Description**

Allow parsing of object rest/spread

---

**Package Info**

Package Author(s)

amjad.masad@gmail.com, hi@henryzoo.com, loganfsmyth@gmail.com,  
me@thejameskyle.com, npm-public@jessemccarthy.net,  
sebmck@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/babel-plugin-syntax-object-rest-spread>

Package Download URL

<https://registry.npmjs.org/babel-plugin-syntax-object-rest-spread/-/babel-plugin-syntax-object-rest-spread-6.13.0.tgz>

Dependency Path

babel-plugin-transform-object-rest-spread > babel-plugin-syntax-object-rest-spread

---

**Declared License(s)**

MIT

Copyright(s)

None

---

**Discovered License(s)**

None

---

**Notice File(s)**

None

**babel-runtime** 6.26.0

npm+babel-runtime\$6.26.0

Transitive

---

**Description**

babel selfContained runtime

### Package Info

---

#### Package Author(s)

daniel@tschinder.de, hi@henryzoo.com, loganfsmyth@gmail.com,  
me@thejameskyle.com, sebmck@gmail.com

#### Package Manager

NPM

#### Project URL

<https://www.npmjs.com/package/babel-runtime>

#### Package Download URL

<https://registry.npmjs.org/babel-runtime/-/babel-runtime-6.26.0.tgz>

#### Dependency Path

babel-plugin-transform-object-rest-spread > babel-runtime

### Declared License(s)

---

MIT

#### Copyright(s)

None

### Discovered License(s)

---

None

### Notice File(s)

---

None

**botocore** 1.40.76

pip+botocore\$1.40.76

Transitive

---

## Description

---

Low-level, data-driven core of boto 3.

## Package Info

---

Package Author(s)

Amazon Web Services

Package Manager

Pip

Project URL

<https://github.com/boto/botocore>

Package Download URL

<https://files.pythonhosted.org/packages/07/eb/50e2d280589a3c20c3b649bb66262d2b53a25c03262e4cc492048ac7540a/botocore-1.40.76.tar.gz>

Dependency Path

boto3 > botocore, boto3 > s3transfer > botocore

## Declared License(s)

---

Apache-2.0

Copyright(s)

2012-2022 Amazon.com, Inc. or its affiliates. All Rights Reserved.

## Discovered License(s)

---

MPL-2.0

Copyright(s)

2012-2022 Amazon.com, Inc. or its affiliates. All Rights Reserved.

---

MIT

## Copyright(s)

2012-2022 Amazon.com, Inc. or its affiliates. All Rights Reserved.

## Notice File(s)

---

### NOTICE

#### File Path

### NOTICE

#### Notice Text

#### Botocore

Copyright 2012-2022 Amazon.com, Inc. or its affiliates. All Rights Reserved.

----

Botocore includes vendorized parts of the requests python library for backwards compatibility.

#### Requests License

=====

Copyright 2013 Kenneth Reitz

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
implied.

See the License for the specific language governing permissions and  
limitations under the License.

Botocore includes vendorized parts of the urllib3 library for backwards  
compatibility.

#### Urllib3 License

=====

This is the MIT license: <http://www.opensource.org/licenses/mit-license.php>

Copyright 2008-2011 Andrey Petrov and contributors (see  
CONTRIBUTORS.txt),  
Modifications copyright 2012 Kenneth Reitz.

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this  
software and associated documentation files (the "Software"), to deal in the  
Software  
without restriction, including without limitation the rights to use, copy, modify,  
merge,  
publish, distribute, sublicense, and/or sell copies of the Software, and to  
permit persons  
to whom the Software is furnished to do so, subject to the following  
conditions:

The above copyright notice and this permission notice shall be included in all  
copies or  
substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED,  
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR  
PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR  
COPYRIGHT HOLDERS BE LIABLE  
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
OF CONTRACT, TORT OR  
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE  
SOFTWARE OR THE USE OR OTHER  
DEALINGS IN THE SOFTWARE.

Bundle of CA Root Certificates

=====

\*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*

This Source Code Form is subject to the terms of the  
Mozilla Public License, v. 2.0. If a copy of the MPL  
was not distributed with this file, You can obtain  
one at <http://mozilla.org/MPL/2.0/>.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

### Copyright(s)

Copyright © 2012-2022 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright © 2013 Kenneth Reitz

Copyright © 2008-2011 Andrey Petrov and contributors (see CONTRIBUTORS.txt),

Copyright © 2012 Kenneth Reitz.

---

### tests/unit/auth/aws4\_testsuite/NOTICE

#### File Path

tests/unit/auth/aws4\_testsuite/NOTICE

#### Notice Text

AWS Signature Version 4 Test Suite

Copyright 2019 Amazon.com, Inc. or its affiliates. All Rights Reserved.

### Copyright(s)

Copyright © 2019 Amazon.com, Inc. or its affiliates. All Rights Reserved.

**cff** 2.0.0

pip+cffi\$2.0.0

Transitive

---

### Description

Foreign Function Interface for Python calling C code.

---

### Package Info

#### Package Author(s)

Armin Rigo, Maciej Fijalkowski

#### Package Manager

Pip

Project URL

<https://pypi.org/project/cffi/>

Package Download URL

<https://files.pythonhosted.org/packages/eb/56/b1ba7935a17738ae8453301356628e8147c79dbb825bcbc73dc7401f9846/cffi-2.0.0.tar.gz>

Dependency Path

cryptography > cffi

---

**Declared License(s)**

MIT

Copyright(s)

2011, 2014, 2019, 2021 Anthony Green

---

mit-0

Copyright(s)

None

---

**Discovered License(s)**

None

---

**Notice File(s)**

None

**charset-normalizer** 3.3.2

pip+charset-normalizer\$3.3.2

Transitive

---

**Description**

The Real First Universal Charset Detector. Open, modern and actively maintained alternative to Chardet.

### Package Info

---

#### Package Author(s)

"Ahmed R. TAHRI" <tahri.ahmed@proton.me>

#### Package Manager

Pip

#### Project URL

<https://pypi.org/project/charset-normalizer/>

#### Package Download URL

<https://files.pythonhosted.org/packages/63/09/c1bc53dab74b1816a00d8d030de5bf98f724c52c1635e07681d312f20be8/charset-normalizer-3.3.2.tar.gz>

#### Dependency Path

ssh://git@github.com/splunk/splunksdcm.git > requests > charset-normalizer,  
requests > charset-normalizer

### Declared License(s)

---

MIT

#### Copyright(s)

2019 TAHRI Ahmed R.

### Discovered License(s)

---

None

### Notice File(s)

---

None

**color-blend** 2.0.9

npm+color-blend\$2.0.9

Transitive

---

### Description

Blends RGBA colors with different blend modes

---

### Package Info

Package Author(s)

florian@loilo.de

Package Manager

NPM

Project URL

<https://github.com/Loilo/color-blend#readme>

Package Download URL

<https://registry.npmjs.org/color-blend/-/color-blend-2.0.9.tgz>

Dependency Path

@splunk/react-ui > @splunk/themes > color-blend, @splunk/themes > color-blend

---

### Declared License(s)

MIT

Copyright(s)

2016 Florian Reuschel

---

### Discovered License(s)

None

---

### Notice File(s)

None

**commonmark** 0.27.0

npm+commonmark\$0.27.0

Transitive

---

### Description

a strongly specified, highly compatible variant of Markdown

---

### Package Info

Package Author(s)

fiddlosopher@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/commonmark>

Package Download URL

<https://registry.npmjs.org/commonmark/-/commonmark-0.27.0.tgz>

Dependency Path

@splunk/react-ui > commonmark

---

### Declared License(s)

Multi-license: BSD-2-Clause OR MIT

Copyright(s)

2014 John MacFarlane

---

### Discovered License(s)

MIT

Copyright(s)

2014 John MacFarlane

---

**BSD-2-Clause****Copyright(s)**

2014 John MacFarlane

**Notice File(s)**

---

None

**commonmark-react-renderer 4.3.5**

npm+commonmark-react-renderer\$4.3.5

Transitive

---

**Description**

---

React renderer for CommonMark (rationalized Markdown)

**Package Info**

---

**Package Author(s)**

rexxars@gmail.com

**Package Manager**

NPM

**Project URL**

<https://www.npmjs.com/package/commonmark-react-renderer>

**Package Download URL**

<https://registry.npmjs.org/commonmark-react-renderer/-/commonmark-react-renderer-4.3.5.tgz>

**Dependency Path**

@splunk/react-ui > commonmark-react-renderer

**Declared License(s)**

---

MIT

Copyright(s)

2015 Espen Hovlandsdal

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**css-to-react-native** 3.0.0

npm+css-to-react-native\$3.0.0

Transitive

#### Description

---

Convert CSS text to a React Native stylesheet object

#### Package Info

---

Package Author(s)

contact@mxstbr.com, jacobparker1992@gmail.com, krister@sent.at

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/css-to-react-native>

Package Download URL

<https://registry.npmjs.org/css-to-react-native/-/css-to-react-native-3.0.0.tgz>

Dependency Path

styled-components > css-to-react-native

### Declared License(s)

---

MIT

### Copyright(s)

2016 Jacob Parker and Maximilian Stoiber

### Discovered License(s)

---

None

### Notice File(s)

---

None

## **decimal.js-light** 2.5.1

npm+decimal.js-light\$2.5.1

Transitive

### Description

---

An arbitrary-precision Decimal type for JavaScript.

### Package Info

---

#### Package Author(s)

M8ch88l@gmail.com

#### Package Manager

NPM

#### Project URL

<https://www.npmjs.com/package/decimal.js-light>

#### Package Download URL

<https://registry.npmjs.org/decimal.js-light/-/decimal.js-light-2.5.1.tgz>

#### Dependency Path

@splunk/react-ui > decimal.js-light

### Declared License(s)

---

MIT

### Copyright(s)

2020 Michael McLaughlin

### Discovered License(s)

---

None

### Notice File(s)

---

None

## defusedxml 0.7.1

pip+defusedxml\$0.7.1

Transitive

### Description

---

```
=====
defusedxml -- defusing XML bombs and other exploits
===== .. image::
https://img.shields.io/pypi/v/defusedxml.svg :target:
https://pypi.org/project/defusedxml/ :alt: Latest Version .. image::
https://img.shields.io/pypi/pyversions/defusedxml.svg :target:
https://pypi.org/project/defusedxml/ :alt: Supported Python versions ..
image:: https://travis-ci.org/tiran/defusedxml.svg?branch=master :target:
https://travis-ci.org/tiran/defusedxml :alt: Travis CI .. image::
https://codecov.io/github/tiran/defusedxml/coverage.svg?branch=master
:target: https://codecov.io/github/tiran/defusedxml?branch=master :alt:
codecov .. image:: https://img.shields.io/pypi/dm/defusedxml.svg :target:
https://pypistats.org/packages/defusedxml :alt: PyPI downloads .. image::
https://img.shields.io/badge/code%20style-black-000000.svg :target:
https://github.com/psf/black :alt: Code style: black .. "It's just XML, what
could probably go wrong?" Christian Heimes <christian@python.org>
Synopsis ===== The results of an attack on a vulnerable XML library can
```

be fairly dramatic. With just a few hundred **Bytes** of XML data an attacker can occupy several **Gigabytes** of memory within **seconds**. An attacker can also keep CPUs busy for a long time with a small to medium size request. Under some circumstances it is even possible to access local files on your server, to circumvent a firewall, or to abuse services to rebound attacks to third parties. The attacks use and abuse less common features of XML and its parsers. The majority of developers are unacquainted with features such as processing instructions and entity expansions that XML inherited from SGML. At best they know about `<!DOCTYPE>` from experience with HTML but they are not aware that a document type definition (DTD) can generate an HTTP request or load a file from the file system. None of the issues is new. They have been known for a long time. Billion laughs was first reported in 2003. Nevertheless some XML libraries and applications are still vulnerable and even heavy users of XML are surprised by these features. It's hard to say whom to blame for the situation. It's too short sighted to shift all blame on XML parsers and XML libraries for using insecure default settings. After all they properly implement XML specifications. Application developers must not rely that a library is always configured for security and potential harmful data by default. .. contents:: Table of Contents :depth: 2 Attack vectors ===== billion laughs / exponential entity expansion -----

----- The Billion Laughs` attack -- also known as exponential entity expansion -- uses multiple levels of nested entities. The original example uses 9 levels of 10 expansions in each level to expand the string lol`to a string of  $3 \cdot 10^9$  bytes, hence the name "billion laughs". The resulting string occupies 3 GB (2.79 GiB) of memory; intermediate strings require additional memory. Because most parsers don't cache the intermediate step for every expansion it is repeated over and over again. It increases the CPU load even more. An XML document of just a few hundred bytes can disrupt all services on a machine within seconds. Example XML::

```
<!DOCTYPE xmlbomb [<!ENTITY a "1234567890" > <!ENTITY b
"&a;&a;&a;&a;&a;&a;&a;&a;&a;"> <!ENTITY c "&b;&b;&b;&b;&b;&b;&b;&b;&b;">
<!ENTITY d "&c;&c;&c;&c;&c;&c;&c;&c;">]> <bomb>&d;</bomb> quadratic
blowup entity expansion -----
```

A quadratic blowup attack is similar to a Billion Laughs` attack; it abuses entity expansion, too. Instead of nested entities it repeats one large entity with a couple of thousand chars over and over again. The attack isn't as efficient as the exponential case but it avoids triggering countermeasures of parsers against heavily nested entities. Some parsers limit the depth and breadth of a single entity but not the total amount of expanded text throughout an entire XML document. A medium-sized XML document with a couple of hundred kilobytes can require a couple of hundred MB to several GB of memory. When the attack is combined with some level of nested expansion an attacker is able to achieve a higher ratio of success. ::

```
<!DOCTYPE bomb [<!ENTITY a "xxxxxxx... a
couple of ten thousand chars">]> <bomb>&a;&a;&a;... repeat</bomb>
```

external entity expansion (remote) ----- Entity declarations can contain more than just text for replacement. They can also point to external resources by public identifiers or system identifiers. System identifiers are standard URLs. When the URI is a URL (e.g. a `http://locator`) some parsers download the resource from the remote location and embed them into the XML document verbatim. Simple example of a parsed external entity:: `<!DOCTYPE external [ <!ENTITY ee SYSTEM`

`"http://www.python.org/some.xml"> ]> <root>&ee;</root>` The case of parsed external entities works only for valid XML content. The XML standard also supports unparsed external entities with a `NData` declaration. External entity expansion opens the door to plenty of exploits. An attacker can abuse a vulnerable XML library and application to rebound and forward network requests with the IP address of the server. It highly depends on the parser and the application what kind of exploit is possible. For example: \* An attacker can circumvent firewalls and gain access to restricted resources as all the requests are made from an internal and trustworthy IP address, not from the outside. \* An attacker can abuse a service to attack, spy on or DoS your servers but also third party services. The attack is disguised with the IP address of the server and the attacker is able to utilize the high bandwidth of a big machine. \* An attacker can exhaust additional resources on the machine, e.g. with requests to a service that doesn't respond or responds with very large files. \* An attacker may gain knowledge, when, how often and from which IP address an XML document is accessed. \* An attacker could send mail from inside your network if the URL handler supports `smtp://` URIs.

external entity expansion (local file) ----- External entities with references to local files are a sub-case of external entity expansion. It's listed as an extra attack because it deserves extra attention. Some XML libraries such as `lxml` disable network access by default but still allow entity expansion with local file access by default. Local files are either referenced with a `file://` URL or by a file path (either relative or absolute). An attacker may be able to access and download all files that can be read by the application process. This may include critical configuration files, too. :: `<!DOCTYPE external [ <!ENTITY ee SYSTEM "file:///PATH/TO/simple.xml"> ]>`

`<root>&ee;</root>` DTD retrieval ----- This case is similar to external entity expansion, too. Some XML libraries like Python's `xml.dom.pulldom` retrieve document type definitions from remote or local locations. Several attack scenarios from the external entity case apply to this issue as well. :: `<?xml version="1.0" encoding="utf-8"?> <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"`

`"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> <html> <head/> <body>text</body> </html>` Python XML Libraries =====  
.. csv-table:: vulnerabilities and features :header: "kind", "sax", "etree", "minidom", "pulldom", "xmlrpc", "lxml", "genshi" :widths: 24, 7, 8, 8, 7, 8, 8, 8 :stub-columns: 0 "billion laughs", "\*\*\*True\*\*\*", "\*\*\*True\*\*\*", "\*\*\*True\*\*\*", "\*\*\*True\*\*\*",

"""True""", "False (1)", "False (5)" "quadratic blowup", """True""", """True""",  
 """True""", """True""", """True""", """True""", "False (5)" "external entity  
 expansion (remote)", """True""", "False (3)", "False (4)", """True""", "false", "False  
 (1)", "False (5)" "external entity expansion (local file)", """True""", "False (3)",  
 "False (4)", """True""", "false", """True""", "False (5)" "DTD retrieval", """True""",  
 "False", "False", """True""", "false", "False (1)", "False" "gzip bomb", "False",  
 "False", "False", "False", """True""", """partly"" (2)", "False" "xpath support (7)",  
 "False", "False", "False", "False", "False", """True""", "False" "xsl(t) support (7)",  
 "False", "False", "False", "False", "False", """True""", "False" "xinclude support  
 (7)", "False", """True"" (6)", "False", "False", "False", """True"" (6)", """True"" "C  
 library", "expat", "expat", "expat", "expat", "expat", "libxml2", "expat" 1. Lxml is  
 protected against billion laughs attacks and doesn't do network lookups by  
 default. 2. libxml2 and lxml are not directly vulnerable to gzip decompression  
 bombs but they don't protect you against them either. 3. xml.etree doesn't  
 expand entities and raises a ParserError when an entity occurs. 4. minidom  
 doesn't expand entities and simply returns the unexpanded entity verbatim. 5.  
 genshi.input of genshi 0.6 doesn't support entity expansion and raises a  
 ParserError when an entity occurs. 6. Library has (limited) XInclude support  
 but requires an additional step to process inclusion. 7. These are features  
 but they may introduce exploitable holes, see Other things to consider`  
 Settings in standard library ----- xml.sax.handler Features  
 ..... feature\_external\_ges (<http://xml.org/sax/features/external-general-entities>) disables external entity expansion  
 feature\_external\_pes (<http://xml.org/sax/features/external-parameter-entities>) the option is  
 ignored and doesn't modify any functionality DOM  
 xml.dom.xmlbuilder.Options ..... external\_parameter\_entities  
 ignored external\_general\_entities ignored external\_dtd\_subset ignored  
 entities unsure defusedxml ===== The defusedxml package`  
 (defusedxml on PyPI`) contains several Python-only workarounds and fixes  
 for denial of service and other vulnerabilities in Python's XML libraries. In  
 order to benefit from the protection you just have to import and use the  
 listed functions / classes from the right defusedxml module instead of the  
 original module. Merely defusedxml.xmlrpc` is implemented as monkey  
 patch. Instead of: >>> from xml.etree.ElementTree import parse >>> et =  
 parse(xmlfile) alter code to: >>> from defusedxml.ElementTree import parse  
 >>> et = parse(xmlfile) Additionally the package has an \*\*untested\*\* function  
 to monkey patch all stdlib modules with defusedxml.defuse\_stdlib(). All  
 functions and parser classes accept three additional keyword arguments.  
 They return either the same objects as the original functions or compatible  
 subclasses. forbid\_dtd (default: False) disallow XML with a <!DOCTYPE>`  
 processing instruction and raise a \*DTDForbidden\* exception when a DTD  
 processing instruction is found. forbid\_entities (default: True) disallow XML  
 with <!ENTITY>` declarations inside the DTD and raise an \*EntitiesForbidden\*  
 exception when an entity is declared. forbid\_external (default: True) disallow

any access to remote or local resources in external entities or DTD and raising an `*ExternalReferenceForbidden*` exception when a DTD or entity references an external resource. `defusedxml (package)` -----  
`DefusedXmlException, DTDForbidden, EntitiesForbidden, ExternalReferenceForbidden, NotSupportedError` `defuse_stdlib()`  
`(*experimental*) defusedxml.cElementTree` ----- **\*\*NOTE\*\***  
`defusedxml.cElementTree` is deprecated and will be removed in a future release. Import from `defusedxml.ElementTree` instead. `parse()`, `iterparse()`, `fromstring()`, `XMLParser` `defusedxml.ElementTree` ----- `parse()`, `iterparse()`, `fromstring()`, `XMLParser` `defusedxml.expatreader` -----  
`create_parser()`, `DefusedExpatParser` `defusedxml.sax` ----- `parse()`, `parseString()`, `make_parser()` `defusedxml.expatbuilder` -----  
`parse()`, `parseString()`, `DefusedExpatBuilder`, `DefusedExpatBuilderNS` `defusedxml.minidom` ----- `parse()`, `parseString()` `defusedxml.pulldom` -----  
`parse()`, `parseString()` `defusedxml.xmlrpc` ----- The fix is implemented as monkey patch for the `stdlib`'s `xmlrpc` package (3.x) or `xmlrpclib` module (2.x). The function `monkey_patch()` enables the fixes, `unmonkey_patch()` removes the patch and puts the code in its former state. The monkey patch protects against XML related attacks as well as decompression bombs and excessively large requests or responses. The default setting is 30 MB for requests, responses and gzip decompression. You can modify the default by changing the module variable `MAX_DATA`. A value of `-1` disables the limit. `defusedxml.lxml` ----- **\*\*DEPRECATED\*\***  
The module is deprecated and will be removed in a future release. The module acts as an *example* how you could protect code that uses `lxml.etree`. It implements a custom `Element` class that filters out `Entity` instances, a custom parser factory and a thread local storage for parser instances. It also has a `check_docinfo()` function which inspects a tree for internal or external DTDs and entity declarations. In order to check for entities `lxml > 3.0` is required. `parse()`, `fromstring()` `RestrictedElement`, `GlobalParserTLS`, `getDefaultParser()`, `check_docinfo()` `defusedexpat`  
===== The `defusedexpat` package\_ (`defusedexpat` on PyPI\_) comes with binary extensions and a modified `expat`\_ library instead of the standard `expat` parser\_. It's basically a stand-alone version of the patches for Python's standard library C extensions. Modifications in `expat` ----- new definitions:: `XML_BOMB_PROTECTION`  
`XML_DEFAULT_MAX_ENTITY_INDIRECTIONS`  
`XML_DEFAULT_MAX_ENTITY_EXPANSIONS` `XML_DEFAULT_RESET_DTD` new `XML_FeatureEnum` members:: `XML_FEATURE_MAX_ENTITY_INDIRECTIONS`  
`XML_FEATURE_MAX_ENTITY_EXPANSIONS` `XML_FEATURE_IGNORE_DTD` new `XML_Error` members:: `XML_ERROR_ENTITY_INDIRECTIONS`  
`XML_ERROR_ENTITY_EXPANSION` new API functions:: `int XML_GetFeature(XML_Parser parser, enum XML_FeatureEnum feature, long *value); int XML_SetFeature(XML_Parser parser, enum XML_FeatureEnum`

feature, long value); int XML\_GetFeatureDefault(enum XML\_FeatureEnum feature, long \*value); int XML\_SetFeatureDefault(enum XML\_FeatureEnum feature, long value); XML\_FEATURE\_MAX\_ENTITY\_INDIRECTIONS Limit the amount of indirections that are allowed to occur during the expansion of a nested entity. A counter starts when an entity reference is encountered. It resets after the entity is fully expanded. The limit protects the parser against exponential entity expansion attacks (aka billion laughs attack). When the limit is exceeded the parser stops and fails with

XML\_ERROR\_ENTITY\_INDIRECTIONS: A value of 0 disables the protection.

Supported range 0 .. UINT\_MAX Default 40

XML\_FEATURE\_MAX\_ENTITY\_EXPANSIONS Limit the total length of all entity expansions throughout the entire document. The lengths of all entities are accumulated in a parser variable. The setting protects against quadratic blowup attacks (lots of expansions of a large entity declaration). When the sum of all entities exceeds the limit, the parser stops and fails with

XML\_ERROR\_ENTITY\_EXPANSION: A value of 0 disables the protection.

Supported range 0 .. UINT\_MAX Default 8 MiB XML\_FEATURE\_RESET\_DTD

Reset all DTD information after the <!DOCTYPE> block has been parsed.

When the flag is set (default: false) all DTD information after the endDoctypeDeclHandler has been called. The flag can be set inside the endDoctypeDeclHandler. Without DTD information any entity reference in the document body leads to XML\_ERROR\_UNDEFINED\_ENTITY: Supported range 0, 1 Default 0

How to avoid XML vulnerabilities

===== Best practices ----- \* Don't allow DTDs \* Don't expand entities \* Don't resolve externals \* Limit parse depth \* Limit total input size \* Limit parse time \* Favor a SAX or iterparse-like parser for potential large data \* Validate and properly quote arguments to XSL transformations and XPath queries \* Don't use XPath expression from untrusted sources \* Don't apply XSL transformations that come from untrusted sources (based on Brad Hill's Attacking XML Security\_) Other things to consider =====

XML, XML parsers and processing libraries have more features and possible issue that could lead to DoS vulnerabilities or security exploits in applications. I have compiled an incomplete list of theoretical issues that need further research and more attention. The list is deliberately pessimistic and a bit paranoid, too. It contains things that might go wrong under daffy circumstances. attribute blowup / hash collision attack ----- XML parsers may use an algorithm with quadratic runtime  $O(n^2)$  to handle attributes and namespaces. If it uses hash tables (dictionaries) to store attributes and namespaces the implementation may be vulnerable to hash collision attacks, thus reducing the performance to  $O(n^2)$  again. In either case an attacker is able to forge a denial of service attack with an XML document that contains thousands upon thousands of attributes in a single node. I haven't researched yet if expat, pyexpat or libxml2 are vulnerable. decompression

bomb ----- The issue of decompression bombs (aka ZIP bomb\_) apply to all XML libraries that can parse compressed XML stream like gzipped HTTP streams or LZMA-ed files. For an attacker it can reduce the amount of transmitted data by three magnitudes or more. Gzip is able to compress 1 GiB zeros to roughly 1 MB, lzma is even better:: \$ dd if=/dev/zero bs=1M count=1024 | gzip > zeros.gz \$ dd if=/dev/zero bs=1M count=1024 | lzma -z > zeros.xy \$ ls -sh zeros.\* 1020K zeros.gz 148K zeros.xy None of Python's standard XML libraries decompress streams except for lxml's xmlrpclib. The module is vulnerable <<https://bugs.python.org/issue16043>> to decompression bombs. lxml can load and process compressed data through libxml2 transparently. libxml2 can handle even very large blobs of compressed data efficiently without using too much memory. But it doesn't protect applications from decompression bombs. A carefully written SAX or iterparse-like approach can be safe. Processing Instruction ----- PI's like:: <?xml-stylesheet type="text/xsl" href="style.xsl"?> may impose more threats for XML processing. It depends if and how a processor handles processing instructions. The issue of URL retrieval with network or local file access apply to processing instructions, too. Other DTD features ----- DTD\_ has more features like <!NOTATION>. I haven't researched how these features may be a security threat. XPath ----- XPath statements may introduce DoS vulnerabilities. Code should never execute queries from untrusted sources. An attacker may also be able to create an XML document that makes certain XPath queries costly or resource hungry. XPath injection attacks ----- XPath injection attacks pretty much work like SQL injection attacks. Arguments to XPath queries must be quoted and validated properly, especially when they are taken from the user. The page Avoid the dangers of XPath injection\_ list some ramifications of XPath injections. Python's standard library doesn't have XPath support. Lxml supports parameterized XPath queries which does proper quoting. You just have to use its xpath() method correctly:: # DON'T >>> tree.xpath("/tag[@id='%s']" % value) # instead do >>> tree.xpath("/tag[@id=\$tagid]", tagid=name) XInclude ----- XML Inclusion\_ is another way to load and include external files:: <root xmlns:xi="http://www.w3.org/2001/XInclude"> <xi:include href="filename.txt" parse="text" /> </root> This feature should be disabled when XML files from an untrusted source are processed. Some Python XML libraries and libxml2 support XInclude but don't have an option to sandbox inclusion and limit it to allowed directories. XMLSchema location ----- A validating XML parser may download schema files from the information in a xsi:schemaLocation attribute. :: <ead xmlns="urn:isbn:1-931666-22-9" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="urn:isbn:1-931666-22-9 http://www.loc.gov/ead/ead.xsd"> </ead> XSL Transformation ----- You should keep in mind that XSLT is a Turing complete language. Never

process XSLT code from unknown or untrusted source! XSLT processors may allow you to interact with external resources in ways you can't even imagine. Some processors even support extensions that allow read/write access to file system, access to JRE objects or scripting with Jython.

Example from *Attacking XML Security* for Xalan-J: `<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform" xmlns:rt="http://xml.apache.org/xalan/java/java.lang.Runtime" xmlns:ob="http://xml.apache.org/xalan/java/java.lang.Object" exclude-result-prefixes=" rt ob"> <xsl:template match="/"> <xsl:variable name="runtimeObject" select="rt.getRuntime()"/> <xsl:variable name="command" select="rt.exec($runtimeObject, &apos;c:\Windows\system32\cmd.exe&apos;)/> <xsl:variable name="commandAsString" select="ob.toString($command)"/> <xsl:value-of select="$commandAsString"/> </xsl:template> </xsl:stylesheet>`

Related CVEs ===== CVE-2013-1664 Unrestricted entity expansion induces DoS vulnerabilities in Python XML libraries (XML bomb) CVE-2013-1665 External entity expansion in Python XML libraries inflicts potential security flaws and DoS vulnerabilities Other languages / frameworks ===== Several other programming languages and frameworks are vulnerable as well. A couple of them are affected by the fact that libxml2 up to 2.9.0 has no protection against quadratic blowup attacks. Most of them have potential dangerous default settings for entity expansion and external entities, too.

Perl ---- Perl's XML::Simple is vulnerable to quadratic entity expansion and external entity expansion (both local and remote). Ruby ---- Ruby's REXML document parser is vulnerable to entity expansion attacks (both quadratic and exponential) but it doesn't do external entity expansion by default. In order to counteract entity expansion you have to disable the feature::

REXML::Document.entity\_expansion\_limit = 0

libxml-ruby and hpricot don't expand entities in their default configuration. PHP --- PHP's SimpleXML API is vulnerable to quadratic entity expansion and loads entities from local and remote resources. The option LIBXML\_NONET`disables network access but still allows local file access. LIBXML\_NOENT`seems to have no effect on entity expansion in PHP 5.4.6. C# / .NET / Mono ----- Information in XML DoS and Defenses (MSDN)` suggest that .NET is vulnerable with its default settings. The article contains code snippets how to create a secure XML reader::

```
XmlReaderSettings settings = new XmlReaderSettings();
settings.ProhibitDtd = false;
settings.MaxCharactersFromEntities = 1024;
settings.XmlResolver = null;
XmlReader reader = XmlReader.Create(stream, settings);
```

Java ---- Untested. The documentation of Xerces and its Xerces SecurityManager` sounds like Xerces is also vulnerable to billion laugh attacks with its default settings. It also does entity resolving when an `org.xml.sax.EntityResolver``is configured. I'm not yet sure about the default setting here. Java specialists suggest to have a custom builder factory::

```

DocumentBuilderFactory builderFactory =
DocumentBuilderFactory.newInstance();
builderFactory.setXIncludeAware(False);
builderFactory.setExpandEntityReferences(False);
builderFactory.setFeature(XMLConstants.FEATURE_SECURE_PROCESSING,
True); # either
builderFactory.setFeature("http://apache.org/xml/features/disallow-
doctype-decl", True); # or if you need DTDs
builderFactory.setFeature("http://xml.org/sax/features/external-general-
entities", False);
builderFactory.setFeature("http://xml.org/sax/features/external-parameter-
entities", False);
builderFactory.setFeature("http://apache.org/xml/features/nonvalidating/load-
external-dtd", False);
builderFactory.setFeature("http://apache.org/xml/features/nonvalidating/load-
dtd-grammar", False);

```

TODO ==== \* DOM: Use xml.dom.xmlbuilder options for  
 entity handling \* SAX: take feature\_external\_ges and feature\_external\_pes (?)  
 into account \* test experimental monkey patching of stdlib modules \*  
 improve documentation License ===== Copyright (c) 2013-2017 by  
 Christian Heimes <christian@python.org> Licensed to PSF under a  
 Contributor Agreement. See <https://www.python.org/psf/license> for  
 licensing details. Acknowledgements ===== Brett Cannon  
 (Python Core developer) review and code cleanup Antoine Pitrou (Python  
 Core developer) code review Aaron Patterson, Ben Murphy and Michael  
 Koziarski (Ruby community) Many thanks to Aaron, Ben and Michael from the  
 Ruby community for their report and assistance. Thierry Carrez (OpenStack)  
 Many thanks to Thierry for his report to the Python Security Response Team  
 on behalf of the OpenStack security team. Carl Meyer (Django) Many thanks  
 to Carl for his report to PSRT on behalf of the Django security team. Daniel  
 Veillard (libxml2) Many thanks to Daniel for his insight and assistance with  
 libxml2. semantics GmbH (<https://www.semantics.de/>) Many thanks to my  
 employer semantics for letting me work on the issue during working hours as  
 part of semantics's open source initiative. References ===== \* XML  
 DoS and Defenses (MSDN) \* Billion Laughs on Wikipedia \* ZIP bomb on  
 Wikipedia \* Configure SAX parsers for secure processing \* Testing for XML  
 Injection .. \_defusedxml package: <https://github.com/tiran/defusedxml> ..  
 \_defusedxml on PyPI: <https://pypi.python.org/pypi/defusedxml> ..  
 \_defusedexpat package: <https://github.com/tiran/defusedexpat> ..  
 \_defusedexpat on PyPI: <https://pypi.python.org/pypi/defusedexpat> ..  
 \_modified expat: <https://github.com/tiran/expat> .. \_expat parser:  
<http://expat.sourceforge.net/> .. \_Attacking XML Security:  
[https://www.isecpartners.com/media/12976/iSEC-HILL-Attacking-XML-](https://www.isecpartners.com/media/12976/iSEC-HILL-Attacking-XML-Security-bh07.pdf)  
[Security-bh07.pdf](https://www.isecpartners.com/media/12976/iSEC-HILL-Attacking-XML-Security-bh07.pdf) .. \_Billion Laughs:  
<https://en.wikipedia.org/wiki/BillionLaughs> .. \_XML DoS and Defenses

(MSDN): <https://msdn.microsoft.com/en-us/magazine/ee335713.aspx> .. \_ZIP bomb: [https://en.wikipedia.org/wiki/Zip\\_bomb](https://en.wikipedia.org/wiki/Zip_bomb) .. \_DTD: [https://en.wikipedia.org/wiki/Document\\_Type\\_Definition](https://en.wikipedia.org/wiki/Document_Type_Definition) .. \_PI: [https://en.wikipedia.org/wiki/Processing\\_Instruction](https://en.wikipedia.org/wiki/Processing_Instruction) .. \_Avoid the dangers of XPath injection: <http://www.ibm.com/developerworks/xml/library/x-xpathinjection/index.html> .. \_Configure SAX parsers for secure processing: <http://www.ibm.com/developerworks/xml/library/x-tipcfsx/index.html> ..

\_Testing for XML Injection: [https://www.owasp.org/index.php/Testing\\_for\\_XML\\_Injection\\_\(OWASP-DV-008\)](https://www.owasp.org/index.php/Testing_for_XML_Injection_(OWASP-DV-008)) .. \_Xerces SecurityManager: <https://xerces.apache.org/xerces2-j/javadocs/xerces2/org/apache/xerces/util/SecurityManager.html> .. \_XML Inclusion: [https://www.w3.org/TR/xinclude/#include\\_element](https://www.w3.org/TR/xinclude/#include_element) Changelog

===== defusedxml 0.7.1 ----- \*Release date: 08-Mar-2021\* - Fix regression `defusedxml.ElementTree.ParseError`(#63)` The `ParseError`` exception is now the same class object as `xml.etree.ElementTree.ParseError`` again. defusedxml 0.7.0 ----- \*Release date: 4-Mar-2021\* - No changes defusedxml 0.7.0rc2 ----- \*Release date: 12-Jan-2021\* - Re-add and deprecate `defusedxml.cElementTree`` - Use GitHub Actions instead of TravisCI - Restore `ElementTree`` attribute of `xml.etree`` module after patching defusedxml 0.7.0rc1 ----- \*Release date: 04-May-2020\* - Add support for Python 3.9 - `defusedxml.cElementTree`` is not available with Python 3.9. - Python 2 is deprecated. Support for Python 2 will be removed in 0.8.0. defusedxml 0.6.0 ----- \*Release date: 17-Apr-2019\* - Increase test coverage. - Add badges to README. defusedxml 0.6.0rc1 ----- \*Release date: 14-Apr-2019\* - Test on Python 3.7 stable and 3.8-dev - Drop support for Python 3.4 - No longer pass `*html*` argument to `XMLParse`. It has been deprecated and ignored for a long time. The `DefusedXMLParser` still takes a `html` argument. A deprecation warning is issued when the argument is `False` and a `TypeError` when it's `True`. - `defusedxml` now fails early when `pyexpat` stdlib module is not available or broken. - `defusedxml.ElementTree.__all__` now lists `ParseError` as public attribute. - The `defusedxml.ElementTree` and `defusedxml.cElementTree` modules had a typo and used `XMLParse` instead of `XMLParser` as an alias for `DefusedXMLParser`. Both the old and fixed name are now available. defusedxml 0.5.0 ----- \*Release date: 07-Feb-2017\* - No changes defusedxml 0.5.0rc1 -----

---- \*Release date: 28-Jan-2017\* - Add compatibility with Python 3.6 - Drop support for Python 2.6, 3.1, 3.2, 3.3 - Fix `lxml` tests (`XMLSyntaxError: Detected an entity reference loop`) defusedxml 0.4.1 ----- \*Release date: 28-Mar-2013\* - Add more demo exploits, e.g. `python_external.py` and Xalan XSLT demos. - Improved documentation. defusedxml 0.4 ----- \*Release date: 25-Feb-2013\* - As per <http://seclists.org/oss-sec/2013/q1/340> please REJECT CVE-2013-0278, CVE-2013-0279 and CVE-2013-0280 and use CVE-2013-1664, CVE-2013-1665 for OpenStack/etc. - Add missing `parser_list` argument to `sax.make_parser()`. The

argument is ignored, though. (thanks to Florian Apolloner) - Add demo exploit for external entity attack on Python's SAX parser, XML-RPC and WebDAV.

defusedxml 0.3 ----- \*Release date: 19-Feb-2013\* - Improve documentation

defusedxml 0.2 ----- \*Release date: 15-Feb-2013\* - Rename ExternalEntitiesForbidden to ExternalReferenceForbidden - Rename defusedxml.lxml.check\_dtd() to check\_docinfo() - Unify argument names in callbacks - Add arguments and formatted representation to exceptions - Add forbid\_external argument to all functions and classes - More tests - LOTS of documentation - Add example code for other languages (Ruby, Perl, PHP) and parsers (Genshi) - Add protection against XML and gzip attacks to xmlrpclib

defusedxml 0.1 ----- \*Release date: 08-Feb-2013\* - Initial and internal release for PSRT review

## Package Info

---

Package Author(s)

christian@python.org

Package Manager

Pip

Project URL

<https://github.com/tiran/defusedxml>

Package Download URL

<https://files.pythonhosted.org/packages/0f/d5/c66da9b79e5bdb124974bfe172b4daf3c984ebd9c2a06e2b8a4dc7331c72/defusedxml-0.7.1.tar.gz>

Dependency Path

solnlib > defusedxml, splunktaucclib > defusedxml, splunktaucclib > solnlib > defusedxml

## Declared License(s)

---

None

## Discovered License(s)

---

PSF-2.0

Copyright(s)

i.e., "Copyright (c)

## Notice File(s)

---

None

## deprecation 2.1.0

pip+deprecation\$2.1.0

Transitive

---

## Description

---

deprecation ===== .. image::  
https://readthedocs.org/projects/deprecation/badge/?version=latest  
:target: http://deprecation.readthedocs.io/en/latest/ :alt: Documentation  
Status .. image:: https://travis-ci.org/briancurtin/deprecation.svg?  
branch=master :target: https://travis-ci.org/briancurtin/deprecation .. image::  
https://codecov.io/gh/briancurtin/deprecation/branch/master/graph/badge.svg  
:target: https://codecov.io/gh/briancurtin/deprecation The `deprecation`  
library provides a `deprecated` decorator and a `fail\_if\_not\_removed` decorator  
for your tests. Together, the two enable the automation of several things: 1.  
The docstring of a deprecated method gets the deprecation details  
appended to the end of it. If you generate your API docs direct from your  
source, you don't need to worry about writing your own notification. You also  
don't need to worry about forgetting to write it. It's done for you. 2. Rather  
than having code live on forever because you only deprecated it but never  
actually moved on from it, you can have your tests tell you when it's time to  
remove the code. The `@deprecated` decorator can be told when it's time to  
entirely remove the code, which causes `@fail\_if\_not\_removed` to raise an  
`AssertionError`, causing either your unittest or py.test tests to fail. See  
http://deprecation.readthedocs.io/ for the full documentation. Installation  
===== :: pip install deprecation Usage ===== :: import deprecation  
@deprecation.deprecated(deprecated\_in="1.0", removed\_in="2.0",  
current\_version=\_\_version\_\_, details="Use the bar function instead") def foo():  
 """Do some stuff""" return 1 ...but doesn't Python ignore DeprecationWarning?  
===== Yes, by  
default since 2.7—and for good reason [#]\_ —and this works fine with that.  
1. It often makes sense for you to run your tests with a `W` flag or the  
PYTHONWARNINGS`environment variable so you catch warnings in  
development and handle them appropriately. The warnings raised by this  
library show up there, as they're subclasses of the built-in

DeprecationWarning: See the Command Line  
<<https://docs.python.org/2/using/cmdline.html#cmdoption-W>>\_ and  
Environment Variable  
<<https://docs.python.org/2/using/cmdline.html#envvar-PYTHONWARNINGS>>\_ documentation for more details. 2. Even if you don't  
enable those things, the behavior of this library remains the same. The  
docstrings will still be updated and the tests will still fail when they need to.  
You'll get the benefits regardless of what Python cares about  
DeprecationWarning: ---- .. [#] Exposing application users to  
DeprecationWarning's that are emitted by lower-level code needlessly  
involves end-users in "how things are done." It often leads to users raising  
issues about warnings they're presented, which on one hand is done  
rightfully so, as it's been presented to them as some sort of issue to resolve.  
However, at the same time, the warning could be well known and planned  
for. From either side, loud DeprecationWarning's can be seen as noise that  
isn't necessary outside of development.

## Package Info

---

### Package Author(s)

brian@python.org

### Package Manager

Pip

### Project URL

<http://deprecation.readthedocs.io/>

### Package Download URL

<https://files.pythonhosted.org/packages/5a/d3/8ae2869247df154b64c1884d7346d412fed0c49df84db635aab2d1c40e62/deprecation-2.1.0.tar.gz>

### Dependency Path

ssh://git@github.com/splunk/splunksdcsdk > splunk-sdk > deprecation,  
solnlib > splunk-sdk > deprecation, splunk-sdk > deprecation, splunktaucclib  
> solnlib > splunk-sdk > deprecation, splunktaucclib > splunk-sdk >  
deprecation

## Declared License(s)

---

Apache-2.0

### Copyright(s)

yyyy} {name of copyright owner}

### Discovered License(s)

---

None

### Notice File(s)

---

None

**github.com/andybalholm/brotli** v1.1.1

go+github.com/andybalholm/brotli\$ v1.1.1

Transitive

---

### Description

---

Pure Go Brotli encoder and decoder

### Package Info

---

#### Package Author(s)

Aleksei-Badyaev, andybalholm, bodgit, charmitro, erikdubbelboer, hablof, moredure, oгуzyildizz, ottenhoff, paolobarbolini, zuiwuchang

#### Package Manager

Golang

#### Project URL

<https://github.com/andybalholm/brotli>

#### Package Download URL

<https://github.com/andybalholm/brotli/archive/57434b509141a6ee9681116b8d552069126e615f.zip>

#### Dependency Path

github.com/apache/arrow/go/v15 > github.com/andybalholm/brotli

### Declared License(s)

---

MIT

### Copyright(s)

2009, 2010, 2013-2016 by the Brotli Authors.

### Discovered License(s)

---

BSD-3-Clause

### Copyright(s)

2016 The Go Authors. All rights reserved.

### Notice File(s)

---

None

**github.com/apache/thrift v0.23.0**

go+github.com/apache/thrift\$0.23.0

Transitive

### Description

---

Apache Thrift

### Package Info

---

#### Package Author(s)

2DSharp, AaronGoldman, AlephAlpha, Alex-Rud, Alex-Vol, AlexanderKurzMVTec, AndyleeSharp, AtharvaChiplunkar12, Biswa96, CJCombrink, CarbonComputed, Coeur, Copilot, DaGenix, EnigmaTriton, Equim-chan, Florian-Mt, Fokko, GabeNI, HIRANO-Satoshi, HTHou, HamzaAnis, Homarechan, Irelian, JamesGuthrie, Jens-G, JonnoFTW, KTAtkinson, KarboniteKream, KlausTrainer, MartinHaimberger, MikaelSmith, MinasTyuru, NameFILIP, Nighmared, OmmyZhang, PhilPIL, QuestofIranon, RandyAbernethy, SvenRoederer, TianMaiChengGhostRidder, Zlika, a-detiste, aaronstgeorge-wf, aaudiber, abellgithub, adamconnelly, adamlc, adrianhelvikspond, africamonkey, afs, agarciadom, ahives, akrennmair,

alabama, alafarge-ankama, alazzaretti, alex-kormukhin, alexanderedge, alisaiffee, alkis, allengeorge, amdunn, amosbird, anatol, andrewdeandrade, ankane, anshulmgupta, antongolub, apocolipse, arkuhn, artemy-osipov, ascheja, asjadsyed, asuhan, aughr, axeljaeger-arculus, bachp, balping, bananer, bundle, becrux, beltran, belugabehr, ben-craig, bforbis, bgedik, bgemmill, bgould, bigjust, birschick-bq, bjosv, bnaecker, bogdandrutu, bosky101, bp1222, bpodgursky, brad0, brunomacf, bufferoverflow, buptubuntu, bwangelme, byroot, cameron-martin, carlyeks, carwynmoore-modica, catenacyber, ccmaymay, ccoulombe, cdwijayarathna, cfriedt, chadknight-wf, charleso, cheecheeo, chetmurthy, christianbuerckert, chrstphrchvz, cjmay, cmhe, codyps, coeamyd, constd, cozality, creker, csordasmarton, csringhofer, ctubbsii, cutting, cwe-dixa, cwe1ss, cyyeveer, davidfurey, davidhjp01, davinchia, dcelasun, deiv, dejank-isystem, dengzhhu653, dependabot[bot], dequbed, divyekapoor, djc, djnym, djzort, dmai, dmaluka, dmvolod, drobakowski, dsandbrink, dsp, dthaluru, dtmuller, dugenkui03, duvduvfb, dxbjavid, earada, ebrard, edefimov, edvakf, ehiggs, elharo, elludraon, elprans, emmenlau, eranrund, ericklaus-wf, erikvanoosten, erka, esteve, fayalalebrun, fbarriga, finncolman, fishy, flavray, flier, francoisferrand, gadLinux, garretwilson, garydgregory, garymm, gaurav1086, gladhorn, gmcdonald, greggdonovan, gstein, gustavoz, gzm55, hcorg, helgikrs, henrique, hongxu-jia, hongzhi-gao, huerlisi, icirellik, itshumbug, jake-ruyi, james-johnston-thumbtack, jamesbroadhead, janosvitok, jbapple-cloudera, jeffalder, jeffreytolar, jeking3, jeremiahpslewis, jfarrell, jgheewala, jhaapala5, jhorstmann, jihoon-seo, jimexist, joaopedroantonio, johnboiles, jorgecarleitao, joseAndresGomezTovar, joshelser, jp0317, jparise, jsirois, jtescher, junnplus, jviotti, kainjow, kamaradclimber, kanishthkarthik, kashirin-alex, kcris, kdubb, keith-turner, kernigh, kevin-green-ck, kfenner, kinoroy, kittylst, kjpowerworld, kou, kpumuk, kpy3, layus, license-fn, liyan-ah, lm2048, longzhiri, loong-hy, mark-erickson, markerickson-wf, markjm, matyapiro31, mhlakhani, mindscratch, mrwiggles, msonnabaum, msridhar, mustafa-cosar, mygityf, nanreh, neosys007, nicaro, nrg4878, nsuke, opoplawski, oprudkyi, pacejackson, penenin, phongphan, pierrestudios, pkvach, ppenenko, pprice, proller, ptsneves, qinghui-xu, robberphex, romanoid, roshan, roshanjrajan-zip, rtm-ctrlz, santiagomed, sekikn, shadchin, snikulov, sokac, soroshsabz, spladug, stanhu, stiga-huang, sunchao, sunnypig, sveneld, szenker, taiyangc, taozle, tbartelmess, thomas07vt, thomasbruggink, thomaslee, tinloaf, tjake, tobim, toddlipcon, tpcwang, trotterdylan, tudborg, tylertreat-wf, ulidtko, unbounded, vgotra, vitality-zdanevich, wadey, walter-weinmann, winsweet, wolfda, wujjpp, wyjwang, xiaosuo, xunonxyz, yawaramin, z-edward, zeshuai007, zhaakhi, zsy056, zwass, zzn01

Package Manager

Golang

Project URL

<https://github.com/apache/thrift>

Package Download URL

<https://proxy.golang.org/github.com/apache/thrift/@v/v0.23.0.zip>

Dependency Path

github.com/apache/arrow/go/v15 > github.com/apache/thrift

---

**Declared License(s)**

Apache-2.0

Copyright(s)

2007 Thomas Porschberg <thomas@randspringer.de>

---

FSFAP

Copyright(s)

2007 Thomas Porschberg <thomas@randspringer.de>

---

**Discovered License(s)**

---

BSD-2-Clause

Copyright(s)

2012 Raphael Kubo da Costa <rakuco@webkit.org>

---

BSD-3-Clause

Copyright(s)

2007 Thomas Porschberg <thomas@randspringer.de>

---

BSL-1.0

Copyright(s)

2012 Two Blue Cubes Ltd. All rights reserved.

---

**FSFULLR**

Copyright(s)

2004-2018 Free Software Foundation, Inc.

---

**GPL-3.0-or-later**

Copyright(s)

2015 Reuben Thomas <rrt@sc3d.org>

---

**gpl-1.0-plus WITH autoconf-macro-exception**

Copyright(s)

2015 Reuben Thomas <rrt@sc3d.org>

---

**public-domain**

Copyright(s)

None

---

**MIT**

Copyright(s)

2006 Martin J. Logan, Erlware>

**Notice File(s)**

---

[github.com/apache/thrift@v0.23.0/NOTICE](https://github.com/apache/thrift@v0.23.0/NOTICE)

#### File Path

github.com/apache/thrift@v0.23.0/NOTICE

#### Notice Text

Apache Thrift

Copyright (C) 2006 - 2019, The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

#### Copyright(s)

Copyright © 2006 - 2019 The Apache Software Foundation

**github.com/golang/snappy** v0.0.4

go+github.com/golang/snappy\$0.0.4

Transitive

---

#### Description

The Snappy compression format in the Go programming language.

---

#### Package Info

##### Package Author(s)

AWSjswinney, EdwardBetts, MarkLodato, buth, creachadair, cuonglm, dgryski, fatedier, klauspost, maruel, mattn, nigeltao, rhcarvalho, sbinet, sguiheux

##### Package Manager

Golang

##### Project URL

<https://github.com/golang/snappy>

##### Package Download URL

<https://proxy.golang.org/github.com/golang/snappy/@v/v0.0.4.zip>

##### Dependency Path

github.com/apache/arrow/go/v15 > github.com/golang/snappy

#### Declared License(s)

---

None

#### Discovered License(s)

---

BSD-3-Clause

#### Copyright(s)

2011 The Snappy-Go Authors. All rights reserved.

#### Notice File(s)

---

None

github.com/google/flatbuffers v25.1.21+incompatible

go+github.com/google/flatbuffers\$ v25.1.21+incompatible

Transitive

#### Description

---

FlatBuffers: Memory Efficient Serialization Library

#### Package Info

---

##### Package Author(s)

06393993, 3axap4eHko, 3ddi, ADHwang, AaronCritchley, AdamKorcz, AdrianAtGoogle, Alex-Ratcliffe, AlexRamallo, ArnaudD-FR, AustinSchuh, Biswa96, Bklyn, BrianHarris, CarsarSky, Casamatechs, CedricSchmeits, CharlieYJH, CodeMaster7000, ConanChenTookMyName, CurtHagenlocher, DariuszOstolski, DoppelDe, Dylan-Gallagher, Earlonus, Esvandiary, EtherBit, FrankStain, FujiZ, GauthamBanasandra, Geraskin, Gh0u1L5, Google-Autofuzz, Guillaume227, HenryRLee, Hixie, Homeblest, Icantjuddle, ImmemorConsultrixContrarie, Jamie-Jameson, Jiboo, JoshDreamland, JunyoungLim, KageKirin, KerstinKeller, Klaim, Kn99HN, LaurentiuCristofor, LizardWizzard, Lukasdoe, Mandar-Shinde, Meoo, MizukiSonoko, Mygao, Naios, Nnamdi, ObesityChow, OlivierLDff, OptoCloud, QiAnXinCodeSafe,

Quuxplusone, REASY, Reimerei, RenzoMXD, RevenantX, SmashedFrenzy16, T045T, TGIshib, TethysSvensson, ThePrimeagen, Tinche, WoodyGuo, a-maurice, aardappel, aaronhudon, aaronriekenberg, abergmeier, abhay-agarwal, aburdulescu, admo, advaitjain, advayDev1, aeneid, ahundt, akabel, akazakov, akb825, akerfoot, albertofem, aleb, aleixpol, alexames, alexrwasserman, alimezar, alresing, amaneureka, amoldeshpande, anassinator, angelasheu, ankurdave, anpol, anton-bobukh, armen, aselle, ashayshirwadkar, assorted, astange, athei, atkurtul, atn34, auschi-shieldai, avsej, axelsommerfeldt, bakinovsky-m, bartwe, basilgello, baszalmstra, battre, bbigras, bchavez, bei-google, belldon, benssson, bhamiltoncx, bigjt-dev, bjornharrtell, bkietz, bking, blep, blindspotbounty, bmharper, bog-dan-ro, bpot, brcooley, bsilver8192, bulentv, bwellington, cage433, calebzulawski, candysonya, carols10cents, catenacyber, cberner, ccifra, cflaviu, chenxiaolong, chobid, cholcombe973, chrisclaws, chrisstaite, chronoxor, chuckatkins, chusitoo, clanghans, clju, coder7695, codewiz, colindjk, comius, cor3ntin, cosmith-nvidia, crisman, cryptocode, csharrison, csmulhern, csukuangfj, cubeleo, dacowan, dakom, daksenik, damienpontifex, dandoug, danielin917, danlapid, danlark1, danring, dataCenter430, davschn, daynual, dbaileychess, denis-protivensky, dependabot[bot], desqaz, devantoine, devbharat, dim-an, dimitropoulos, diogopmonteiro, djnz00, dlespiau, dlsniper, dmitriykovalev, dmuir, dnachbaur, dnfield, dnr, dominiklohm, dsanders11, dstephany, dsypniewski, dvolosnykh, dws, dyu, edwardfoux, eerhardt, eltoclear, emaxerrno, emkornfield, emmiebyte, endorph-soft, engedy, ennerf, enum-class, eolivelli, epicface, escholtz, evanmoran, evanw, evolutionary, fawdlsty, fbenkstein, fdr400, felix, felixfrank, fergushenderson, fjarri, flier, fliliix, flqw, fort2, frasercrossman, gabryx, gafferongames, giodotblue, gitterbadger, glebm, godcong, gonzaloserrano, gowsiany, greenmonn, greenrobot, gregoire-astruc, gschulze, hadrielk, harpocrates, harujoh, hassila, hazelnusse, heirecka, herrfrei, hkmix, hs3366677, hvardhanx, hyjin, hzeller, ibc, ibloat, iceboy233, ilya-lavrenov, incubus370, ink-su, insertjokehere, iperry, isaiahpettingill, jaakristioja, jaceksur, jakobkordez, jamescourtney, jamesr, jasonstubby, javiserrano, jdduke, jdemeyer, jean-airdie, jeffsmith82, jesta88, jfroy, jkunee, jkusmaul, jmillan, jmonsche-onscale, jnlopar, jonathantullett, jongwooo, jonsimantov, joshua-smith8, jsanmiya, jschaf, jtbandes, jtdavis777, justintconroy, jviotti, kaegoorn, kant, kapilsh, kazimuth, kbrose, keith, kendegeamaro, kewur, khoitd1997, kimsin3003, kmaragon, kostya-sh, kou, krojew, kzvi, langchr86, laszlocsomor, laurentsimon, le-michael, lebdron, leeygang, lenzj, liuliu, ll-antn, llchan, lourd, lp35, lu-wang-g, lux, m3rcuriel, madeken, malarinv, manoj23, martinus, matsuhira, maxburke, mbeards, mbrubeck, mcfi, medwards, mering, methane, mikaraento, mikeroller, mikhsol, mikkelfj, mmastrac, mmoscicki2, mockbutler, mogemimi, mormegil-cz, motxx, mr-swifter, mrhappyasthma, mugisoba, musicinmybrain, mustiikhalil, mystal, mzaks, nairb774, ncpenke, nevi-me, njh0602, nopcoder, nullbus, ocpalo, om26er, parnic, paulharris, paulovap, paulreimer, philsc,

philwo, piotrdz, pjulien, pkasting, proppy, pyottamus, qoo2p5, qsr, rametta, razvanalex, reltuk, repi, reshilkin, rgilles, rhofour, rishabhdeepsingh, robert-nix, rootvector2, rouault, rouzier, rstoica, rw, sahiljain, satur9nine, schoetbi, sgowroji, shassani, shaxbee, sheinbergon, shivendra14, shlmregev, sillykelvin, sjoblom65, souma987, spacewander, splhack, srinarasi, sssooonnnnggg, statxc, stefan301, stemann, sunwen18, sutambe, svenk177, tajmorton, thani-sh, thansen24, thevilledev, thompson-tomo, tira-misu, tmimmanuel, trofi, tsturm, tymcauley, tzik, uilianries, vaind, veblush, vglavnyy, vkill, vrana, willstott101, wolfviking0, xgdgsc, xunzhang, yacoder, yan12125, yaoshengzhe, yfinkelstein, youknowone, zachreizner, zarianw, zchee

#### Package Manager

Golang

#### Project URL

<https://flatbuffers.dev/>

#### Package Download URL

<https://proxy.golang.org/github.com/google/flatbuffers/@v/v25.1.21+incompatible.zip>

#### Dependency Path

github.com/apache/arrow/go/v15 > github.com/google/flatbuffers

#### Declared License(s)

---

None

#### Discovered License(s)

---

Apache-2.0

#### Copyright(s)

2015 Google Inc. All rights reserved.

---

#### BSD-3-Clause

#### Copyright(s)

2015 The Chromium Authors. All rights reserved.

## Notice File(s)

---

None

**github.com/JohnCGriffin/overflow** v0.0.0-20211019200055-46fa312c352c

go+github.com/JohnCGriffin/overflow\$ v0.0.0-20211019200055-46fa312c352c

Transitive

---

## Description

---

None

## Package Info

---

Package Author(s)

None

Package Manager

Golang

Project URL

<https://github.com/JohnCGriffin/overflow>

Package Download URL

<https://proxy.golang.org/github.com/!john!c!griffin/overflow/@v/v0.0.0-20211019200055-46fa312c352c.zip>

Dependency Path

github.com/apache/arrow/go/v15 > github.com/JohnCGriffin/overflow

## Declared License(s)

---

None

## Discovered License(s)

---

MIT

## Copyright(s)

2017 John C. Griffin,

## Notice File(s)

---

None

**github.com/klauspost/compress** v1.17.11

go+github.com/klauspost/compress\$ v1.17.11

Transitive

---

## Description

---

Optimized Go Compression Packages

## Package Info

---

### Package Author(s)

Bbulatov, FZambia, GiedriusS, HNO3Miracle, Jacalz, Jille, Juneezee, RXamzin, SAY-5, The-Alchemist, Wikidemia, WojciechMula, alingse, analytically, ankon, atetubou, aviau, deining, dependabot[bot], dezza, diogoteles08, dsnet, dvedden, egonelbre, ethaizone, eustas, feyrob, flrdv, greatroar, harshavardhana, huynhanx03, hyunsooda, ianlancetaylor, ianwilkes, jarifibrahim, jboelter, jgimenez, jnoxon, joechenrh, juliens, justinmayhew, kevinpollet, klauspost, lizthegrey, luyu6056, mirecl, mmcloughlin, mostynb, nigeltao, nightwolfz, ningmingxiao, pdecat, pelenium, rasky, rohanpai, rtribotte, ryanfowler, samuel-poirier, saracen, shawnps, snissn, stapelberg, tcpdumppy, teikjun, testwill, thaJeztah, thatguystone, travelpolicy, vajexal, vcabbage, vdarulis, viktoriia-lsg, willbicks, wooffie, wyndhblb, z9z, zwass

### Package Manager

Golang

### Project URL

<https://github.com/klauspost/compress>

### Package Download URL

<https://proxy.golang.org/github.com/klauspost/compress/@v/v1.17.11.zip>

#### Dependency Path

github.com/apache/arrow/go/v15 > github.com/klauspost/compress

#### Declared License(s)

---

None

#### Discovered License(s)

---

MIT

#### Copyright(s)

2012 The Go Authors. All rights reserved.

---

#### BSD-3-Clause

#### Copyright(s)

2012 The Go Authors. All rights reserved.

---

#### Apache-2.0

#### Copyright(s)

2012 The Go Authors. All rights reserved.

---

#### Notice File(s)

---

None

**github.com/pierrec/lz4/v4** v4.1.22

go+github.com/pierrec/lz4/v4\$4.1.22

Transitive

---

#### Description

---

LZ4 compression and decompression in pure Go

## Package Info

---

### Package Author(s)

0xAozora, 10000TB, aiquestion, anatol, bodgit, connor4312, corneliusroemer, daboyuka, danielmoy-google, edigaryev, edwingeng, emfree, evanphx, fingon, greatroar, h8liu, honda-tatsuya, ianwilkes, ikkeps, imura-tatsuya-ab, ivanov, johejo, klauspost, leehinman, lhemala, lizthegrey, lkinley-rythmos, maxlaverse, moycat, ncruces, oakad, oov, pierrec, sbinet, serprex, tobgu, x4m

### Package Manager

Golang

### Project URL

<https://github.com/pierrec/lz4>

### Package Download URL

<https://proxy.golang.org/github.com/pierrec/lz4/v4/@v/v4.1.22.zip>

### Dependency Path

github.com/apache/arrow/go/v15 > github.com/pierrec/lz4/v4

## Declared License(s)

---

None

## Discovered License(s)

---

**BSD-3-Clause**

### Copyright(s)

2015 Pierre Curto

---

**public-domain**

### Copyright(s)

royalties. Special rules,

---

gutenberg-2020

Copyright(s)

royalties. Special rules,

#### Notice File(s)

---

None

github.com/zeebo/xxh3 v1.0.2

go+github.com/zeebo/xxh3\$ v1.0.2

Transitive

---

#### Description

---

XXH3 algorithm in Go

#### Package Info

---

Package Author(s)

elliottwutingfeng, klauspost, kpango, mdlayher, mmcloughlin, zeebo

Package Manager

Golang

Project URL

<https://github.com/zeebo/xxh3>

Package Download URL

<https://proxy.golang.org/github.com/zeebo/xxh3/@v/v1.0.2.zip>

Dependency Path

github.com/apache/arrow/go/v15 > github.com/zeebo/xxh3

#### Declared License(s)

---

None

### Discovered License(s)

---

BSD-2-Clause

### Copyright(s)

2012-2014 Yann Collet

### Notice File(s)

---

None

**golang.org/x/exp** v0.0.0-20250106191152-7588d65b2ba8

go+golang.org/x/exp\$ v0.0.0-20250106191152-7588d65b2ba8

Transitive

---

### Description

---

Cached by the Go Module Proxy at Fri, 22 Jul 2022 15:52:23 GMT

### Package Info

---

#### Package Author(s)

None

#### Package Manager

Golang

#### Project URL

<https://go.googlesource.com/exp>

#### Package Download URL

<https://proxy.golang.org/golang.org/x/exp/@v/v0.0.0-20250106191152-7588d65b2ba8.zip>

#### Dependency Path

github.com/apache/arrow/go/v15 > golang.org/x/exp

### Declared License(s)

---

None

### Discovered License(s)

---

BSD-3-Clause

### Copyright(s)

2009 The Go Authors.

### Notice File(s)

---

None

**golang.org/x/sync** v0.21.0

go+golang.org/x/sync\$0.21.0

Transitive

---

### Description

---

Cached by the Go Module Proxy at Fri, 21 Dec 2018 19:32:16 GMT

### Package Info

---

#### Package Author(s)

None

#### Package Manager

Golang

#### Project URL

<https://go.googlesource.com/sync>

#### Package Download URL

<https://proxy.golang.org/golang.org/x/sync/@v/v0.21.0.zip>

#### Dependency Path

github.com/apache/arrow/go/v15 > golang.org/x/sync

---

**Declared License(s)**

None

---

**Discovered License(s)**

BSD-3-Clause

---

**Copyright(s)**

2009 The Go Authors.

---

**Notice File(s)**

None

**golang.org/x/sys** v0.46.0

go+golang.org/x/sys\$ v0.46.0

Transitive

---

**Description**

Cached by the Go Module Proxy at Fri, 16 Nov 2018 15:22:17 GMT

---

**Package Info**

---

**Package Author(s)**

None

---

**Package Manager**

Golang

---

**Project URL**

<https://go.googlesource.com/sys>

---

**Package Download URL**

<https://proxy.golang.org/golang.org/x/sys/@v/v0.46.0.zip>

### Dependency Path

github.com/apache/arrow/go/v15 > golang.org/x/sys,  
github.com/apache/arrow/go/v15 > google.golang.org/grpc >  
golang.org/x/sys

### Declared License(s)

---

None

### Discovered License(s)

---

BSD-3-Clause

### Copyright(s)

2009 The Go Authors.

### Notice File(s)

---

None

**golang.org/x/xerrors** v0.0.0-20240903120638-7835f813f4da

go+golang.org/x/xerrors\$ v0.0.0-20240903120638-7835f813f4da

Transitive

---

### Description

---

Cached by the Go Module Proxy at Tue, 17 May 2022 21:13:12 GMT

### Package Info

---

#### Package Author(s)

None

#### Package Manager

Golang

#### Project URL

<https://go.googlesource.com/xerrors>

Package Download URL

<https://proxy.golang.org/golang.org/x/xerrors/@v/v0.0.0-20240903120638-7835f813f4da.zip>

Dependency Path

github.com/apache/arrow/go/v15 > golang.org/x/xerrors

**Declared License(s)**

---

None

**Discovered License(s)**

---

BSD-3-Clause

Copyright(s)

2019 The Go Authors.

**Notice File(s)**

---

None

**google.golang.org/grpc** v1.79.3

go+google.golang.org/grpc\$ v1.79.3

Transitive

**Description**

---

The Go language implementation of gRPC. HTTP/2 based RPC

**Package Info**

---

Package Author(s)

110y, 90wukai, Abirdcfly, Aditya-Sood, AnandInguva, AnomalRoil, AntonNep, Atul1710, Bala-Nallamilli, BatmanAoD, BillZong, BlueMonday, Capstan, CarlosRDomin, Clement-Jean, CodeLingoBot, Exgene, Eyal-Shalev, GarrettGutierrez1, Gayathri625, HomayoonAlimohammadi, Hrily, Icarus9913,

Iceber, JNProtzman, JaydenTeoh, JelteF, Jille, Jyny, Kailun2047, KarthikReddyPuli, KenxinKun, KillerX, KimMachineGun, KnutZuidema, LK4D4, LisaFC, MakMukhi, MatthewDolan, Maydell, MoZhonghua, Mskxn, NathanBaulch, PapaCharlie, Pranjali-2501, RAVEYUS, RedHawker, RyanBlaney, Ryanfsdf, SRAYANSH-GUPTA, Sajmani, SaveTheRbtz, Sebas03446, Shnitzelil, ThibaultRiviere, ThomasHabets, TimothyGu, TiraTom, TomerJLevy, TristonianJones, WeiranFang, Zamony, ZhenLian, ZhouyihaiDing, aanm, aarongable, aaronjheng, abserari, adambabik, adelez, adg, adtac, ahmadsherif, al4an444, alazarev, alectomas, alexandear, alexmullins, alingse, alliasgher, alpha-baby, amboz, and1truong, andyxning, anicr7, anthonyfok, anuraaga, apolcyn, aranjans, arjan-bal, arvindr8, ash2k, asheshvidyut, ashishgandhi, ashishksrivastava, ashithasantosh, ashupednekar, asoorm, atollena, awpr, bakotaco, bboreham, bcr, bdarnell, bestbeforetoday, bonnefoa, bozaro, bradfitz, broady, bruuuuuuuce, bryant1410, bsiegert, btc, bufdev, buzzsurfr, bvwells, c4milo, campoy, carl-mastrangelo, carzil, cesarghali, chalin, charithe, charlesxsh, chengfang, chengxilo, chongyangshi, chrisstaite-menlo, chyroc, cindyxue, cjc25, cjqzhao, clement2026, codebutler, connyay, conorevans, coocood, coxley, cube2222, danielzhaotongliu, datuanmac, daviddrysdale, davinci26, dependabot[bot], devnev, dfawley, dimpavloff, dims, dkwasnick, dmitshur, dnephin, dntj, domesticmouse, dsnet, dsymonds, dustin-ward, dzbarsky, eafzali, easwars, edrex, edwarnicke, egonelbre, ejona86, eltociar, enocom, ensonic, ericgribkoff, erm-g, erni27, eshitachandwani, etdub, ethanvc, evanj, evanlimanto, fagnercarvalho, fahlke, fengjun2016, fenollp, fho, fuweid, gauravgahlot, gh4683, ghasemloo, ginayeh, gkech, gnoack, gnossen, gregbarasch, groob, gtcooke94, gxb5443, gyuh0, halvards, hanut19, henvic, hexfusion, hnefatl, horpto, howardjohn, huangchong94, hueypark, hugehoo, hugelgupf, huynq0911, hypnogl0w, iamqizhao, iamquang95, iamrajiv, ianlancetaylor, iblancasa, idcmp, igorbernstein2, ilonajulczuk, imoore76, isgj, jachor, jack0, jamesog, jamesxuhaozhe, janardhanvissa, jeanbza, jhalterman, jhump, jmhodges, joeljeske, joeshaw, johanbrandhorst, jongwooo, joybestourous, jpbetz, jpkrohling, jronak, jroper, jsha, jsm, jtattermusch, kazegusuri, keegancsmith, keijiyoshida, keita127, kevinGC, kmirzavaziri, knweiss, konradreiche, krzysztofdris, ktalg, kylejb, le-michael, leviska, lexfrei, lidizheng, littlejiancc, longkai, loosebazooka, lqs, luxcgo, lyuxuan, lzhfromustc, maishivamhoo123, marcoferrer, marcoshuck, marek-szews, markdroth, matthewstevenson88, mattjo, matttproud, maxhawkins, mbissa, mcgreevy, mehrdada, meling, menghanl, mfrw, mikeraimondi, mikewiacek, miledxz, misberner, mitchsw, mjamaloney, mjpitz, mklencke, mkruskal-google, mmatczuk, mmorel-35, mohanli-ml, mohdjishin, msinghal34, mswierq, mtardy, mudhiredy, mugurm, murgatroid99, mwhudson, my4-dev, narqo, ncteisen, neild, nghialv, nussjustin, nvxbug, oaktowner, ofpiyush, pawbhard, pdbogen, pellared, petermattis, philippgille, piotrkowalczyk, pnacht, pongad, pquerna, pradeepmvn, prannayk, printchard, pstibrany, psyhatter,

purnesh42H, pvsravani, quartzmo, raghav-stripe, resec, reterVision, rhysh, richzw, riking, rleungx, rob05c, robinlg, rockspore, rodaine, roger2hk, rolandshoemaker, rs-unity, ryuryu0x08, s-matyukevich, s4uliu5, sagikazarmark, saicheems, sanki92, sashashura, schroederc, sding3, searKing, sebolstein, seeruk, sercand, sergiitk, seth-epps, sgreene570, shanel-at-google, shashkin, shitian-ni, shivaspeaks, sidnei, siggy, silaselisha, simonkotwicz, sjbarag, slomek, sorah, spencerkimball, srabraham, sreenithi, srini100, stanley-cheung, steeve, stevvoee, sunshangpp, sysulq, tamird, tanaka0325, taralx, tariq1890, tbtetbetbe, temawi, thaJeztah, thallgren, therec, thinkerou, thisisnotapril, tianon, timburks, tklauser, tobotg, tomwilkie, topecongiro, townba, tsaarni, tsuna, turfaa, twz123, tz70s, uds5501, ulascansenturk, vadimsht, vanja-p, veeceey, veshij, vieux, vinothkumarr227, virtuald, vitalitysaev2, vmg, wallaceicy06, wanlin31, war-turtle, wdsjk, wflms20110333, wonderfly, wooffie, wrfly, wuman, xfxjwfw, xiang90, xstephen95x, xyzzyz, yangmls, yangzhouhan, yihuazhang, yousukseung, yuqitao, zarinn3pal, zasweq, zbilun, zllak, zolotov

#### Package Manager

Golang

#### Project URL

<https://grpc.io/>

#### Package Download URL

<https://github.com/grpc/grpc-go/archive/dda86dbd9cecb8b35b58c73d507d81d67761205f.zip>

#### Dependency Path

github.com/apache/arrow/go/v15 > google.golang.org/grpc

#### Declared License(s)

---

Apache-2.0

#### Copyright(s)

2014 gRPC authors.

#### Discovered License(s)

---

None

### Notice File(s)

---

NOTICE.txt

#### File Path

NOTICE.txt

#### Notice Text

Copyright 2014 gRPC authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
implied.

See the License for the specific language governing permissions and  
limitations under the License.

#### Copyright(s)

Copyright © 2014 gRPC authors.

**google.golang.org/protobuf** v1.36.10

go+google.golang.org/protobuf\$ v1.36.10

Transitive

---

### Description

Cached by the Go Module Proxy at Thu, 28 Jul 2022 12:39:19 GMT

---

### Package Info

#### Package Author(s)

None

Package Manager

Golang

Project URL

<https://go.dev/learn/protobuf>

Package Download URL

<https://proxy.golang.org/google.golang.org/protobuf/@v/v1.36.10.zip>

Dependency Path

github.com/apache/arrow/go/v15 > google.golang.org/grpc >  
google.golang.org/genproto/googleapis/rpc > google.golang.org/protobuf,  
github.com/apache/arrow/go/v15 > google.golang.org/grpc >  
google.golang.org/protobuf, github.com/apache/arrow/go/v15 >  
google.golang.org/protobuf

#### Declared License(s)

---

None

#### Discovered License(s)

---

BSD-3-Clause

Copyright(s)

2018 The Go Authors. All rights reserved.

#### Notice File(s)

---

None

**hoist-non-react-statics** 3.3.2

npm+hoist-non-react-statics\$3.3.2

Transitive

#### Description

---

Copies non-react specific statics from a child component to a parent component

## Package Info

---

### Package Author(s)

mccridgway@gmail.com

### Package Manager

NPM

### Project URL

<https://www.npmjs.com/package/hoist-non-react-statics>

### Package Download URL

<https://registry.npmjs.org/hoist-non-react-statics/-/hoist-non-react-statics-3.3.2.tgz>

### Dependency Path

@splunk/react-ui > @splunk/react-icons > @types/styled-components > @types/hoist-non-react-statics > hoist-non-react-statics, @splunk/react-ui > @splunk/themes > @types/styled-components > @types/hoist-non-react-statics > hoist-non-react-statics, @splunk/react-ui > @types/styled-components > @types/hoist-non-react-statics > hoist-non-react-statics, @splunk/themes > @types/styled-components > @types/hoist-non-react-statics > hoist-non-react-statics, styled-components > hoist-non-react-statics

## Declared License(s)

---

BSD-3-Clause

### Copyright(s)

2015 Yahoo! Inc. All rights reserved.

## Discovered License(s)

---

None

## Notice File(s)

---

None

**idna** 3.18

pip+idna\$3.18

Transitive

---

## Description

Internationalized Domain Names in Applications (IDNA)

---

## Package Info

### Package Author(s)

Kim Davies <kim+pypi@gumleaf.org>

### Package Manager

Pip

### Project URL

<https://pypi.org/project/idna/>

### Package Download URL

<https://files.pythonhosted.org/packages/cd/63/9496c57188a2ee585e0f1db071d75089a11e98aa86eb99d9d7618fc1edce/idna-3.18.tar.gz>

### Dependency Path

ssh://git@github.com/splunk/splunksdcm.git > requests > idna, requests > idna

---

## Declared License(s)

BSD-3-Clause

### Copyright(s)

2013-2026 Kim Davies and contributors.

---

## Discovered License(s)

None

---

## Notice File(s)

None

## jmespath 1.0.1

pip+jmespath\$1.0.1

Transitive

---

### Description

JSON Matching Expressions

---

### Package Info

Package Author(s)

js@jamesls.com

Package Manager

Pip

Project URL

<https://github.com/jmespath/jmespath.py>

Package Download URL

<https://files.pythonhosted.org/packages/00/2a/e867e8531cf3e36b41201936b7fa7ba7b5702dbef42922193f05c8976cd6/jmespath-1.0.1.tar.gz>

Dependency Path

boto3 > botocore > jmespath, boto3 > jmespath, boto3 > s3transfer > botocore > jmespath

---

### Declared License(s)

MIT

Copyright(s)

2013 Amazon.com, Inc. or its affiliates. All Rights Reserved

---

### Discovered License(s)

None

### Notice File(s)

---

None

**lodash** 4.18.1

npm+lodash\$4.18.1

Transitive

---

### Description

Lodash modular utilities.

### Package Info

---

Package Author(s)

benjamin@dev.ofcr.se, john.david.dalton@gmail.com, mathias@qiwi.be

Package Manager

NPM

Project URL

<https://lodash.com/>

Package Download URL

<https://registry.npmjs.org/lodash/-/lodash-4.18.1.tgz>

Dependency Path

@splunk/react-ui > @splunk/react-icons > @splunk/ui-utils > lodash,  
@splunk/react-ui > @splunk/react-icons > lodash, @splunk/react-ui >  
@splunk/themes > lodash, @splunk/react-ui > @splunk/ui-utils > lodash,  
@splunk/react-ui > lodash, @splunk/react-ui > react-resize-detector >  
lodash, @splunk/splunk-utils > @splunk/ui-utils > lodash, @splunk/splunk-  
utils > lodash, @splunk/themes > lodash, styled-components > babel-plugin-  
styled-components > lodash

**Declared License(s)**

---

MIT

Copyright(s)

OpenJS Foundation and other contributors <<https://openjsf.org/>>

---

CC0-1.0

Copyright(s)

OpenJS Foundation and other contributors <<https://openjsf.org/>>

---

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

**loose-envify** 1.4.0

npm+loose-envify\$1.4.0

Transitive

---

**Description**

---

Fast (and loose) selective process.env`replacer using js-tokens instead of an AST

**Package Info**

---

Package Author(s)

zertosh@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/loose-envify>

Package Download URL

<https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz>

Dependency Path

@splunk/react-ui > @splunk/react-icons > prop-types > loose-envify,  
@splunk/react-ui > prop-types > loose-envify, @splunk/react-ui > react-  
event-listener > prop-types > loose-envify, @splunk/react-ui > react-event-  
listener > warning > loose-envify, @splunk/react-ui > react-sortable-hoc >  
invariant > loose-envify, react > loose-envify, react > prop-types > loose-  
envify, react-dom > loose-envify, react-dom > prop-types > loose-envify,  
react-dom > scheduler > loose-envify

**Declared License(s)**

---

MIT

Copyright(s)

2015 Andres Suarez <zertosh@gmail.com>

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

**moment** 2.29.4

npm+moment\$2.29.4

Transitive

**Description**

---

Parse, validate, manipulate, and display dates

**Package Info**

---

Package Author(s)

maggiepint@gmail.com, marwahaha@berkeley.edu, me@iskren.info,  
mj1856@hotmail.com, washwithcare@gmail.com

Package Manager

NPM

Project URL

<https://momentjs.com/>

Package Download URL

<https://registry.npmjs.org/moment/-/moment-2.29.4.tgz>

Dependency Path

@splunk/react-ui > moment

**Declared License(s)**

---

MIT

Copyright(s)

JS Foundation and other contributors

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

**object-assign 4.1.1**

npm+object-assign\$4.1.1

Transitive

**Description**

---

ES2015 Object.assign() ponyfill

## Package Info

---

### Package Author(s)

ben@benalpert.com, dan.abramov@gmail.com, sindresorhus@gmail.com

### Package Manager

NPM

### Project URL

<https://www.npmjs.com/package/object-assign>

### Package Download URL

<https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz>

### Dependency Path

@splunk/react-ui > @splunk/react-icons > prop-types > object-assign,  
@splunk/react-ui > prop-types > object-assign, @splunk/react-ui > react-  
event-listener > prop-types > object-assign, @splunk/react-ui > react-resize-  
detector > prop-types > object-assign, @splunk/react-ui > react-sortable-hoc  
> prop-types > object-assign, react > object-assign, react > prop-types >  
object-assign, react-dom > object-assign, react-dom > prop-types > object-  
assign, react-dom > scheduler > object-assign

## Declared License(s)

---

MIT

### Copyright(s)

Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

## Discovered License(s)

---

None

## Notice File(s)

---

None

**prop-types** 15.8.1

npm+prop-types\$15.8.1

Transitive

---

## Description

Runtime type checking for React props and similar objects.

---

## Package Info

### Package Author(s)

briandavidvaughn@gmail.com, dan.abramov@gmail.com, ljharb@gmail.com,  
npm@andrewclark.io, npm@sophiebits.com, opensource+npm@fb.com

### Package Manager

NPM

### Project URL

<https://www.npmjs.com/package/prop-types>

### Package Download URL

<https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz>

### Dependency Path

@splunk/react-ui > @splunk/react-icons > prop-types, @splunk/react-ui >  
prop-types, @splunk/react-ui > react-event-listener > prop-types,  
@splunk/react-ui > react-resize-detector > prop-types, @splunk/react-ui >  
react-sortable-hoc > prop-types, react > prop-types, react-dom > prop-types

---

## Declared License(s)

MIT

### Copyright(s)

2013 present, Facebook, Inc.

---

## Discovered License(s)

None

## Notice File(s)

---

None

## PySocks 1.7.1

pip+pysocks\$1.7.1

Transitive

---

## Description

---

A Python SOCKS client module. See <https://github.com/Anorov/PySocks> for more information.

## Package Info

---

### Package Author(s)

anorov.vorona@gmail.com

### Package Manager

Pip

### Project URL

<https://github.com/Anorov/PySocks>

### Package Download URL

<https://files.pythonhosted.org/packages/bd/11/293dd436aea955d45fc4e8a35b6ae7270f5b8e00b53cf6c024c83b657a11/PySocks-1.7.1.tar.gz>

### Dependency Path

splunktaucclib > pysocks

## Declared License(s)

---

BSD-3-Clause

### Copyright(s)

2006 Dan-Haim. All rights reserved.

### Discovered License(s)

---

Apache-2.0

Copyright(s)

None

### Notice File(s)

---

None

**react-event-listener** 0.6.6

npm+react-event-listener\$0.6.6

Transitive

---

### Description

---

A React component that allow to bind events on the global scope

### Package Info

---

Package Author(s)

olivier.tassinari@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/react-event-listener>

Package Download URL

<https://registry.npmjs.org/react-event-listener/-/react-event-listener-0.6.6.tgz>

Dependency Path

@splunk/react-ui > react-event-listener

### Declared License(s)

---

MIT

Copyright(s)

2014 present, Facebook, Inc.

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**react-resize-detector** 3.4.0

npm+react-resize-detector\$3.4.0

Transitive

---

#### Description

---

React resize detector

#### Package Info

---

Package Author(s)

maslianok@gmail.com, npm@snelsi.com

Package Manager

NPM

Project URL

<https://github.com/maslianok/react-resize-detector>

Package Download URL

<https://registry.npmjs.org/react-resize-detector/-/react-resize-detector-3.4.0.tgz>

Dependency Path

@splunk/react-ui > react-resize-detector

#### Declared License(s)

---

MIT

#### Copyright(s)

2016 Denis Rul

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**react-sortable-hoc** 1.11.0

npm+react-sortable-hoc\$1.11.0

Transitive

#### Description

---

Set of higher-order components to turn any list into a sortable, touch-friendly, animated list

#### Package Info

---

##### Package Author(s)

clauderic.d@gmail.com

##### Package Manager

NPM

##### Project URL

<https://www.npmjs.com/package/react-sortable-hoc>

##### Package Download URL

<https://registry.npmjs.org/react-sortable-hoc/-/react-sortable-hoc-1.11.0.tgz>

Dependency Path

@splunk/react-ui > react-sortable-hoc

**Declared License(s)**

---

MIT

Copyright(s)

2016 Claud ric Demers

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

**react-spring** 9.4.1

npm+react-spring\$9.4.1

Transitive

**Description**

---

<p align="center">  </p>

**Package Info**

---

Package Author(s)

drcmda@gmail.com, joshua.ellis18@gmail.com

Package Manager

NPM

Project URL

<https://github.com/pmndrs/react-spring#readme>

Package Download URL

<https://registry.npmjs.org/react-spring/-/react-spring-9.4.1.tgz>

Dependency Path

@splunk/react-ui > react-spring

---

**Declared License(s)**

MIT

Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

---

**Discovered License(s)**

None

---

**Notice File(s)**

None

**s3transfer** 0.14.0

pip+s3transfer\$0.14.0

Transitive

---

**Description**

An Amazon S3 Transfer Manager

---

**Package Info**

Package Author(s)

kyknapp1@gmail.com

Package Manager

Pip

Project URL

<https://github.com/boto/s3transfer>

Package Download URL

<https://files.pythonhosted.org/packages/62/74/8d69dcb7a9efe8baa2046891735e5dfe433ad558ae23d9e3c14c633d1d58/s3transfer-0.14.0.tar.gz>

Dependency Path

boto3 > s3transfer

---

**Declared License(s)**

Apache-2.0

Copyright(s)

2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

---

**Discovered License(s)**

None

---

**Notice File(s)**

NOTICE.txt

File Path

NOTICE.txt

Notice Text

s3transfer

Copyright 2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright(s)

Copyright © 2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

**scheduler** 0.19.1

npm+scheduler\$0.19.1

Transitive

---

### Description

---

Cooperative scheduler for the browser environment.

### Package Info

---

#### Package Author(s)

opensource+npm@fb.com, react-core@meta.com

#### Package Manager

NPM

#### Project URL

<https://react.dev/>

#### Package Download URL

<https://registry.npmjs.org/scheduler/-/scheduler-0.19.1.tgz>

#### Dependency Path

react-dom > scheduler

### Declared License(s)

---

MIT

#### Copyright(s)

Facebook, Inc. and its affiliates.

### Discovered License(s)

---

None

### Notice File(s)

---

None

**shallowequal** 1.1.0

npm+shallowequal\$1.1.0

Transitive

---

### Description

Like lodash isEqualWith but for shallow equal.

---

### Package Info

Package Author(s)

mailforalberto@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/shallowequal>

Package Download URL

<https://registry.npmjs.org/shallowequal/-/shallowequal-1.1.0.tgz>

Dependency Path

styled-components > shallowequal

---

### Declared License(s)

MIT

Copyright(s)

2017 Alberto Leal <mailforalberto@gmail.com> (github.com/dashed)

---

### Discovered License(s)

None

---

### Notice File(s)

None

**sortedcontainers** 2.4.0

pip+sortedcontainers\$2.4.0

Transitive

---

### Description

Sorted Containers -- Sorted List, Sorted Dict, Sorted Set

---

### Package Info

Package Author(s)

contact@grantjenks.com

Package Manager

Pip

Project URL

<http://www.grantjenks.com/docs/sortedcontainers/>

Package Download URL

<https://files.pythonhosted.org/packages/e8/c4/ba2f8066cceb6f23394729afe52f3bf7adec04bf9ed2c820b39e19299111/sortedcontainers-2.4.0.tar.gz>

Dependency Path

ssh://git@github.com/splunk/splunksdcm.git > sortedcontainers, solnlib >  
sortedcontainers, splunktaucclib > solnlib > sortedcontainers

---

### Declared License(s)

Apache-2.0

Copyright(s)

2014-2019 Grant Jenks

---

### Discovered License(s)

None

---

### Notice File(s)

---

None

## supports-color 5.5.0

npm+supports-color\$5.5.0

Transitive

---

### Description

Detect whether a terminal supports color

---

### Package Info

Package Author(s)

sindresorhus@gmail.com

Package Manager

NPM

Project URL

<https://github.com/chalk/supports-color#readme>

Package Download URL

<https://registry.npmjs.org/supports-color/-/supports-color-5.5.0.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/code-frame > @babel/highlight > chalk > supports-color, styled-components > @babel/traverse > @babel/code-frame > chalk > supports-color, styled-components > @babel/traverse > @babel/helper-function-name > @babel/template > @babel/code-frame > @babel/highlight > chalk > supports-color, styled-components > @babel/traverse > @babel/helper-function-name > @babel/template > @babel/code-frame > chalk > supports-color, styled-components > supports-color

---

Declared License(s)

MIT

### Copyright(s)

Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

### Discovered License(s)

---

None

### Notice File(s)

---

None

## tinycolor2 1.4.2

npm+tinycolor2\$1.4.2

Transitive

---

### Description

---

Fast Color Parsing and Manipulation

### Package Info

---

#### Package Author(s)

briangrinstead@gmail.com

#### Package Manager

NPM

#### Project URL

<https://github.com/bgrins/TinyColor#readme>

#### Package Download URL

<https://registry.npmjs.org/tinycolor2/-/tinycolor2-1.4.2.tgz>

#### Dependency Path

@splunk/react-ui > @splunk/themes > tinycolor2, @splunk/react-ui >  
tinycolor2, @splunk/themes > tinycolor2

### Declared License(s)

---

MIT

### Copyright(s)

Brian Grinstead, <http://briangrinstead.com>

### Discovered License(s)

---

None

### Notice File(s)

---

None

## typing-extensions 4.15.0

pip+typing-extensions\$4.15.0

Transitive

### Description

---

# Typing Extensions [![Chat at <https://gitter.im/python/typing>](<https://badges.gitter.im/python/typing.svg>)](<https://gitter.im/python/typing>)  
[Documentation](<https://typing-extensions.readthedocs.io/en/latest/#>) –  
[PyPI](<https://pypi.org/project/typing-extensions/>) ## Overview The  
typing\_extensions`module serves two related purposes: - Enable use of new  
type system features on older Python versions. For example,  
typing.TypeGuard`is new in Python 3.10, but typing\_extensions`allows users  
on previous Python versions to use it too. - Enable experimentation with new  
type system PEPs before they are accepted and added to the typing`module.  
typing\_extensions`is treated specially by static type checkers such as mypy  
and pyright. Objects defined in typing\_extensions`are treated the same way  
as equivalent forms in typing`. typing\_extensions`uses [Semantic Versioning]  
(<https://semver.org/>). The major version will be incremented only for  
backwards-incompatible changes. Therefore, it's safe to depend on  
typing\_extensions`like this: typing\_extensions >=x.y, <(x+1); where x.y`is the  
first version that includes all features you need. ## Included items See [the  
documentation](<https://typing-extensions.readthedocs.io/en/latest/#>) for a  
complete listing of module contents. ## Contributing See  
[CONTRIBUTING.md]

([https://github.com/python/typing\\_extensions/blob/main/CONTRIBUTING.md](https://github.com/python/typing_extensions/blob/main/CONTRIBUTING.md))  
for how to contribute to typing\_extensions`

### Package Info

---

#### Package Author(s)

"Guido van Rossum, Jukka Lehtosalo, Łukasz Langa, Michael Lee"  
<levkivskyi@gmail.com>

#### Package Manager

Pip

#### Project URL

<https://pypi.org/project/typing-extensions/>

#### Package Download URL

[https://files.pythonhosted.org/packages/72/94/1a15dd82efb362ac84269196e94cf00f187f7ed21c242792a923cdb1c61f/typing\\_extensions-4.15.0.tar.gz](https://files.pythonhosted.org/packages/72/94/1a15dd82efb362ac84269196e94cf00f187f7ed21c242792a923cdb1c61f/typing_extensions-4.15.0.tar.gz)

#### Dependency Path

cryptography > typing-extensions

### Declared License(s)

---

Python-2.0

#### Copyright(s)

2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

### Discovered License(s)

---

None

### Notice File(s)

---

None

**u-msgpack-python** 2.8.0

pip+u-msgpack-python\$2.8.0

Transitive

---

### Description

A portable, lightweight MessagePack serializer and deserializer written in pure Python.

---

### Package Info

Package Author(s)

v@sergeev.io

Package Manager

Pip

Project URL

<https://github.com/vsergeev/u-msgpack-python>

Package Download URL

<https://files.pythonhosted.org/packages/36/9d/a40411a475e7d4838994b7f6bcc6bfca9acc5b119ce3a7503608c4428b49/u-msgpack-python-2.8.0.tar.gz>

Dependency Path

ssh://git@github.com/splunk/splunksd.git > u-msgpack-python

---

### Declared License(s)

MIT

Copyright(s)

2013-2023 vsergeev / Ivan (Vanya) A. Sergeev

---

### Discovered License(s)

None

---

### Notice File(s)

None

**@babel/code-frame** 7.22.13

npm+@babel/code-frame\$7.22.13

Transitive

---

### Description

Generate errors that contain a code frame that point to source locations.

---

### Package Info

Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

Package Manager

NPM

Project URL

<https://babel.dev/docs/en/next/babel-code-frame>

Package Download URL

<https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.22.13.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/code-frame, styled-components > @babel/traverse > @babel/helper-function-name > @babel/template > @babel/code-frame

---

### Declared License(s)

MIT

Copyright(s)

2014 present Sebastian McKenzie and other contributors

---

### Discovered License(s)

None

### Notice File(s)

---

None

**@babel/generator** 7.23.0

npm+@babel/generator\$7.23.0

Transitive

---

### Description

Turns an AST into code.

### Package Info

---

Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

Package Manager

NPM

Project URL

<https://babel.dev/docs/en/next/babel-generator>

Package Download URL

<https://registry.npmjs.org/@babel/generator/-/generator-7.23.0.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/generator

### Declared License(s)

---

MIT

Copyright(s)

2014 present Sebastian McKenzie and other contributors

---

**Discovered License(s)**

None

---

**Notice File(s)**

None

**@babel/helper-annotate-as-pure** 7.16.7

npm+@babel/helper-annotate-as-pure\$7.16.7

Transitive

---

**Description**

Helper function to annotate paths and nodes with `#_PURE_` comment

---

**Package Info**

Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

Package Manager

NPM

Project URL

<https://babel.dev/docs/en/next/babel-helper-annotate-as-pure>

Package Download URL

<https://registry.npmjs.org/@babel/helper-annotate-as-pure/-/helper-annotate-as-pure-7.16.7.tgz>

Dependency Path

styled-components > babel-plugin-styled-components > @babel/helper-annotate-as-pure

### Declared License(s)

---

MIT

### Copyright(s)

2014 present Sebastian McKenzie and other contributors

### Discovered License(s)

---

None

### Notice File(s)

---

None

**@babel/helper-environment-visitor** 7.22.20

npm+@babel/helper-environment-visitor\$7.22.20

Transitive

### Description

---

Helper visitor to only visit nodes in the current 'this' context

### Package Info

---

#### Package Author(s)

bng412@gmail.com, hi@henryzoo.com, jlhwung@gmail.com,  
nicolo.ribaudo@gmail.com

#### Package Manager

NPM

#### Project URL

<https://babel.dev/docs/en/next/babel-helper-environment-visitor>

#### Package Download URL

<https://registry.npmjs.org/@babel/helper-environment-visitor/-/helper-environment-visitor-7.22.20.tgz>

#### Dependency Path

styled-components > @babel/traverse > @babel/helper-environment-visitor

#### Declared License(s)

---

MIT

#### Copyright(s)

2014 present Sebastian McKenzie and other contributors

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**@babel/helper-function-name** 7.23.0

npm+@babel/helper-function-name\$7.23.0

Transitive

---

#### Description

Helper function to change the property 'name' of every function

#### Package Info

---

##### Package Author(s)

bng412@gmail.com, hi@henryzoo.com, jlhwung@gmail.com,  
nicolo.ribaudo@gmail.com

##### Package Manager

NPM

##### Project URL

<https://babel.dev/docs/en/next/babel-helper-function-name>

Package Download URL

<https://registry.npmjs.org/@babel/helper-function-name/-/helper-function-name-7.23.0.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/helper-function-name

**Declared License(s)**

---

MIT

Copyright(s)

2014 present Sebastian McKenzie and other contributors

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

**@babel/helper-hoist-variables 7.22.5**

npm+@babel/helper-hoist-variables\$7.22.5

Transitive

---

**Description**

---

Helper function to hoist variables

**Package Info**

---

Package Author(s)

bng412@gmail.com, hi@henryzoo.com, jlhwung@gmail.com,  
nicolo.ribaudo@gmail.com

Package Manager

NPM

Project URL

<https://babel.dev/docs/en/next/babel-helper-hoist-variables>

Package Download URL

<https://registry.npmjs.org/@babel/helper-hoist-variables/-/helper-hoist-variables-7.22.5.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/helper-hoist-variables

---

#### Declared License(s)

MIT

Copyright(s)

2014 present Sebastian McKenzie and other contributors

---

#### Discovered License(s)

None

---

#### Notice File(s)

None

**@babel/helper-split-export-declaration** 7.22.6

npm+@babel/helper-split-export-declaration\$7.22.6

Transitive

---

#### Description

## API

---

#### Package Info

Package Author(s)

bng412@gmail.com, hi@henryzoo.com, jlhwung@gmail.com,  
nicolo.ribaudo@gmail.com

#### Package Manager

NPM

#### Project URL

<https://babel.dev/docs/en/next/babel-helper-split-export-declaration>

#### Package Download URL

<https://registry.npmjs.org/@babel/helper-split-export-declaration/-/helper-split-export-declaration-7.22.6.tgz>

#### Dependency Path

styled-components > @babel/traverse > @babel/helper-split-export-declaration

#### Declared License(s)

---

MIT

#### Copyright(s)

2014 present Sebastian McKenzie and other contributors

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**@babel/parser** 7.23.0

npm+@babel/parser\$7.23.0

Transitive

#### Description

---

A JavaScript parser

## Package Info

---

### Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

### Package Manager

NPM

### Project URL

<https://babel.dev/docs/en/next/babel-parser>

### Package Download URL

<https://registry.npmjs.org/@babel/parser/-/parser-7.23.0.tgz>

### Dependency Path

styled-components > @babel/traverse > @babel/helper-function-name >  
@babel/template > @babel/parser, styled-components > @babel/traverse >  
@babel/parser

## Declared License(s)

---

MIT

### Copyright(s)

2012-2014 by various contributors (see AUTHORS)

## Discovered License(s)

---

None

## Notice File(s)

---

None

**@babel/runtime** 7.27.0

npm+@babel/runtime\$7.27.0

Transitive

---

### Description

---

babel's modular runtime helpers

### Package Info

---

#### Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

#### Package Manager

NPM

#### Project URL

<https://babel.dev/docs/en/next/babel-runtime>

#### Package Download URL

<https://registry.npmjs.org/@babel/runtime/-/runtime-7.27.0.tgz>

#### Dependency Path

@splunk/react-ui > react-event-listener > @babel/runtime, @splunk/react-ui  
> react-sortable-hoc > @babel/runtime

### Declared License(s)

---

MIT

#### Copyright(s)

2014 present Sebastian McKenzie and other contributors

### Discovered License(s)

---

None

### Notice File(s)

---

None

**@babel/types** 7.16.7

npm+@babel/types\$7.16.7

Transitive

---

## Description

Babel Types is a Lodash-esque utility library for AST nodes

---

## Package Info

### Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

### Package Manager

NPM

### Project URL

<https://babel.dev/docs/en/next/babel-types>

### Package Download URL

<https://registry.npmjs.org/@babel/types/-/types-7.16.7.tgz>

### Dependency Path

styled-components > @babel/helper-module-imports > @babel/types,  
styled-components > babel-plugin-styled-components > @babel/helper-  
annotate-as-pure > @babel/types, styled-components > babel-plugin-styled-  
components > @babel/helper-module-imports > @babel/types

---

## Declared License(s)

MIT

### Copyright(s)

2014 present Sebastian McKenzie and other contributors

---

## Discovered License(s)

None

## Notice File(s)

---

None

**@babel/types** 7.23.0

npm+@babel/types\$7.23.0

Transitive

---

## Description

---

Babel Types is a Lodash-esque utility library for AST nodes

## Package Info

---

### Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

### Package Manager

NPM

### Project URL

<https://babel.dev/docs/en/next/babel-types>

### Package Download URL

<https://registry.npmjs.org/@babel/types/-/types-7.23.0.tgz>

### Dependency Path

styled-components > @babel/traverse > @babel/generator > @babel/types,  
styled-components > @babel/traverse > @babel/helper-function-name >  
@babel/template > @babel/types, styled-components > @babel/traverse >  
@babel/helper-function-name > @babel/types, styled-components >  
@babel/traverse > @babel/helper-hoist-variables > @babel/types, styled-  
components > @babel/traverse > @babel/helper-split-export-declaration >  
@babel/types, styled-components > @babel/traverse > @babel/types

## Declared License(s)

---

MIT

Copyright(s)

2014 present Sebastian McKenzie and other contributors

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

@emotion/memoize 0.7.4

npm+@emotion/memoize\$0.7.4

Transitive

---

**Description**

---

emotion's memoize utility

**Package Info**

---

Package Author(s)

emotion-release-bot@hamil.town, kye.hohenberger@gmail.com,  
mateuszburzynski@gmail.com, npm@emmas.town

Package Manager

NPM

Project URL

<https://github.com/emotion-js/emotion/tree/main#readme>

Package Download URL

<https://registry.npmjs.org/@emotion/memoize/-/memoize-0.7.4.tgz>

Dependency Path

styled-components > @emotion/is-prop-valid > @emotion/memoize

#### Declared License(s)

---

MIT

#### Copyright(s)

Emotion team and other contributors

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

@react-spring/core 9.4.1

npm+@react-spring/core\$9.4.1

Transitive

#### Description

---

The platform-agnostic core of react-spring`

#### Package Info

---

##### Package Author(s)

joshua.ellis18@gmail.com

##### Package Manager

NPM

##### Project URL

<https://github.com/pmndrs/react-spring#readme>

##### Package Download URL

<https://registry.npmjs.org/@react-spring/core/-/core-9.4.1.tgz>

### Dependency Path

@splunk/react-ui > react-spring > @react-spring/core, @splunk/react-ui > react-spring > @react-spring/konva > @react-spring/core, @splunk/react-ui > react-spring > @react-spring/native > @react-spring/core, @splunk/react-ui > react-spring > @react-spring/three > @react-spring/core, @splunk/react-ui > react-spring > @react-spring/web > @react-spring/core, @splunk/react-ui > react-spring > @react-spring/zdog > @react-spring/core

### Declared License(s)

---

MIT

### Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

### Discovered License(s)

---

None

### Notice File(s)

---

None

**@react-spring/konva** 9.4.1

npm+@react-spring/konva\$9.4.1

Transitive

### Description

---

[konva](https://github.com/konvajs/konva) support

### Package Info

---

#### Package Author(s)

joshua.ellis18@gmail.com

#### Package Manager

NPM

Project URL

<https://github.com/pmndrs/react-spring#readme>

Package Download URL

<https://registry.npmjs.org/@react-spring/konva/-/konva-9.4.1.tgz>

Dependency Path

@splunk/react-ui > react-spring > @react-spring/konva

---

#### Declared License(s)

MIT

Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

---

#### Discovered License(s)

None

---

#### Notice File(s)

None

**@react-spring/native** 9.4.1

npm+@react-spring/native\$9.4.1

Transitive

---

#### Description

[react-native](https://github.com/facebook/react-native) support

---

#### Package Info

Package Author(s)

joshua.ellis18@gmail.com

Package Manager

NPM

Project URL

<https://github.com/pmndrs/react-spring#readme>

Package Download URL

<https://registry.npmjs.org/@react-spring/native/-/native-9.4.1.tgz>

Dependency Path

@splunk/react-ui > react-spring > @react-spring/native

---

**Declared License(s)**

MIT

Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

---

**Discovered License(s)**

None

---

**Notice File(s)**

None

**@react-spring/three** 9.4.1

npm+@react-spring/three\$9.4.1

Transitive

---

**Description**

[react-three-fiber](https://github.com/drcmda/react-three-fiber) support. This package is for version 6 of react-three-fiber

---

**Package Info**

Package Author(s)

joshua.ellis18@gmail.com

Package Manager

NPM

Project URL

<https://github.com/pmndrs/react-spring#readme>

Package Download URL

<https://registry.npmjs.org/@react-spring/three/-/three-9.4.1.tgz>

Dependency Path

@splunk/react-ui > react-spring > @react-spring/three

---

**Declared License(s)**

MIT

Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

---

**Discovered License(s)**

None

---

**Notice File(s)**

None

**@react-spring/web 9.4.1**

npm+@react-spring/web\$9.4.1

Transitive

---

**Description**

react-dom`support

---

**Package Info**

Package Author(s)

joshua.ellis18@gmail.com

Package Manager

NPM

Project URL

<https://github.com/pmndrs/react-spring#readme>

Package Download URL

<https://registry.npmjs.org/@react-spring/web/-/web-9.4.1.tgz>

Dependency Path

@splunk/react-ui > react-spring > @react-spring/web

**Declared License(s)**

---

MIT

Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

**@react-spring/zdog** 9.4.1

npm+@react-spring/zdog\$9.4.1

Transitive

**Description**

---

> [!WARNING] > This package uses react-zdog which does not support React 19 yet.

### Package Info

---

#### Package Author(s)

joshua.ellis18@gmail.com

#### Package Manager

NPM

#### Project URL

<https://github.com/pmndrs/react-spring#readme>

#### Package Download URL

<https://registry.npmjs.org/@react-spring/zdog/-/zdog-9.4.1.tgz>

#### Dependency Path

@splunk/react-ui > react-spring > @react-spring/zdog

### Declared License(s)

---

MIT

#### Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

### Discovered License(s)

---

None

### Notice File(s)

---

None

**@types/hoist-non-react-statics** 3.3.1

npm+@types/hoist-non-react-statics\$3.3.1

Transitive

---

## Description

---

TypeScript definitions for hoist-non-react-statics

## Package Info

---

### Package Author(s)

ts-npm-types@microsoft.com

### Package Manager

NPM

### Project URL

<https://www.npmjs.com/package/@types/hoist-non-react-statics>

### Package Download URL

<https://registry.npmjs.org/@types/hoist-non-react-statics/-/hoist-non-react-statics-3.3.1.tgz>

### Dependency Path

@splunk/react-ui > @splunk/react-icons > @types/styled-components > @types/hoist-non-react-statics, @splunk/react-ui > @splunk/themes > @types/styled-components > @types/hoist-non-react-statics, @splunk/react-ui > @types/styled-components > @types/hoist-non-react-statics, @splunk/themes > @types/styled-components > @types/hoist-non-react-statics

## Declared License(s)

---

MIT

### Copyright(s)

Microsoft Corporation. All rights reserved.

## Discovered License(s)

---

None

## Notice File(s)

---

None

**@types/react** 17.0.38

npm+@types/react\$17.0.38

Transitive

---

### Description

TypeScript definitions for react

---

### Package Info

Package Author(s)

ts-npm-types@microsoft.com

Package Manager

NPM

Project URL

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/react>

Package Download URL

<https://registry.npmjs.org/@types/react/-/react-17.0.38.tgz>

Dependency Path

```
@splunk/react-ui > @splunk/react-icons > @types/styled-components >
@types/hoist-non-react-statics > @types/react, @splunk/react-ui >
@splunk/react-icons > @types/styled-components > @types/react,
@splunk/react-ui > @splunk/themes > @types/styled-components >
@types/hoist-non-react-statics > @types/react, @splunk/react-ui >
@splunk/themes > @types/styled-components > @types/react,
@splunk/react-ui > @types/react-event-listener > @types/react,
@splunk/react-ui > @types/react-resize-detector > @types/react,
@splunk/react-ui > @types/styled-components > @types/hoist-non-react-
statics > @types/react, @splunk/react-ui > @types/styled-components >
@types/react, @splunk/themes > @types/styled-components >
@types/hoist-non-react-statics > @types/react, @splunk/themes >
@types/styled-components > @types/react
```

### Declared License(s)

---

MIT

### Copyright(s)

Microsoft Corporation.

### Discovered License(s)

---

None

### Notice File(s)

---

None

**babel-plugin-syntax-jsx** 6.18.0

npm+babel-plugin-syntax-jsx\$6.18.0

Transitive

---

### Description

---

Allow parsing of jsx

### Package Info

---

#### Package Author(s)

amjad.masad@gmail.com, hi@henryzoo.com, loganfsmyth@gmail.com,  
me@thejameskyle.com, npm-public@jessemccarthy.net,  
sebmck@gmail.com

#### Package Manager

NPM

#### Project URL

<https://www.npmjs.com/package/babel-plugin-syntax-jsx>

#### Package Download URL

<https://registry.npmjs.org/babel-plugin-syntax-jsx/-/babel-plugin-syntax-jsx-6.18.0.tgz>

Dependency Path

styled-components > babel-plugin-styled-components > babel-plugin-syntax-jsx

Declared License(s)

---

MIT

Copyright(s)

None

Discovered License(s)

---

None

Notice File(s)

---

None

**camelize** 1.0.0

npm+camelize\$1.0.0

Transitive

---

Description

---

recursively transform key strings to camel-case

Package Info

---

Package Author(s)

ljharb@gmail.com, substack@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/camelize>

Package Download URL

<https://registry.npmjs.org/camelize/-/camelize-1.0.0.tgz>

Dependency Path

styled-components > css-to-react-native > camelize

#### Declared License(s)

---

MIT

Copyright(s)

None

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**core-js** 2.6.12

npm+core-js\$2.6.12

Transitive

---

#### Description

Standard library

#### Package Info

---

Package Author(s)

zloirock@zloirock.ru

Package Manager

NPM

Project URL

<https://core-js.io/>

Package Download URL

<https://registry.npmjs.org/core-js/-/core-js-2.6.12.tgz>

Dependency Path

babel-plugin-transform-object-rest-spread > babel-runtime > core-js

---

**Declared License(s)**

MIT

Copyright(s)

2014-2020 Denis Pushkarev

---

**Discovered License(s)**

None

---

**Notice File(s)**

None

**css-color-keywords** 1.0.0

npm+css-color-keywords\$1.0.0

Transitive

---

**Description**

A list of all CSS color keywords.

---

**Package Info**

Package Author(s)

[jakob@krigovsky.com](mailto:jakob@krigovsky.com)

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/css-color-keywords>

Package Download URL

<https://registry.npmjs.org/css-color-keywords/-/css-color-keywords-1.0.0.tgz>

Dependency Path

styled-components > css-to-react-native > css-color-keywords

#### Declared License(s)

---

ISC

Copyright(s)

2017 Jakob Krigovsky

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**csstype** 3.0.10

npm+csstype\$3.0.10

Transitive

#### Description

---

Strict TypeScript and Flow types for style based on MDN data

#### Package Info

---

#### Package Author(s)

anders.ekdahl@gmail.com, fredrik.nicol@gmail.com

#### Package Manager

NPM

#### Project URL

<https://github.com/frenic/cssstyle#readme>

#### Package Download URL

<https://registry.npmjs.org/cssstyle/-/cssstyle-3.0.10.tgz>

#### Dependency Path

@splunk/react-ui > @splunk/react-icons > @types/react > cssstyle,  
@splunk/react-ui > @splunk/react-icons > @types/styled-components >  
@types/hoist-non-react-statics > @types/react > cssstyle, @splunk/react-ui  
> @splunk/react-icons > @types/styled-components > @types/react >  
cssstyle, @splunk/react-ui > @splunk/react-icons > @types/styled-  
components > cssstyle, @splunk/react-ui > @splunk/themes >  
@types/styled-components > cssstyle, @splunk/react-ui > @types/react-  
event-listener > @types/react > cssstyle, @splunk/react-ui > @types/react-  
resize-detector > @types/react > cssstyle, @splunk/react-ui >  
@types/styled-components > @types/react > cssstyle, @splunk/react-ui >  
@types/styled-components > cssstyle, @splunk/themes > @types/styled-  
components > cssstyle

#### Declared License(s)

---

MIT

#### Copyright(s)

2017-2018 Fredrik Nicol

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**debug** 4.3.3

npm+debug\$4.3.3

Transitive

---

### Description

Lightweight debugging utility for Node.js and the browser

---

### Package Info

Package Author(s)

nathan@tootallnate.net, npm@josh.junon.me

Package Manager

NPM

Project URL

<https://github.com/debug-js/debug#readme>

Package Download URL

<https://registry.npmjs.org/debug/-/debug-4.3.3.tgz>

Dependency Path

styled-components > @babel/traverse > debug

---

### Declared License(s)

MIT

Copyright(s)

2014-2017 TJ Holowaychuk <tj@vision-media.ca>

---

### Discovered License(s)

None

---

### Notice File(s)

None

**entities** 1.1.2

npm+entities\$1.1.2

Transitive

---

**Description**

Encode & decode XML and HTML entities with ease & speed

---

**Package Info**

Package Author(s)

me@feedic.com

Package Manager

NPM

Project URL

<https://github.com/fb55/entities#readme>

Package Download URL

<https://registry.npmjs.org/entities/-/entities-1.1.2.tgz>

Dependency Path

@splunk/react-ui > commonmark > entities

---

**Declared License(s)**

BSD-2-Clause

Copyright(s)

Felix Böhm

---

**Discovered License(s)**

None

## Notice File(s)

---

None

**github.com/klauspost/cpuid/v2** v2.2.9

go+github.com/klauspost/cpuid/v2\$2.2.9

Transitive

---

## Description

---

CPU feature identification for Go

## Package Info

---

### Package Author(s)

GuilhermeCaruso, HippoBaro, IbrahimFadel, Lencerf, abourget, askervin, batmac, brianmcgee, chenrui333, craciunoiuc, ebfe, echiugoog, fidencio, fmuyassarov, fpelliccioni, fwessels, hugelgupf, hygonsoc, ipuustin, ironiridis, jkawamoto, klauspost, maksimio, mcastelino, mengzhuo, mostynb, mythi, ozhuraki, riptl, seebs, skartikey, tklauser

### Package Manager

Golang

### Project URL

<https://github.com/klauspost/cpuid>

### Package Download URL

<https://github.com/klauspost/cpuid/archive/ee7cba987ff4d8747807f9e616ac1b8fac8119b9.zip>

### Dependency Path

github.com/apache/arrow/go/v15 > github.com/zeebo/xxh3 >  
github.com/klauspost/cpuid/v2

## Declared License(s)

---

MIT

Copyright(s)

2015 Klaus Post

#### Discovered License(s)

---

BSD-3-Clause

Copyright(s)

2020 Klaus Post, released under MIT License. See LICENSE file.

#### Notice File(s)

---

None

**globals** 11.12.0

npm+globals\$11.12.0

Transitive

---

#### Description

---

Global identifiers from different JavaScript environments

#### Package Info

---

Package Author(s)

ben@byk.im, nicholas@nczconsulting.com, schreck.mathias@gmail.com,  
sindresorhus@gmail.com

Package Manager

NPM

Project URL

<https://github.com/sindresorhus/globals#readme>

Package Download URL

<https://registry.npmjs.org/globals/-/globals-11.12.0.tgz>

Dependency Path

styled-components > @babel/traverse > globals

**Declared License(s)**

---

MIT

Copyright(s)

Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

**golang.org/x/net** v0.56.0

go+golang.org/x/net\$0.56.0

Transitive

**Description**

---

Cached by the Go Module Proxy at Tue, 13 Aug 2019 14:13:03 GMT

**Package Info**

---

Package Author(s)

None

Package Manager

Golang

Project URL

<https://go.goglesource.com/net>

Package Download URL

<https://proxy.golang.org/golang.org/x/net/@v/v0.56.0.zip>

#### Dependency Path

github.com/apache/arrow/go/v15 > google.golang.org/grpc >  
golang.org/x/net

#### Declared License(s)

---

None

#### Discovered License(s)

---

MIT

#### Copyright(s)

2006-2013 James Graham, Geoffrey Sneddon, and

---

#### BSD-3-Clause

#### Copyright(s)

2009 The Go Authors.

#### Notice File(s)

---

None

**google.golang.org/genproto/googleapis/rpc** v0.0.0-20251202230838-  
ff82c1b0f217

go+google.golang.org/genproto/googleapis/rpc\$ v0.0.0-20251202230838-ff82c1b0f217

Transitive

---

#### Description

---

Generated code for Google Cloud client libraries.

#### Package Info

---

#### Package Author(s)

TristonianJones, admtnnr, ananyasaxena, bhshkh, broady, codyoss, dependabot[bot], doroginin, dsnet, freelerobot, google-cloud-policy-bot[bot], guokeno0, hengfengli, hongalex, igorbernstein2, ilgooz, jba, jeanbza, joycebrum, larryxiao, liggitt, noahdietz, okdave, olavloite, pongad, quartzmo, renovate-bot, shollyman, suztomo, tamird, tbpg, tritone, yoshi-automation

#### Package Manager

Golang

#### Project URL

<https://pkg.go.dev/google.golang.org/genproto>

#### Package Download URL

<https://proxy.golang.org/google.golang.org/genproto/googleapis/rpc/@v/v0.0.0-20251202230838-ff82c1b0f217.zip>

#### Dependency Path

github.com/apache/arrow/go/v15 > google.golang.org/grpc >  
google.golang.org/genproto/googleapis/rpc

#### Declared License(s)

---

None

#### Discovered License(s)

---

Apache-2.0

#### Copyright(s)

2025 Google LLC

#### Notice File(s)

---

None

**has-flag** 3.0.0

npm+has-flag\$3.0.0

Transitive

---

## Description

---

Check if argv has a specific flag

## Package Info

---

Package Author(s)

sindresorhus@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/has-flag>

Package Download URL

<https://registry.npmjs.org/has-flag/-/has-flag-3.0.0.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/code-frame >  
@babel/highlight > chalk > supports-color > has-flag, styled-components >  
@babel/traverse > @babel/code-frame > chalk > supports-color > has-flag,  
styled-components > @babel/traverse > @babel/helper-function-name >  
@babel/template > @babel/code-frame > @babel/highlight > chalk >  
supports-color > has-flag, styled-components > @babel/traverse >  
@babel/helper-function-name > @babel/template > @babel/code-frame >  
chalk > supports-color > has-flag, styled-components > supports-color > has-  
flag

---

**Declared License(s)**

---

MIT

Copyright(s)

Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

---

**Discovered License(s)**

---

None

### Notice File(s)

---

None

**invariant** 2.2.4

npm+invariant\$2.2.4

Transitive

---

### Description

invariant

### Package Info

---

Package Author(s)

christoph.pojer@gmail.com, zertosh@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/invariant>

Package Download URL

<https://registry.npmjs.org/invariant/-/invariant-2.2.4.tgz>

Dependency Path

@splunk/react-ui > react-sortable-hoc > invariant

### Declared License(s)

---

MIT

Copyright(s)

2013 present, Facebook, Inc.

### Discovered License(s)

---

None

### Notice File(s)

---

None

## js-tokens 4.0.0

npm+js-tokens\$4.0.0

Transitive

### Description

---

Tiny JavaScript tokenizer.

### Package Info

---

#### Package Author(s)

simon.lydell@gmail.com

#### Package Manager

NPM

#### Project URL

<https://github.com/lydell/js-tokens#readme>

#### Package Download URL

<https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz>

#### Dependency Path

@splunk/react-ui > @splunk/react-icons > prop-types > loose-envify > js-tokens, @splunk/react-ui > prop-types > loose-envify > js-tokens, @splunk/react-ui > react-event-listener > warning > loose-envify > js-tokens, @splunk/react-ui > react-sortable-hoc > invariant > loose-envify > js-tokens, react > loose-envify > js-tokens, react > prop-types > loose-envify > js-tokens, react-dom > loose-envify > js-tokens, react-dom > prop-types > loose-envify > js-tokens, react-dom > scheduler > loose-envify > js-tokens, styled-

components > @babel/traverse > @babel/helper-function-name >  
@babel/template > @babel/code-frame > @babel/highlight > js-tokens

### Declared License(s)

---

MIT

### Copyright(s)

2014, 2015, 2016, 2017, 2018 Simon Lydell

### Discovered License(s)

---

None

### Notice File(s)

---

None

**keycode** 2.2.1

npm+keycode\$2.2.1

Transitive

### Description

---

Convert between keyboard keycodes and keynames and vice versa.

### Package Info

---

Package Author(s)

secoif@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/keycode>

Package Download URL

<https://registry.npmjs.org/keycode/-/keycode-2.2.1.tgz>

#### Dependency Path

@splunk/react-ui > @splunk/react-icons > @splunk/ui-utils > keycode,  
@splunk/react-ui > @splunk/ui-utils > keycode, @splunk/splunk-utils >  
@splunk/ui-utils > keycode

#### Declared License(s)

---

MIT

#### Copyright(s)

2014 Tim Oxley

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

### **lodash-es** 4.18.1

npm+lodash-es\$4.18.1

Transitive

#### Description

---

Lodash exported as ES modules.

#### Package Info

---

##### Package Author(s)

benjamin@dev.ofcr.se, john.david.dalton@gmail.com, mathias@qiwi.be

##### Package Manager

NPM

Project URL

<https://lodash.com/custom-builds>

Package Download URL

<https://registry.npmjs.org/lodash-es/-/lodash-es-4.18.1.tgz>

Dependency Path

@splunk/react-ui > react-resize-detector > lodash-es

---

#### Declared License(s)

MIT

Copyright(s)

OpenJS Foundation and other contributors <<https://openjsf.org/>>

---

CC0-1.0

Copyright(s)

OpenJS Foundation and other contributors <<https://openjsf.org/>>

---

#### Discovered License(s)

None

#### Notice File(s)

None

**lodash.assign** 4.2.0

npm+lodash.assign\$4.2.0

Transitive

---

#### Description

The lodash method `_assign`` exported as a module.

## Package Info

---

### Package Author(s)

blaine@iceddev.com, john.david.dalton@gmail.com, mathias@qiwi.be

### Package Manager

NPM

### Project URL

<https://www.npmjs.com/package/lodash.assign>

### Package Download URL

<https://registry.npmjs.org/lodash.assign/-/lodash.assign-4.2.0.tgz>

### Dependency Path

@splunk/react-ui > commonmark-react-renderer > lodash.assign

## Declared License(s)

---

MIT

### Copyright(s)

jQuery Foundation and other contributors <<https://jquery.org/>>

---

CC0-1.0

### Copyright(s)

jQuery Foundation and other contributors <<https://jquery.org/>>

## Discovered License(s)

---

None

## Notice File(s)

---

None

## lodash.isplainobject 4.0.6

npm+lodash.isplainobject\$4.0.6

Transitive

---

### Description

The lodash method `_isPlainObject` exported as a module.

---

### Package Info

#### Package Author(s)

blaine@iceddev.com, john.david.dalton@gmail.com, mathias@qiwi.be

#### Package Manager

NPM

#### Project URL

<https://www.npmjs.com/package/lodash.isplainobject>

#### Package Download URL

<https://registry.npmjs.org/lodash.isplainobject/-/lodash.isplainobject-4.0.6.tgz>

#### Dependency Path

@splunk/react-ui > commonmark-react-renderer > lodash.isplainobject

---

### Declared License(s)

MIT

#### Copyright(s)

jQuery Foundation and other contributors <<https://jquery.org/>>

---

CC0-1.0

#### Copyright(s)

jQuery Foundation and other contributors <<https://jquery.org/>>

### Discovered License(s)

---

None

### Notice File(s)

---

None

**mdurl** 1.0.1

npm+mdurl\$1.0.1

Transitive

---

### Description

---

URL utilities for markdown-it

### Package Info

---

Package Author(s)

vitaly@rcopen.com

Package Manager

NPM

Project URL

<https://github.com/markdown-it/mdurl#readme>

Package Download URL

<https://registry.npmjs.org/mdurl/-/mdurl-1.0.1.tgz>

Dependency Path

@splunk/react-ui > commonmark > mdurl

### Declared License(s)

---

MIT

Copyright(s)

2015 Vitaly Puzrin, Alex Kocharin.

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**minimist** 1.2.6

npm+minimist\$1.2.6

Transitive

---

#### Description

---

parse argument options

#### Package Info

---

Package Author(s)

github@tixz.dk, ljharb@gmail.com, npm\_j@ruru.gen.nz

Package Manager

NPM

Project URL

<https://github.com/minimistjs/minimist>

Package Download URL

<https://registry.npmjs.org/minimist/-/minimist-1.2.6.tgz>

Dependency Path

@splunk/react-ui > commonmark > minimist

#### Declared License(s)

---

MIT

## Copyright(s)

None

## Discovered License(s)

---

None

## Notice File(s)

---

None

## packaging 25.0

pip+packaging\$25.0

Transitive

## Description

---

packaging ===== .. start-intro Reusable core utilities for various Python Packaging interoperability specifications  
<<https://packaging.python.org/specifications/>>\_. This library provides utilities that implement the interoperability specifications which have clearly one correct behaviour (eg: :pep:440) or benefit greatly from having a single shared implementation (eg: :pep:425). .. end-intro The `packaging` project includes the following: version handling, specifiers, markers, requirements, tags, utilities. Documentation ----- The `documentation` provides information and the API for the following: - Version Handling - Specifiers - Markers - Requirements - Tags - Utilities Installation ----- Use `pip` to install these utilities:: `pip install packaging` The `packaging` library uses calendar-based versioning (YY.N). Discussion ----- If you run into bugs, you can file them in our issue tracker\_. You can also join `#pypa` on Freenode to ask questions or get involved. .. \_documentation: <https://packaging.pypa.io/> .. \_issue tracker: <https://github.com/pypa/packaging/issues> Code of Conduct - ----- Everyone interacting in the packaging project's codebases, issue trackers, chat rooms, and mailing lists is expected to follow the PSF Code of Conduct\_. .. \_PSF Code of Conduct: [https://github.com/pypa/.github/blob/main/CODE\\_OF\\_CONDUCT.md](https://github.com/pypa/.github/blob/main/CODE_OF_CONDUCT.md) Contributing ----- The `CONTRIBUTING.rst` file outlines how to contribute to this project as well as how to report a potential security issue. The documentation for this project also covers information about `project development`\_ and `security`\_. .. \_project development:

<https://packaging.pypa.io/en/latest/development/> .. \_security:  
<https://packaging.pypa.io/en/latest/security/> Project History -----  
Please review the CHANGELOG.rst file or the Changelog documentation\_ for  
recent changes and project history. .. \_Changelog documentation:  
<https://packaging.pypa.io/en/latest/changelog/>

## Package Info

---

### Package Author(s)

Donald Stufft <[donald@stufft.io](mailto:donald@stufft.io)>

### Package Manager

Pip

### Project URL

<https://pypi.org/project/packaging/>

### Package Download URL

<https://files.pythonhosted.org/packages/a1/d4/1fc4078c65507b51b96ca8f8c3ba19e6a61c8253c72794544580a7b6c24d/packaging-25.0.tar.gz>

### Dependency Path

ssh://git@github.com/splunk/splunksdcm.git > splunk-sdk > deprecation >  
packaging, solnlib > splunk-sdk > deprecation > packaging, splunk-sdk >  
deprecation > packaging, splunktaucclib > solnlib > splunk-sdk > deprecation  
> packaging, splunktaucclib > splunk-sdk > deprecation > packaging

## Declared License(s)

---

Apache-2.0

### Copyright(s)

None

## Discovered License(s)

---

None

## Notice File(s)

---

None

**pascalcase** 0.1.1

npm+pascalcase\$0.1.1

Transitive

---

**Description**

Convert a string to pascal case (upper camelcase).

---

**Package Info**

Package Author(s)

github@sellside.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/pascalcase>

Package Download URL

<https://registry.npmjs.org/pascalcase/-/pascalcase-0.1.1.tgz>

Dependency Path

@splunk/react-ui > commonmark-react-renderer > pascalcase

---

**Declared License(s)**

MIT

Copyright(s)

2015 Jon Schlinkert.

---

**Discovered License(s)**

None

## Notice File(s)

---

None

## postcss-value-parser 4.2.0

npm+postcss-value-parser\$4.2.0

Transitive

---

## Description

---

Transforms css values and at-rule params into the tree

## Package Info

---

### Package Author(s)

beneb.info@gmail.com, sheo13666q@gmail.com, trysound@yandex.ru

### Package Manager

NPM

### Project URL

<https://www.npmjs.com/package/postcss-value-parser>

### Package Download URL

<https://registry.npmjs.org/postcss-value-parser/-/postcss-value-parser-4.2.0.tgz>

### Dependency Path

styled-components > css-to-react-native > postcss-value-parser

## Declared License(s)

---

MIT

### Copyright(s)

Bogdan Chadkin <trysound@yandex.ru>

### Discovered License(s)

---

None

### Notice File(s)

---

None

## **pycparser 2.23**

pip+pycparser\$2.23

Transitive

---

### Description

---

C parser in Python

### Package Info

---

#### Package Author(s)

Eli Bendersky <eliben@gmail.com>

#### Package Manager

Pip

#### Project URL

<https://pypi.org/project/pycparser/>

#### Package Download URL

<https://files.pythonhosted.org/packages/fe/cf/d2d3b9f5699fb1e4615c8e32ff220203e43b248e1dfcc6736ad9057731ca/pycparser-2.23.tar.gz>

#### Dependency Path

cryptography > cffi > pycparser

### Declared License(s)

---

BSD-3-Clause

Copyright(s)

2008-2022 Eli Bendersky

Discovered License(s)

---

None

Notice File(s)

---

None

**python-dateutil** 2.9.0.post0

pip+python-dateutil\$2.9.0.post0

Transitive

---

Description

---

Extensions to the standard Python datetime module

Package Info

---

Package Author(s)

gustavo@niemeyer.net

Package Manager

Pip

Project URL

<https://github.com/dateutil/dateutil>

Package Download URL

<https://files.pythonhosted.org/packages/66/c0/0c8b6ad9f17a802ee498c46e004a0eb49bc148f2fd230864601a86dcf6db/python-dateutil-2.9.0.post0.tar.gz>

Dependency Path

boto3 > botocore > python-dateutil, boto3 > s3transfer > botocore > python-dateutil

---

#### Declared License(s)

BSD-3-Clause

#### Copyright(s)

2017 Paul Ganssle <paul@ganssle.io>

---

Apache-2.0

#### Copyright(s)

2017 Paul Ganssle <paul@ganssle.io>

---

#### Discovered License(s)

None

---

#### Notice File(s)

None

**react-is** 16.13.1

npm+react-is\$16.13.1

Transitive

---

#### Description

Brand checking of React Elements.

---

#### Package Info

#### Package Author(s)

opensource+npm@fb.com, react-core@meta.com

Package Manager

NPM

Project URL

<https://react.dev/>

Package Download URL

<https://registry.npmjs.org/react-is/-/react-is-16.13.1.tgz>

Dependency Path

@splunk/react-ui > @splunk/react-icons > @types/styled-components >  
@types/hoist-non-react-statics > hoist-non-react-statics > react-is,  
@splunk/react-ui > @splunk/react-icons > prop-types > react-is,  
@splunk/react-ui > @types/styled-components > @types/hoist-non-react-  
statics > hoist-non-react-statics > react-is, @splunk/react-ui > prop-types >  
react-is, @splunk/react-ui > react-event-listener > prop-types > react-is,  
@splunk/react-ui > react-resize-detector > prop-types > react-is,  
@splunk/react-ui > react-sortable-hoc > prop-types > react-is, react > prop-  
types > react-is, react-dom > prop-types > react-is, styled-components >  
hoist-non-react-statics > react-is

**Declared License(s)**

---

MIT

Copyright(s)

Facebook, Inc. and its affiliates.

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

**regenerator-runtime** 0.11.1

npm+regenerator-runtime\$0.11.1

Transitive

---

## Description

---

Runtime for Regenerator-compiled generator and async functions.

## Package Info

---

Package Author(s)

ben@benjamn.com

Package Manager

NPM

Project URL

<https://github.com/facebook/regenerator/tree/main#readme>

Package Download URL

<https://registry.npmjs.org/regenerator-runtime/-/regenerator-runtime-0.11.1.tgz>

Dependency Path

babel-plugin-transform-object-rest-spread > babel-runtime > regenerator-runtime

## Declared License(s)

---

MIT

Copyright(s)

2014 present, Facebook, Inc.

## Discovered License(s)

---

None

## Notice File(s)

---

None

**resize-observer-polyfill 1.5.1**

npm+resize-observer-polyfill\$1.5.1

Transitive

---

### Description

A polyfill for the Resize Observer API

---

### Package Info

Package Author(s)

que.etc@gmail.com

Package Manager

NPM

Project URL

<https://github.com/que-etc/resize-observer-polyfill>

Package Download URL

<https://registry.npmjs.org/resize-observer-polyfill/-/resize-observer-polyfill-1.5.1.tgz>

Dependency Path

@splunk/react-ui > react-resize-detector > resize-observer-polyfill

---

### Declared License(s)

MIT

Copyright(s)

2016 Denis Rul

---

### Discovered License(s)

None

---

### Notice File(s)

None

## string.prototype.repeat 0.2.0

npm+string.prototype.repeat\$0.2.0

Transitive

---

### Description

A robust & optimized String.prototype.repeat`polyfill, based on the ECMAScript 6 specification.

---

### Package Info

Package Author(s)

mathias@qiwi.be, nicolo.ribaudo@gmail.com

Package Manager

NPM

Project URL

<https://mths.be/repeat>

Package Download URL

<https://registry.npmjs.org/string.prototype.repeat/-/string.prototype.repeat-0.2.0.tgz>

Dependency Path

@splunk/react-ui > commonmark > string.prototype.repeat

---

### Declared License(s)

MIT

Copyright(s)

Mathias Bynens <<http://mathiasbynens.be/>>

---

### Discovered License(s)

None

---

### Notice File(s)

None

**warning** 4.0.3

npm+warning\$4.0.3

Transitive

---

### Description

A mirror of Facebook's Warning

---

### Package Info

Package Author(s)

jn.martinez110@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/warning>

Package Download URL

<https://registry.npmjs.org/warning/-/warning-4.0.3.tgz>

Dependency Path

@splunk/react-ui > react-event-listener > warning

---

### Declared License(s)

MIT

Copyright(s)

2013 present, Facebook, Inc.

---

### Discovered License(s)

None

## Notice File(s)

---

None

## xss-filters 1.2.7

npm+xss-filters\$1.2.7

Transitive

---

## Description

---

Secure XSS Filters - Just sufficient output filtering to prevent XSS!

## Package Info

---

### Package Author(s)

adon@yahoo-inc.com, davglass@gmail.com, neraliu@gmail.com,  
yukinying@gmail.com

### Package Manager

NPM

### Project URL

<https://www.npmjs.com/package/xss-filters>

### Package Download URL

<https://registry.npmjs.org/xss-filters/-/xss-filters-1.2.7.tgz>

### Dependency Path

@splunk/react-ui > commonmark-react-renderer > xss-filters

## Declared License(s)

---

Multi-license: BSD-2-Clause OR unknown OR BSD-3-Clause

### Copyright(s)

2015 Yahoo! Inc. All rights reserved.

## Discovered License(s)

---

BSD-3-Clause

## Copyright(s)

2015 Yahoo! Inc. All rights reserved.

## Notice File(s)

---

None

**@babel/helper-string-parser 7.22.5**

npm+@babel/helper-string-parser\$7.22.5

Transitive

---

## Description

A utility package to parse strings

## Package Info

---

### Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

### Package Manager

NPM

### Project URL

<https://babel.dev/docs/en/next/babel-helper-string-parser>

### Package Download URL

<https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.22.5.tgz>

### Dependency Path

styled-components > @babel/traverse > @babel/generator > @babel/types  
> @babel/helper-string-parser, styled-components > @babel/traverse >

@babel/helper-function-name > @babel/template > @babel/types > @babel/helper-string-parser, styled-components > @babel/traverse > @babel/helper-function-name > @babel/types > @babel/helper-string-parser, styled-components > @babel/traverse > @babel/helper-hoist-variables > @babel/types > @babel/helper-string-parser, styled-components > @babel/traverse > @babel/helper-split-export-declaration > @babel/types > @babel/helper-string-parser, styled-components > @babel/traverse > @babel/types > @babel/helper-string-parser

### Declared License(s)

---

MIT

### Copyright(s)

2014 present Sebastian McKenzie and other contributors

### Discovered License(s)

---

None

### Notice File(s)

---

None

**@babel/helper-validator-identifier** 7.16.7

npm+@babel/helper-validator-identifier\$7.16.7

Transitive

### Description

---

Validate identifier/keywords name

### Package Info

---

#### Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com, jlhwung@gmail.com

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/@babel/helper-validator-identifier>

Package Download URL

<https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.16.7.tgz>

Dependency Path

styled-components > @babel/helper-module-imports > @babel/types > @babel/helper-validator-identifier, styled-components > babel-plugin-styled-components > @babel/helper-annotate-as-pure > @babel/types > @babel/helper-validator-identifier, styled-components > babel-plugin-styled-components > @babel/helper-module-imports > @babel/types > @babel/helper-validator-identifier

---

#### Declared License(s)

MIT

Copyright(s)

2014 present Sebastian McKenzie and other contributors

---

#### Discovered License(s)

None

---

#### Notice File(s)

None

**@babel/helper-validator-identifier 7.22.20**

npm+@babel/helper-validator-identifier\$7.22.20

Transitive

---

#### Description

Validate identifier/keywords name

## Package Info

---

### Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

### Package Manager

NPM

### Project URL

<https://www.npmjs.com/package/@babel/helper-validator-identifier>

### Package Download URL

<https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.22.20.tgz>

### Dependency Path

styled-components > @babel/traverse > @babel/code-frame >  
@babel/highlight > @babel/helper-validator-identifier, styled-components >  
@babel/traverse > @babel/generator > @babel/types > @babel/helper-  
validator-identifier, styled-components > @babel/traverse > @babel/helper-  
function-name > @babel/template > @babel/code-frame > @babel/highlight  
> @babel/helper-validator-identifier, styled-components > @babel/traverse >  
@babel/helper-function-name > @babel/template > @babel/types >  
@babel/helper-validator-identifier, styled-components > @babel/traverse >  
@babel/helper-function-name > @babel/types > @babel/helper-validator-  
identifier, styled-components > @babel/traverse > @babel/helper-hoist-  
variables > @babel/types > @babel/helper-validator-identifier, styled-  
components > @babel/traverse > @babel/helper-split-export-declaration >  
@babel/types > @babel/helper-validator-identifier, styled-components >  
@babel/traverse > @babel/types > @babel/helper-validator-identifier

## Declared License(s)

---

MIT

### Copyright(s)

2014 present Sebastian McKenzie and other contributors

### Discovered License(s)

---

None

### Notice File(s)

---

None

**@babel/highlight** 7.22.20

npm+@babel/highlight\$7.22.20

Transitive

---

### Description

Syntax highlight JavaScript strings for output in terminals.

### Package Info

---

Package Author(s)

bng412@gmail.com, hi@henryzoo.com, jlhwung@gmail.com,  
nicolo.ribaudo@gmail.com

Package Manager

NPM

Project URL

<https://babel.dev/docs/en/next/babel-highlight>

Package Download URL

<https://registry.npmjs.org/@babel/highlight/-/highlight-7.22.20.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/code-frame >  
@babel/highlight, styled-components > @babel/traverse > @babel/helper-  
function-name > @babel/template > @babel/code-frame > @babel/highlight

### Declared License(s)

---

MIT

Copyright(s)

2014 present Sebastian McKenzie and other contributors

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

@babel/template 7.22.15

npm+@babel/template\$7.22.15

Transitive

---

**Description**

---

Generate an AST from a string template.

**Package Info**

---

Package Author(s)

bng412@gmail.com, hello+npm@nicr.dev, hi@henryzoo.com,  
jlhwung@gmail.com

Package Manager

NPM

Project URL

<https://babel.dev/docs/en/next/babel-template>

Package Download URL

<https://registry.npmjs.org/@babel/template/-/template-7.22.15.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/helper-function-name > @babel/template

### Declared License(s)

---

MIT

### Copyright(s)

2014 present Sebastian McKenzie and other contributors

### Discovered License(s)

---

None

### Notice File(s)

---

None

@jridgewell/gen-mapping 0.3.3

npm+@jridgewell/gen-mapping\$0.3.3

Transitive

### Description

---

Generate source maps

### Package Info

---

#### Package Author(s)

justin+npm@ridgewell.name

#### Package Manager

NPM

#### Project URL

<https://github.com/jridgewell/sourcemaps/tree/main/packages/gen-mapping>

Package Download URL

<https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.3.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/generator > @jridgewell/gen-mapping

Declared License(s)

MIT

Copyright(s)

2022 Justin Ridgewell <jridgewell@google.com>

Discovered License(s)

None

Notice File(s)

None

@jridgewell/trace-mapping 0.3.20

npm+@jridgewell/trace-mapping\$0.3.20

Transitive

Description

Trace the original position through a source map

Package Info

Package Author(s)

justin+npm@ridgewell.name

Package Manager

NPM

Project URL

<https://github.com/jridgewell/sourcemaps/tree/main/packages/trace-mapping>

Package Download URL

<https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.20.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/generator > @jridgewell/trace-mapping

Declared License(s)

---

MIT

Copyright(s)

2022 Justin Ridgewell <justin@ridgewell.name>

Discovered License(s)

---

None

Notice File(s)

---

None

@react-spring/animated 9.4.1

npm+@react-spring/animated\$9.4.1

Transitive

---

Description

---

Animated component props for React

Package Info

---

Package Author(s)

joshua.ellis18@gmail.com

#### Package Manager

NPM

#### Project URL

<https://github.com/pmndrs/react-spring#readme>

#### Package Download URL

<https://registry.npmjs.org/@react-spring/animated/-/animated-9.4.1.tgz>

#### Dependency Path

@splunk/react-ui > react-spring > @react-spring/konva > @react-spring/animated, @splunk/react-ui > react-spring > @react-spring/konva > @react-spring/core > @react-spring/animated, @splunk/react-ui > react-spring > @react-spring/native > @react-spring/animated, @splunk/react-ui > react-spring > @react-spring/native > @react-spring/core > @react-spring/animated, @splunk/react-ui > react-spring > @react-spring/three > @react-spring/animated, @splunk/react-ui > react-spring > @react-spring/three > @react-spring/core > @react-spring/animated, @splunk/react-ui > react-spring > @react-spring/web > @react-spring/animated, @splunk/react-ui > react-spring > @react-spring/web > @react-spring/core > @react-spring/animated, @splunk/react-ui > react-spring > @react-spring/zdog > @react-spring/animated, @splunk/react-ui > react-spring > @react-spring/zdog > @react-spring/core > @react-spring/animated

#### Declared License(s)

---

MIT

#### Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**@react-spring/shared 9.4.1**

npm+@react-spring/shared\$9.4.1

Transitive

---

### Description

Globals and shared modules

---

### Package Info

Package Author(s)

joshua.ellis18@gmail.com

Package Manager

NPM

Project URL

<https://github.com/pmndrs/react-spring#readme>

Package Download URL

<https://registry.npmjs.org/@react-spring/shared/-/shared-9.4.1.tgz>

Dependency Path

@splunk/react-ui > react-spring > @react-spring/konva > @react-spring/core > @react-spring/animated > @react-spring/shared, @splunk/react-ui > react-spring > @react-spring/konva > @react-spring/core > @react-spring/shared, @splunk/react-ui > react-spring > @react-spring/konva > @react-spring/shared, @splunk/react-ui > react-spring > @react-spring/native > @react-spring/core > @react-spring/shared, @splunk/react-ui > react-spring > @react-spring/native > @react-spring/shared, @splunk/react-ui > react-spring > @react-spring/three > @react-spring/core > @react-spring/shared, @splunk/react-ui > react-spring > @react-spring/three > @react-spring/shared, @splunk/react-ui > react-spring > @react-spring/web > @react-spring/core > @react-spring/shared, @splunk/react-ui > react-spring > @react-spring/web > @react-spring/shared, @splunk/react-ui > react-spring > @react-spring/zdog > @react-spring/shared

### Declared License(s)

---

MIT

### Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

### Discovered License(s)

---

None

### Notice File(s)

---

None

@react-spring/types 9.4.1

npm+@react-spring/types\$9.4.1

Transitive

### Description

---

Internal package with TypeScript stuff

### Package Info

---

#### Package Author(s)

joshua.ellis18@gmail.com

#### Package Manager

NPM

#### Project URL

<https://github.com/pmndrs/react-spring#readme>

#### Package Download URL

<https://registry.npmjs.org/@react-spring/types/-/types-9.4.1.tgz>

#### Dependency Path

@splunk/react-ui > react-spring > @react-spring/konva > @react-spring/core  
> @react-spring/animated > @react-spring/shared > @react-spring/types,  
@splunk/react-ui > react-spring > @react-spring/konva > @react-spring/core  
> @react-spring/animated > @react-spring/types, @splunk/react-ui > react-  
spring > @react-spring/konva > @react-spring/core > @react-spring/shared  
> @react-spring/types, @splunk/react-ui > react-spring > @react-  
spring/konva > @react-spring/core > @react-spring/types, @splunk/react-ui  
> react-spring > @react-spring/konva > @react-spring/shared > @react-  
spring/types, @splunk/react-ui > react-spring > @react-spring/konva >  
@react-spring/types, @splunk/react-ui > react-spring > @react-spring/native  
> @react-spring/types, @splunk/react-ui > react-spring > @react-  
spring/three > @react-spring/types, @splunk/react-ui > react-spring >  
@react-spring/web > @react-spring/types, @splunk/react-ui > react-spring >  
@react-spring/zdog > @react-spring/types

### Declared License(s)

---

MIT

### Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

### Discovered License(s)

---

None

### Notice File(s)

---

None

**@types/prop-types** 15.7.4

npm+@types/prop-types\$15.7.4

Transitive

### Description

---

TypeScript definitions for prop-types

### Package Info

---

Package Author(s)

ts-npm-types@microsoft.com

Package Manager

NPM

Project URL

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/prop-types>

Package Download URL

<https://registry.npmjs.org/@types/prop-types/-/prop-types-15.7.4.tgz>

Dependency Path

@splunk/react-ui > @splunk/react-icons > @types/react > @types/prop-types, @splunk/react-ui > @splunk/react-icons > @types/styled-components > @types/hoist-non-react-statics > @types/react > @types/prop-types, @splunk/react-ui > @splunk/react-icons > @types/styled-components > @types/react > @types/prop-types, @splunk/react-ui > @splunk/themes > @types/styled-components > @types/react > @types/prop-types, @splunk/react-ui > @types/react-event-listener > @types/react > @types/prop-types, @splunk/react-ui > @types/react-resize-detector > @types/react > @types/prop-types, @splunk/react-ui > @types/styled-components > @types/hoist-non-react-statics > @types/react > @types/prop-types, @splunk/react-ui > @types/styled-components > @types/react > @types/prop-types, @splunk/themes > @types/styled-components > @types/hoist-non-react-statics > @types/react > @types/prop-types, @splunk/themes > @types/styled-components > @types/react > @types/prop-types

**Declared License(s)**

---

MIT

Copyright(s)

Microsoft Corporation.

**Discovered License(s)**

---

None

## Notice File(s)

---

None

**@types/scheduler** 0.16.2

npm+@types/scheduler\$0.16.2

Transitive

---

## Description

---

TypeScript definitions for scheduler

## Package Info

---

Package Author(s)

ts-npm-types@microsoft.com

Package Manager

NPM

Project URL

<https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/scheduler>

Package Download URL

<https://registry.npmjs.org/@types/scheduler/-/scheduler-0.16.2.tgz>

Dependency Path

```
@splunk/react-ui > @splunk/react-icons > @types/react >
@types/scheduler, @splunk/react-ui > @splunk/react-icons >
@types/styled-components > @types/hoist-non-react-statics >
@types/react > @types/scheduler, @splunk/react-ui > @splunk/react-icons
> @types/styled-components > @types/react > @types/scheduler,
@splunk/react-ui > @splunk/themes > @types/styled-components >
@types/react > @types/scheduler, @splunk/react-ui > @types/react-event-
listener > @types/react > @types/scheduler, @splunk/react-ui >
@types/react-resize-detector > @types/react > @types/scheduler,
@splunk/react-ui > @types/styled-components > @types/hoist-non-react-
statics > @types/react > @types/scheduler, @splunk/react-ui >
```

@types/styled-components > @types/react > @types/scheduler,  
@splunk/themes > @types/styled-components > @types/hoist-non-react-  
statics > @types/react > @types/scheduler, @splunk/themes >  
@types/styled-components > @types/react > @types/scheduler

### Declared License(s)

---

MIT

### Copyright(s)

Microsoft Corporation.

### Discovered License(s)

---

None

### Notice File(s)

---

None

**chalk** 2.4.2

npm+chalk\$2.4.2

Transitive

### Description

---

Terminal string styling done right

### Package Info

---

#### Package Author(s)

sindresorhus@gmail.com

#### Package Manager

NPM

#### Project URL

<https://github.com/chalk/chalk#readme>

#### Package Download URL

<https://registry.npmjs.org/chalk/-/chalk-2.4.2.tgz>

#### Dependency Path

styled-components > @babel/traverse > @babel/code-frame >  
@babel/highlight > chalk, styled-components > @babel/traverse >  
@babel/code-frame > chalk, styled-components > @babel/traverse >  
@babel/helper-function-name > @babel/template > @babel/code-frame >  
@babel/highlight > chalk, styled-components > @babel/traverse >  
@babel/helper-function-name > @babel/template > @babel/code-frame >  
chalk

#### Declared License(s)

---

MIT

#### Copyright(s)

Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**golang.org/x/text** v0.38.0

go+golang.org/x/text\$ v0.38.0

Transitive

#### Description

---

Cached by the Go Module Proxy at Thu, 14 Dec 2017 13:08:43 GMT

#### Package Info

---

Package Author(s)

None

Package Manager

Golang

Project URL

<https://go.dev/doc/contributing>

Package Download URL

<https://proxy.golang.org/golang.org/x/text/@v/v0.38.0.zip>

Dependency Path

github.com/apache/arrow/go/v15 > google.golang.org/grpc >  
golang.org/x/net > golang.org/x/text

---

**Declared License(s)**

None

---

**Discovered License(s)**

**BSD-3-Clause**

Copyright(s)

2009 The Go Authors.

---

**CC-BY-SA-3.0**

Copyright(s)

2015 The Go Authors. All rights reserved.

---

**CC-BY-SA-2.5**

Copyright(s)

2015 The Go Authors. All rights reserved.

---

CC-BY-SA-1.0

Copyright(s)

2015 The Go Authors. All rights reserved.

---

CC-BY-SA-2.0

Copyright(s)

2015 The Go Authors. All rights reserved.

**Notice File(s)**

---

None

**jsesc** 2.5.2

npm+jsesc\$2.5.2

Transitive

---

**Description**

---

Given some data, jsesc returns the shortest possible stringified & ASCII-safe representation of that data.

**Package Info**

---

Package Author(s)

mathias@qiwi.be

Package Manager

NPM

Project URL

<https://mths.be/jsesc>

Package Download URL

<https://registry.npmjs.org/jsesc/-/jsesc-2.5.2.tgz>

#### Dependency Path

styled-components > @babel/traverse > @babel/generator > jsc

#### Declared License(s)

---

MIT

#### Copyright(s)

Mathias Bynens <<https://mathiasbynens.be/>>

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**ms** 2.1.2

npm+ms\$2.1.2

Transitive

---

#### Description

---

Tiny millisecond conversion utility

#### Package Info

---

##### Package Author(s)

allenhai03@gmail.com, ana.trajkovska2015@gmail.com, artzbitz@gmail.com, atcastle@gmail.com, belen@vercel.com, chris@leishman.org, ds303077135@gmail.com, franco@basement.studio, g.cobben@gmail.com, gbmonaco@google.com, guybedford@gmail.com, hank@vercel.com, hello@evilrabb.it, houssein.djirdeh@gmail.com, igor@klopov.com, iyatomi@gmail.com, jan.krems@gmail.com, janicklasralph036@gmail.com, jared@palmer.net, jason@developit.ca, javier.velasco86@gmail.com, jj@jjsweb.site, joecohenr@gmail.com, josefrancisco.verdu@gmail.com, juancampa@gmail.com, lrobinson2011@gmail.com, lsimon@commoner.com, luc.leray@gmail.com, luisito453@gmail.com, mail@connordav.is,

mail@msweeneydev.com, mark.glagola@gmail.com,  
matheus.frndes@gmail.com, mindrun@icloud.com, mrfix84@gmail.com,  
naoyuki.kanezawa@gmail.com, nathan@tootallnate.net,  
nazareno@basement.studio, npm@keanulee.com, paulogdemitri@gmail.com,  
prateek89born@gmail.com, pvco.coursey@gmail.com, rabautse@gmail.com,  
ragojosefrancisco@gmail.com, rauchg@gmail.com, samko9522@gmail.com,  
shu@chibicode.com, shubhie@gmail.com, skllcrn@zeit.co,  
steven@ceriously.com, team@zeit.co, thecodetheory@gmail.com,  
tim@timneutkens.nl, timer150@gmail.com, williamli@bbi.io

#### Package Manager

NPM

#### Project URL

<https://github.com/vercel/ms#readme>

#### Package Download URL

<https://registry.npmjs.org/ms/-/ms-2.1.2.tgz>

#### Dependency Path

styled-components > @babel/traverse > debug > ms

#### Declared License(s)

---

MIT

#### Copyright(s)

2016 Zeit, Inc.

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**regenerator-runtime** 0.14.1

npm+regenerator-runtime\$0.14.1

Transitive

---

### Description

---

Runtime for Regenerator-compiled generator and async functions.

### Package Info

---

Package Author(s)

ben@benjamn.com

Package Manager

NPM

Project URL

<https://github.com/facebook/regenerator/tree/main#readme>

Package Download URL

<https://registry.npmjs.org/regenerator-runtime/-/regenerator-runtime-0.14.1.tgz>

Dependency Path

@splunk/react-ui > react-event-listener > @babel/runtime > regenerator-runtime, @splunk/react-ui > react-sortable-hoc > @babel/runtime > regenerator-runtime

### Declared License(s)

---

MIT

Copyright(s)

2014 present, Facebook, Inc.

### Discovered License(s)

---

None

### Notice File(s)

---

None

## to-fast-properties 2.0.0

npm+to-fast-properties\$2.0.0

Transitive

---

### Description

Force V8 to use fast properties for an object

---

### Package Info

Package Author(s)

sindresorhus@gmail.com

Package Manager

NPM

Project URL

<https://github.com/sindresorhus/to-fast-properties#readme>

Package Download URL

<https://registry.npmjs.org/to-fast-properties/-/to-fast-properties-2.0.0.tgz>

Dependency Path

styled-components > @babel/helper-module-imports > @babel/types > to-fast-properties, styled-components > @babel/traverse > @babel/generator > @babel/types > to-fast-properties, styled-components > @babel/traverse > @babel/helper-function-name > @babel/template > @babel/types > to-fast-properties, styled-components > @babel/traverse > @babel/helper-function-name > @babel/types > to-fast-properties, styled-components > @babel/traverse > @babel/helper-hoist-variables > @babel/types > to-fast-properties, styled-components > @babel/traverse > @babel/helper-split-export-declaration > @babel/types > to-fast-properties, styled-components > @babel/traverse > @babel/types > to-fast-properties, styled-components > babel-plugin-styled-components > @babel/helper-annotate-as-pure > @babel/types > to-fast-properties, styled-components > babel-plugin-styled-components > @babel/helper-module-imports > @babel/types > to-fast-properties

### Declared License(s)

---

MIT

### Copyright(s)

2014 Petka Antonov

### Discovered License(s)

---

None

### Notice File(s)

---

None

@jridgewell/resolve-uri 3.1.1

npm+@jridgewell/resolve-uri\$3.1.1

Transitive

### Description

---

Resolve a URI relative to an optional base URI

### Package Info

---

#### Package Author(s)

justin+npm@ridgewell.name

#### Package Manager

NPM

#### Project URL

<https://github.com/jridgewell/resolve-uri#readme>

#### Package Download URL

<https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.1.tgz>

#### Dependency Path

styled-components > @babel/traverse > @babel/generator >  
@jridgewell/trace-mapping > @jridgewell/resolve-uri

#### Declared License(s)

---

MIT

#### Copyright(s)

2019 Justin Ridgewell <jridgewell@google.com>

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

### @jridgewell/set-array 1.1.2

npm+@jridgewell/set-array\$1.1.2

Transitive

#### Description

---

Like a Set, but provides the index of the key`in the backing array

#### Package Info

---

##### Package Author(s)

justin+npm@ridgewell.name

##### Package Manager

NPM

##### Project URL

<https://github.com/jridgewell/set-array#readme>

##### Package Download URL

<https://registry.npmjs.org/@jridgewell/set-array/-/set-array-1.1.2.tgz>

#### Dependency Path

styled-components > @babel/traverse > @babel/generator >  
@jridgewell/gen-mapping > @jridgewell/set-array

#### Declared License(s)

---

MIT

#### Copyright(s)

2022 Justin Ridgewell <jridgewell@google.com>

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**@jridgewell/sourcemap-codec** 1.4.14

npm+@jridgewell/sourcemap-codec\$1.4.14

Transitive

---

#### Description

---

Encode/decode sourcemap mappings

#### Package Info

---

##### Package Author(s)

justin+npm@ridgewell.name

##### Package Manager

NPM

##### Project URL

<https://github.com/jridgewell/sourcemap-ast/tree/main/packages/sourcemap-codec>

#### Package Download URL

<https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.4.14.tgz>

#### Dependency Path

styled-components > @babel/traverse > @babel/generator > @jridgewell/gen-mapping > @jridgewell/sourcemap-codec, styled-components > @babel/traverse > @babel/generator > @jridgewell/gen-mapping > @jridgewell/trace-mapping > @jridgewell/sourcemap-codec

#### Declared License(s)

---

MIT

#### Copyright(s)

2015 Rich Harris

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

### @jridgewell/sourcemap-codec 1.4.15

npm+@jridgewell/sourcemap-codec\$1.4.15

Transitive

#### Description

---

Encode/decode sourcemap mappings

#### Package Info

---

Package Author(s)

justin+npm@ridgewell.name

Package Manager

NPM

Project URL

<https://github.com/jridgewell/sourcemap-interop/tree/main/packages/sourcemap-codec>

Package Download URL

<https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.4.15.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/generator >  
@jridgewell/trace-mapping > @jridgewell/sourcemap-codec

#### Declared License(s)

---

MIT

Copyright(s)

2015 Rich Harris

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

**@jridgewell/trace-mapping** 0.3.14

npm+@jridgewell/trace-mapping\$0.3.14

Transitive

#### Description

---

Trace the original position through a source map

## Package Info

---

### Package Author(s)

justin+npm@ridgewell.name

### Package Manager

NPM

### Project URL

<https://github.com/jridgewell/sourcemaps/tree/main/packages/trace-mapping>

### Package Download URL

<https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.14.tgz>

### Dependency Path

styled-components > @babel/traverse > @babel/generator >  
@jridgewell/gen-mapping > @jridgewell/trace-mapping

## Declared License(s)

---

MIT

### Copyright(s)

2022 Justin Ridgewell <justin@ridgewell.name>

## Discovered License(s)

---

None

## Notice File(s)

---

None

**@react-spring/rafz** 9.4.1

npm+@react-spring/rafz\$9.4.1

Transitive

---

## Description

react-spring's fork of rafz one frameloop to rule them all

---

## Package Info

### Package Author(s)

joshua.ellis18@gmail.com

### Package Manager

NPM

### Project URL

<https://github.com/pmndrs/react-spring/tree/main/packages/rafz#readme>

### Package Download URL

<https://registry.npmjs.org/@react-spring/rafz/-/rafz-9.4.1.tgz>

### Dependency Path

```
@splunk/react-ui > react-spring > @react-spring/konva > @react-spring/core >
> @react-spring/animated > @react-spring/shared > @react-spring/rafz,
@splunk/react-ui > react-spring > @react-spring/konva > @react-spring/core
> @react-spring/rafz, @splunk/react-ui > react-spring > @react-spring/konva
> @react-spring/core > @react-spring/shared > @react-spring/rafz,
@splunk/react-ui > react-spring > @react-spring/konva > @react-
spring/shared > @react-spring/rafz, @splunk/react-ui > react-spring >
@react-spring/native > @react-spring/core > @react-spring/shared >
@react-spring/rafz, @splunk/react-ui > react-spring > @react-spring/native >
@react-spring/shared > @react-spring/rafz, @splunk/react-ui > react-spring
> @react-spring/three > @react-spring/core > @react-spring/shared >
@react-spring/rafz, @splunk/react-ui > react-spring > @react-spring/three >
@react-spring/shared > @react-spring/rafz, @splunk/react-ui > react-spring
> @react-spring/web > @react-spring/shared > @react-spring/rafz,
@splunk/react-ui > react-spring > @react-spring/zdog > @react-
spring/shared > @react-spring/rafz
```

---

## Declared License(s)

MIT

### Copyright(s)

2018 present Paul Henschel, react-spring, all contributors

### Discovered License(s)

---

None

### Notice File(s)

---

None

### ansi-styles 3.2.1

npm+ansi-styles\$3.2.1

Transitive

---

### Description

---

ANSI escape codes for styling strings in the terminal

### Package Info

---

#### Package Author(s)

sindresorhus@gmail.com

#### Package Manager

NPM

#### Project URL

<https://github.com/chalk/ansi-styles#readme>

#### Package Download URL

<https://registry.npmjs.org/ansi-styles/-/ansi-styles-3.2.1.tgz>

#### Dependency Path

styled-components > @babel/traverse > @babel/code-frame >  
@babel/highlight > chalk > ansi-styles, styled-components >  
@babel/traverse > @babel/code-frame > chalk > ansi-styles, styled-  
components > @babel/traverse > @babel/helper-function-name >

@babel/template > @babel/code-frame > @babel/highlight > chalk > ansi-styles, styled-components > @babel/traverse > @babel/helper-function-name > @babel/template > @babel/code-frame > chalk > ansi-styles

#### Declared License(s)

---

MIT

#### Copyright(s)

Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

#### Discovered License(s)

---

None

#### Notice File(s)

---

None

### escape-string-regexp 1.0.5

npm+escape-string-regexp\$1.0.5

Transitive

#### Description

---

Escape RegExp special characters

#### Package Info

---

##### Package Author(s)

sindresorhus@gmail.com

##### Package Manager

NPM

##### Project URL

<https://www.npmjs.com/package/escape-string-regexp>

## Package Download URL

<https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-1.0.5.tgz>

## Dependency Path

styled-components > @babel/traverse > @babel/code-frame > @babel/highlight > chalk > escape-string-regexp, styled-components > @babel/traverse > @babel/code-frame > chalk > escape-string-regexp, styled-components > @babel/traverse > @babel/helper-function-name > @babel/template > @babel/code-frame > @babel/highlight > chalk > escape-string-regexp, styled-components > @babel/traverse > @babel/helper-function-name > @babel/template > @babel/code-frame > chalk > escape-string-regexp

## Declared License(s)

---

MIT

## Copyright(s)

Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

## Discovered License(s)

---

None

## Notice File(s)

---

None

**@jridgewell/resolve-uri** 3.1.0

npm+@jridgewell/resolve-uri\$3.1.0

Transitive

## Description

---

Resolve a URI relative to an optional base URI

## Package Info

---

Package Author(s)

justin+npm@ridgewell.name

Package Manager

NPM

Project URL

<https://github.com/jridgewell/resolve-uri#readme>

Package Download URL

<https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.0.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/generator >  
@jridgewell/gen-mapping > @jridgewell/trace-mapping >  
@jridgewell/resolve-uri

**Declared License(s)**

---

MIT

Copyright(s)

2019 Justin Ridgewell <jridgewell@google.com>

**Discovered License(s)**

---

None

**Notice File(s)**

---

None

**color-convert** 1.9.3

npm+color-convert\$1.9.3

Transitive

**Description**

---

Plain color conversion functions

## Package Info

---

Package Author(s)

npm@josh.junon.me

Package Manager

NPM

Project URL

<https://www.npmjs.com/package/color-convert>

Package Download URL

<https://registry.npmjs.org/color-convert/-/color-convert-1.9.3.tgz>

Dependency Path

styled-components > @babel/traverse > @babel/code-frame >  
@babel/highlight > chalk > ansi-styles > color-convert, styled-components >  
@babel/traverse > @babel/code-frame > chalk > ansi-styles > color-convert,  
styled-components > @babel/traverse > @babel/helper-function-name >  
@babel/template > @babel/code-frame > @babel/highlight > chalk > ansi-  
styles > color-convert, styled-components > @babel/traverse >  
@babel/helper-function-name > @babel/template > @babel/code-frame >  
chalk > ansi-styles > color-convert

## Declared License(s)

---

MIT

Copyright(s)

2011-2016 Heather Arthur <fayearthur@gmail.com>

## Discovered License(s)

---

None

## Notice File(s)

---

None

## color-name 1.1.3

npm+color-name\$1.1.3

Transitive

---

### Description

A list of color names and its values

---

### Package Info

#### Package Author(s)

df.creative@gmail.com, df.creative@gmail.com, npm@moox.io

#### Package Manager

NPM

#### Project URL

<https://github.com/colorjs/color-name>

#### Package Download URL

<https://registry.npmjs.org/color-name/-/color-name-1.1.3.tgz>

#### Dependency Path

styled-components > @babel/traverse > @babel/code-frame > @babel/highlight > chalk > ansi-styles > color-convert > color-name, styled-components > @babel/traverse > @babel/code-frame > chalk > ansi-styles > color-convert > color-name, styled-components > @babel/traverse > @babel/helper-function-name > @babel/template > @babel/code-frame > @babel/highlight > chalk > ansi-styles > color-convert > color-name, styled-components > @babel/traverse > @babel/helper-function-name > @babel/template > @babel/code-frame > chalk > ansi-styles > color-convert > color-name

---

### Declared License(s)

MIT

#### Copyright(s)

2015 Dmitry Ivanov

**Discovered License(s)**

---

None

**Notice File(s)**

---

None